

General Settings tab

Related Topics

Overview

Use this tab to configure the general settings for most textarea and text entry fields.

- [Wiki](#)
- [WYSIWYG](#)

To Access

From the [General Admin](#) page, click the **General Preferences** tab.

Option	Description	Default
Full screen	Allow users to activate full-screen mode.	Disabled
Use file galleries to store images	If not enabled, images will be stored in the file system, in the /img/wiki_up directory, instead.	Enabled
Dynamic content system	Block of content which can be reused and programmed (timed)	Disabled
Search and replace	Enables finding and replacing of content in the edit box	Enabled
Code editor (CodeMirror)	CodeMirror code editor, which provides syntax highlighting	Disabled
Syntax highlighter (CodeMirror) Theme	CodeMirror themes (clear cache after changing) default Off (but switchable) 3024-day 3024-night ambiance ambiance-mobile base16-dark base16-light blackboard cobalt eclipse elegant erlang-dark lesser-dark mbo midnight monokai neat night paraiso-dark paraiso-light rubyblue solarized the-matrix tomorrow-night-eighties twilight vibrant-ink xq-dark xq-light	Off (but switchable)
Full WYSIWYG editor	WYSIWYG is an acronym for "What You See Is What You Get". CKEditor is used to provide a word-processor-like editing experience.	Enabled
Ajax auto-save	Save content during editing, enabling work to be recovered after any interruption. Also enable a real-time preview. This option is required for WYSIWYG plugin processing.	Enabled
Preview Edits	Add a preview tab to text areas.	Enabled
Smileys	Also known as emoticons	Enabled
Wiki paragraph formatting	When the wiki paragraph formatting feature is on, all groups of non-blank lines are collected into paragraphs. Lines can be of any length, and will be wrapped together with the next line. Paragraphs are separated by blank lines. When the Wiki paragraph formatting feature is off, each line will be presented as you write it. This means that if you want paragraphs to be wrapped properly, a paragraph should be all together on one line.	Enabled
Create line breaks within paragraphs	When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs.	Enabled
Parse wiki syntax in comments	Parse wiki syntax in comments in all sections apart from Forums Use "Accept wiki syntax" for forums in admin forums page	Enabled

Option	Description	Default
Automonospaced text	Lines indented with spaces will automatically be converted to monospace font.	Disabled
Tables syntax	for rows <return> for rows	<return> for rows
Wiki argument variables	Allow writing request variables in wiki content using or - special case Editing and Plugins General Settings	Disabled
Dynamic variables	Global snippets of text that can be included in wiki pages and edited in place. Disabled Single (%varname%) Double (%%varname%%)	Single (%varname%)
Multilingual dynamic variables	Make dynamic variable content language-specific.	Disabled
Multilevel style numbering for ordered lists	Make ordered list items display unique numbers for all levels of their sub-items; for example: 1.1, 1.2, 1.2.1, 1.2.2, etc.	Disabled
Convert from absolute to relative link	Process wiki text and convert internal links from absolute to relative links	Enabled
Markdown	Support markdown syntax.	Disabled
Github-flavored markdown	Enable Github-flavored markdown.	Enabled
Default syntax	Which syntax to use as the default wiki syntax when a new content block is created. Tiki-style wiki syntax Markdown	Tiki-style wiki syntax
Enable Typography Features	Features to replace normal characters with typographic equivalents	Disabled
Smart "curly" quotes	Convert "straight" quotes to "curly" ones, also convert ' apostrophe and 'single' quotes	Disabled
Convert approximative ASCII quotes	Convert plain-ASCII quote substitutes `` „ << >> to their typographic equivalent " " „ » »	Disabled
Smart em-dash and ellipsis	Convert double hyphen — to em-dash — and three consecutive dots ... to typographic ellipsis character...	Disabled
Smart no-break space	Prevents line breaks from occurring at unfortunate places in the text by replacing regular space character with no-break spaces where appropriate: around some punctuation, when used as thousand separator, and between a unit abbreviation and the number preceding it.	Enabled
Plugin Add Bibliography	Add bibliography listing in the footer of a wiki page	Disabled
Plugin Add Reference	Add a bibliography reference.	Disabled
Plugin Anchor Link	Create a link to an anchor	Disabled
Plugin Anchor Name	Create an anchor that can be linked to	Disabled
Plugin Box	Create a formatted box with a title bar	Enabled

Option	Description	Default
Plugin Button	Add a link formatted as a button	Disabled
Plugin Center	Center text	Enabled
Plugin Code	Display code with syntax highlighting and line numbering.	Enabled
Plugin Countdown	Display the time until or after a date and time	Disabled
Plugin Div	Define and format sections of a page or text	Enabled
Plugin Definition List	Create a definition list	Enabled
Plugin Fade	Create a link that shows/hides initially hidden content	Enabled
Plugin Fancy List	Create a formatted numbered list	Enabled
Plugin Fancy Table	Create a formatted table that can be filtered and sorted	Enabled
Plugin Font	Format the font type and size of text	Disabled
Plugin Footnote	Create automatically numbered footnotes (together with PluginFootnoteArea)	Disabled
Plugin Footnote Area	Create automatically numbered footnotes (together with PluginFootnote)	Disabled
Plugin Gauge	Display a horizontal bar gauge	Disabled
Plugin HTML	Add HTML to a page	Enabled
Plugin Iframe	Include the body of another web page in a scrollable frame within a page	Disabled
Plugin Include	Include a portion of another wiki page	Enabled
Plugin Monospace	Display text in a monospace font	Disabled
Plugin Mouseover	Display hidden content by mousing over text	Enabled
Plugin MediaWiki Table	Display a table using MediaWiki syntax	Disabled
Plugin Now	Show the current date and time	Enabled
Plugin Quote	Format text as a quote	Enabled
Plugin Remarks Box	Display a comment, tip, note or warning box	Enabled
Plugin Scroll	Show animated text that scrolls up or down	Disabled
Plugin Sort	Sort lines of text	Enabled
Plugin Split	Arrange content on a page into rows and columns	Enabled
Plugin Superscript	Apply superscript font to text	Enabled

Option	Description	Default
Plugin Subscript	Apply subscript font to text	Enabled
Plugin Tabs	Arrange content in tabs	Enabled
Plugin Tag	Apply an HTML tag to content	Disabled
Plugin Table of Contents (Structure)	Display a table of contents of pages in a structure	Enabled
Plugin Versions	Create tabs for showing alternate versions of content	Disabled
Plugin Show Preference	Display the value of public global preferences	Disabled
Plugin CasperJS	Enable running CasperJS scripts from this Tiki site.	Disabled
HTML purifier	<p>HTML Purifier is a standards-compliant HTML filter library written in PHP and integrated in Tiki. HTML Purifier will not only remove all malicious code (better known as XSS) with a thoroughly audited, secure yet permissive whitelist, it will also ensure that your documents are standards-compliant. Keep in mind that HTML Purifier is not HTML5 compatible and may rewrite HTML5 syntax and produce unwanted results.</p> <p><i>If you use HTML in your wiki page and it gets stripped out or rewritten, make sure your HTML is valid, or de-activate this feature. Keep in mind that HTML Purifier is not HTML5 compatible and may rewrite HTML5 syntax and produce unwanted results.</i></p>	Enabled
AutoLinks	Web (http://) and email addresses will automatically be converted to links.	Enabled
Hotwords		Disabled
Open hotwords in new window		Disabled
Characters that limit a hotword		\n\t\r\,\.\;\\(\)\.\.\[\]\{\}\...\
Use Quote plugin rather than ">" for quoting		Disabled
Center text using :: instead of ::	<i>Useful to avoid conflicts with C++ scope operators or default namespace separator</i>	Disabled
String to use to delimit simplebox		^
Text string used to customise mail templates	Text string used to customise mail templates and added as a pref reference in the appropriate mail tpl files	None
Wiki		20 rows
Comment box	Size (height) of the comment text area.	6 rows
Forum		20 rows

Option	Description	Default
Forum reply		10 rows
Cache external pages		Disabled
Cache external images		Disabled
External link icon	External links will be identified with an icon. To customize the icon, change the "link-external" icon in the icon set.	Enabled
Add "rel=nofollow" to external links	Nofollow is used to instruct some search engines that the link should not influence the ranking of the link's target in the search engine's index.	Disabled
Open external links in new window	Open links to external sites in a new browser tab or window.	Enabled
Allow image lazy loading	Allow that images are loaded in a lazy way	Disabled
Option	Description	Default
Full screen	Allow users to activate full-screen mode.	Disabled
Use file galleries to store images	If not enabled, images will be stored in the file system, in the /img/wiki_up directory, instead.	Enabled
Dynamic content system	Block of content which can be reused and programmed (timed)	Disabled
Search and replace	Enables finding and replacing of content in the edit box	Enabled
Code editor (CodeMirror)	CodeMirror code editor, which provides syntax highlighting	Disabled
Syntax highlighter (CodeMirror) Theme	CodeMirror themes (clear cache after changing) default Off (but switchable) 3024-day 3024-night ambiance ambiance-mobile base16-dark base16-light blackboard cobalt eclipse elegant erlang-dark lesser-dark mbo midnight monokai neat night paraiso-dark paraiso-light rubyblue solarized the-matrix tomorrow-night-eighties twilight vibrant-ink xq-dark xq-light	Off (but switchable)
Full WYSIWYG editor	WYSIWYG is an acronym for "What You See Is What You Get". CKEditor is used to provide a word-processor-like editing experience.	Enabled
Ajax auto-save	Save content during editing, enabling work to be recovered after any interruption. Also enable a real-time preview. This option is required for WYSIWYG plugin processing.	Enabled
Preview Edits	Add a preview tab to text areas.	Enabled
Smileys	Also known as emoticons	Enabled

Option	Description	Default
Wiki paragraph formatting	<p>When the wiki paragraph formatting feature is on, all groups of non-blank lines are collected into paragraphs. Lines can be of any length, and will be wrapped together with the next line.</p> <p>Paragraphs are separated by blank lines. When the Wiki paragraph formatting feature is off, each line will be presented as you write it. This means that if you want paragraphs to be wrapped properly, a paragraph should be all together on one line.</p>	Enabled
Create line breaks within paragraphs	When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs.	Enabled
Parse wiki syntax in comments	Parse wiki syntax in comments in all sections apart from Forums Use "Accept wiki syntax" for forums in admin forums page	Enabled
Automonospaced text	Lines indented with spaces will automatically be converted to monospace font.	Disabled
Tables syntax	for rows <return> for rows	<return> for rows
Wiki argument variables	Allow writing request variables in wiki content using or - special case Editing and Plugins General Settings	Disabled
Dynamic variables	Global snippets of text that can be included in wiki pages and edited in place. Disabled Single (%varname%) Double (%%varname%%)	Single (%varname%)
Multilingual dynamic variables	Make dynamic variable content language-specific.	Disabled
Multilevel style numbering for ordered lists	Make ordered list items display unique numbers for all levels of their sub-items; for example: 1.1, 1.2, 1.2.1, 1.2.2, etc.	Disabled
Convert from absolute to relative link	Process wiki text and convert internal links from absolute to relative links	Enabled
Markdown	Support markdown syntax.	Disabled
Github-flavored markdown	Enable Github-flavored markdown.	Enabled
Default syntax	Which syntax to use as the default wiki syntax when a new content block is created. Tiki-style wiki syntax Markdown	Tiki-style wiki syntax
Enable Typography Features	Features to replace normal characters with typographic equivalents	Disabled
Smart "curly" quotes	Convert "straight" quotes to "curly" ones, also convert ' apostrophe and 'single' quotes	Disabled
Convert approximative ASCII quotes	Convert plain-ASCII quote substitutes `` „ <>> to their typographic equivalent “ ” „ « »	Disabled
Smart em-dash and ellipsis	Convert double hyphen — to em-dash — and three consecutive dots ... to typographic ellipsis character...	Disabled

Option	Description	Default
Smart no-break space	Prevents line breaks from occurring at unfortunate places in the text by replacing regular space character with no-break spaces where appropriate: around some punctuation, when used as thousand separator, and between a unit abbreviation and the number preceding it.	Enabled
Plugin Add Bibliography	Add bibliography listing in the footer of a wiki page	Disabled
Plugin Add Reference	Add a bibliography reference.	Disabled
Plugin Anchor Link	Create a link to an anchor	Disabled
Plugin Anchor Name	Create an anchor that can be linked to	Disabled
Plugin Box	Create a formatted box with a title bar	Enabled
Plugin Button	Add a link formatted as a button	Disabled
Plugin Center	Center text	Enabled
Plugin Code	Display code with syntax highlighting and line numbering.	Enabled
Plugin Countdown	Display the time until or after a date and time	Disabled
Plugin Div	Define and format sections of a page or text	Enabled
Plugin Definition List	Create a definition list	Enabled
Plugin Fade	Create a link that shows/hides initially hidden content	Enabled
Plugin Fancy List	Create a formatted numbered list	Enabled
Plugin Fancy Table	Create a formatted table that can be filtered and sorted	Enabled
Plugin Font	Format the font type and size of text	Disabled
Plugin Footnote	Create automatically numbered footnotes (together with PluginFootnoteArea)	Disabled
Plugin Footnote Area	Create automatically numbered footnotes (together with PluginFootnote)	Disabled
Plugin Gauge	Display a horizontal bar gauge	Disabled
Plugin HTML	Add HTML to a page	Enabled
Plugin Iframe	Include the body of another web page in a scrollable frame within a page	Disabled
Plugin Include	Include a portion of another wiki page	Enabled
Plugin Monospace	Display text in a monospace font	Disabled
Plugin Mouseover	Display hidden content by mousing over text	Enabled

Option	Description	Default
Plugin MediaWiki Table	Display a table using MediaWiki syntax	Disabled
Plugin Now	Show the current date and time	Enabled
Plugin Quote	Format text as a quote	Enabled
Plugin Remarks Box	Display a comment, tip, note or warning box	Enabled
Plugin Scroll	Show animated text that scrolls up or down	Disabled
Plugin Sort	Sort lines of text	Enabled
Plugin Split	Arrange content on a page into rows and columns	Enabled
Plugin Superscript	Apply superscript font to text	Enabled
Plugin Subscript	Apply subscript font to text	Enabled
Plugin Tabs	Arrange content in tabs	Enabled
Plugin Tag	Apply an HTML tag to content	Disabled
Plugin Table of Contents (Structure)	Display a table of contents of pages in a structure	Enabled
Plugin Versions	Create tabs for showing alternate versions of content	Disabled
Plugin Show Preference	Display the value of public global preferences	Disabled
Plugin CasperJS	Enable running CasperJS scripts from this Tiki site.	Disabled
HTML purifier	<p>HTML Purifier is a standards-compliant HTML filter library written in PHP and integrated in Tiki. HTML Purifier will not only remove all malicious code (better known as XSS) with a thoroughly audited, secure yet permissive whitelist, it will also ensure that your documents are standards-compliant. Keep in mind that HTML Purifier is not HTML5 compatible and may rewrite HTML5 syntax and produce unwanted results.</p> <p><i>If you use HTML in your wiki page and it gets stripped out or rewritten, make sure your HTML is valid, or de-activate this feature. Keep in mind that HTML Purifier is not HTML5 compatible and may rewrite HTML5 syntax and produce unwanted results.</i></p>	Enabled
AutoLinks	Web (http://) and email addresses will automatically be converted to links.	Enabled
Hotwords		Disabled
Open hotwords in new window		Disabled
Characters that limit a hotword		\n\t\r\,\.\:\(\)\.\.\[\]\{\}\...
Use Quote plugin rather than ">" for quoting		Disabled

Option	Description	Default
Center text using :: instead of :::	<i>Useful to avoid conflicts with C++ scope operators or default namespace separator</i>	Disabled
String to use to delimit simplebox		^
Text string used to customise mail templates	Text string used to customise mail templates and added as a pref reference in the appropriate mail tpl files	None
Wiki		20 rows
Comment box	Size (height) of the comment text area.	6 rows
Forum		20 rows
Forum reply		10 rows
Cache external pages		Disabled
Cache external images		Disabled
External link icon	External links will be identified with an icon. To customize the icon, change the "link-external" icon in the icon set.	Enabled
Add "rel=nofollow" to external links	Nofollow is used to instruct some search engines that the link should not influence the ranking of the link's target in the search engine's index.	Disabled
Open external links in new window	Open links to external sites in a new browser tab or window.	Enabled
Allow image lazy loading	Allow that images are loaded in a lazy way	Disabled
Option	Description	Default
Full screen	Allow users to activate full-screen mode.	Disabled
Use file galleries to store images	If not enabled, images will be stored in the file system, in the /img/wiki_up directory, instead.	Enabled
Dynamic content system	Block of content which can be reused and programmed (timed)	Disabled
Search and replace	Enables finding and replacing of content in the edit box	Enabled
Code editor (CodeMirror)	CodeMirror code editor, which provides syntax highlighting	Disabled
Syntax highlighter (CodeMirror) Theme	CodeMirror themes (clear cache after changing) default Off (but switchable) 3024-day 3024-night ambiance ambiance-mobile base16-dark base16-light blackboard cobalt eclipse elegant erlang-dark lesser-dark mbo midnight monokai neat night paraiso-dark paraiso-light rubyblue solarized the-matrix tomorrow-night-eighties twilight vibrant-ink xq-dark xq-light	Off (but switchable)

Option	Description	Default
Full WYSIWYG editor	WYSIWYG is an acronym for "What You See Is What You Get". CKEditor is used to provide a word-processor-like editing experience.	Enabled
Ajax auto-save	Save content during editing, enabling work to be recovered after any interruption. Also enable a real-time preview. This option is required for WYSIWYG plugin processing.	Enabled
Preview Edits	Add a preview tab to text areas.	Enabled
Enable Vue.js Toolbar Dialogs		Enabled
Smileys	Also known as emoticons	Enabled
Wiki paragraph formatting	When the wiki paragraph formatting feature is on, all groups of non-blank lines are collected into paragraphs. Lines can be of any length, and will be wrapped together with the next line. Paragraphs are separated by blank lines. When the Wiki paragraph formatting feature is off, each line will be presented as you write it. This means that if you want paragraphs to be wrapped properly, a paragraph should be all together on one line.	Enabled
Create line breaks within paragraphs	When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs.	Enabled
Parse wiki syntax in comments	Parse wiki syntax in comments in all sections apart from Forums Use "Accept wiki syntax" for forums in admin forums page	Enabled
Automonospaced text	Lines indented with spaces will automatically be converted to monospace font.	Disabled
Tables syntax	for rows <return> for rows	<return> for rows
Wiki argument variables	Allow writing request variables in wiki content using or - special case Editing and Plugins General Settings	Disabled
Dynamic variables	Global snippets of text that can be included in wiki pages and edited in place. Disabled Single (%varname%) Double (%%varname%%)	Single (%varname%)
Multilingual dynamic variables	Make dynamic variable content language-specific.	Disabled
Multilevel style numbering for ordered lists	Make ordered list items display unique numbers for all levels of their sub-items; for example: 1.1, 1.2, 1.2.1, 1.2.2, etc.	Disabled
Convert from absolute to relative link	Process wiki text and convert internal links from absolute to relative links	Enabled
Markdown	Support markdown syntax.	Disabled
Github-flavored markdown	Enable Github-flavored markdown.	Enabled

Option	Description	Default
Default syntax	Which syntax to use as the default wiki syntax when a new content block is created. Tiki-style wiki syntax Markdown	Tiki-style wiki syntax
Enable Typography Features	Features to replace normal characters with typographic equivalents	Disabled
Smart "curly" quotes	Convert "straight" quotes to "curly" ones, also convert ' apostrophe and 'single' quotes	Disabled
Convert approximative ASCII quotes	Convert plain-ASCII quote substitutes `` „ << >> to their typographic equivalent “ ” „ « »	Disabled
Smart em-dash and ellipsis	Convert double hyphen — to em-dash — and three consecutive dots ... to typographic ellipsis character...	Disabled
Smart no-break space	Prevents line breaks from occurring at unfortunate places in the text by replacing regular space character with no-break spaces where appropriate: around some punctuation, when used as thousand separator, and between a unit abbreviation and the number preceding it.	Enabled
Plugin Add Bibliography	Add bibliography listing in the footer of a wiki page	Disabled
Plugin Add Reference	Add a bibliography reference.	Disabled
Plugin Anchor Link	Create a link to an anchor	Disabled
Plugin Anchor Name	Create an anchor that can be linked to	Disabled
Plugin Box	Create a formatted box with a title bar	Enabled
Plugin Button	Add a link formatted as a button	Disabled
Plugin Center	Center text	Enabled
Plugin Code	Display code with syntax highlighting and line numbering.	Enabled
Plugin Countdown	Display the time until or after a date and time	Disabled
Plugin Div	Define and format sections of a page or text	Enabled
Plugin Definition List	Create a definition list	Enabled
Plugin Fade	Create a link that shows/hides initially hidden content	Enabled
Plugin Fancy List	Create a formatted numbered list	Enabled
Plugin Fancy Table	Create a formatted table that can be filtered and sorted	Enabled
Plugin Font	Format the font type and size of text	Disabled
Plugin Footnote	Create automatically numbered footnotes (together with PluginFootnoteArea)	Disabled

Option	Description	Default
Plugin Footnote Area	Create automatically numbered footnotes (together with PluginFootnote)	Disabled
Plugin Gauge	Display a horizontal bar gauge	Disabled
Plugin HTML	Add HTML to a page	Enabled
Plugin Iframe	Include the body of another web page in a scrollable frame within a page	Disabled
Plugin Include	Include a portion of another wiki page	Enabled
Plugin Monospace	Display text in a monospace font	Disabled
Plugin Mouseover	Display hidden content by mousing over text	Enabled
Plugin MediaWiki Table	Display a table using MediaWiki syntax	Disabled
Plugin Now	Show the current date and time	Enabled
Plugin Quote	Format text as a quote	Enabled
Plugin Remarks Box	Display a comment, tip, note or warning box	Enabled
Plugin Scroll	Show animated text that scrolls up or down	Disabled
Plugin Sort	Sort lines of text	Enabled
Plugin Split	Arrange content on a page into rows and columns	Enabled
Plugin Superscript	Apply superscript font to text	Enabled
Plugin Subscript	Apply subscript font to text	Enabled
Plugin Tabs	Arrange content in tabs	Enabled
Plugin Tag	Apply an HTML tag to content	Disabled
Plugin Table of Contents (Structure)	Display a table of contents of pages in a structure	Enabled
Plugin Versions	Create tabs for showing alternate versions of content	Disabled
Plugin Show Preference	Display the value of public global preferences	Disabled
Plugin CasperJS	Enable running CasperJS scripts from this Tiki site.	Disabled

Option	Description	Default
HTML purifier	HTML Purifier is a standards-compliant HTML filter library written in PHP and integrated in Tiki. HTML Purifier will not only remove all malicious code (better known as XSS) with a thoroughly audited, secure yet permissive whitelist, it will also ensure that your documents are standards-compliant. Keep in mind that HTML Purifier is not HTML5 compatible and may rewrite HTML5 syntax and produce unwanted results. <i>If you use HTML in your wiki page and it gets stripped out or rewritten, make sure your HTML is valid, or de-activate this feature. Keep in mind that HTML Purifier is not HTML5 compatible and may rewrite HTML5 syntax and produce unwanted results.</i>	Enabled
AutoLinks	Web (http://) and email addresses will automatically be converted to links.	Enabled
Hotwords		Disabled
Open hotwords in new window		Disabled
Characters that limit a hotword		\n\t\r\,\;\()\).\.:\\\[{\}\}...^
Use Quote plugin rather than ">" for quoting		Disabled
Center text using :: instead of ::	<i>Useful to avoid conflicts with C++ scope operators or default namespace separator</i>	Disabled
String to use to delimit simplebox		^
Text string used to customise mail templates	Text string used to customise mail templates and added as a preference reference in the appropriate mail tpl files	None
Wiki		20 rows
Comment box	Size (height) of the comment text area.	6 rows
Forum		20 rows
Forum reply		10 rows
Cache external pages		Disabled
Cache external images		Disabled
External link icon	External links will be identified with an icon. To customize the icon, change the "link-external" icon in the icon set.	Enabled
Add "rel=nofollow" to external links	Nofollow is used to instruct some search engines that the link should not influence the ranking of the link's target in the search engine's index.	Disabled
Open external links in new window	Open links to external sites in a new browser tab or window.	Enabled

Option	Description	Default
Allow image lazy loading	Allow that images are loaded in a lazy way	Disabled
Option	Description	Default
Full screen	Allow users to activate full-screen mode.	Disabled
Use file galleries to store images	If not enabled, images will be stored in the file system, in the /img/wiki_up directory, instead.	Enabled
Dynamic content system	Block of content which can be reused and programmed (timed)	Disabled
Search and replace	Enables finding and replacing of content in the edit box	Enabled
Code editor (CodeMirror)	CodeMirror code editor, which provides syntax highlighting	Disabled
Syntax highlighter (CodeMirror) Theme	CodeMirror themes (clear cache after changing) default Off (but switchable) 3024-day 3024-night ambiance ambiance-mobile base16-dark base16-light blackboard cobalt eclipse elegant erlang-dark lesser-dark mbo midnight monokai neat night paraiso-dark paraiso-light rubyblue solarized the-matrix tomorrow-night-eighties twilight vibrant-ink xq-dark xq-light	Off (but switchable)
Full WYSIWYG editor	WYSIWYG is an acronym for "What You See Is What You Get". CKEditor is used to provide a word-processor-like editing experience.	Disabled
Ajax auto-save	Save content during editing, enabling work to be recovered after any interruption. Also enable a real-time preview. This option is required for WYSIWYG plugin processing.	Enabled
Preview Edits	Add a preview tab to text areas.	Enabled
Enable Vue.js Toolbar Dialogs		Disabled
Smileys	Also known as emoticons	Enabled
Wiki paragraph formatting	When the wiki paragraph formatting feature is on, all groups of non-blank lines are collected into paragraphs. Lines can be of any length, and will be wrapped together with the next line. Paragraphs are separated by blank lines. When the Wiki paragraph formatting feature is off, each line will be presented as you write it. This means that if you want paragraphs to be wrapped properly, a paragraph should be all together on one line.	Enabled
Create line breaks within paragraphs	When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs.	Enabled
Parse wiki syntax in comments	Parse wiki syntax in comments in all sections apart from Forums Use "Accept wiki syntax" for forums in admin forums page	Enabled
Automonospaced text	Lines indented with spaces will automatically be converted to monospace font.	Disabled

Option	Description	Default
Tables syntax	for rows <return> for rows	<return> for rows
Wiki argument variables	Allow writing request variables in wiki content using or - special case Editing and Plugins General Settings	Disabled
Dynamic variables	Global snippets of text that can be included in wiki pages and edited in place. Disabled Single (%varname%) Double (%%varname%%)	Single (%varname%)
Multilingual dynamic variables	Make dynamic variable content language-specific.	Disabled
Multilevel style numbering for ordered lists	Make ordered list items display unique numbers for all levels of their sub-items; for example: 1.1, 1.2, 1.2.1, 1.2.2, etc.	Disabled
Convert from absolute to relative link	Process wiki text and convert internal links from absolute to relative links	Disabled
Markdown	Support markdown syntax.	Disabled
Github-flavored markdown	Enable Github-flavored markdown.	Enabled
Default syntax	Which syntax to use as the default wiki syntax when a new content block is created. Tiki-style wiki syntax Markdown	Tiki-style wiki syntax
Enable Typography Features	Features to replace normal characters with typographic equivalents	Disabled
Smart "curly" quotes	Convert "straight" quotes to "curly" ones, also convert ' apostrophe and 'single' quotes	Disabled
Convert approximative ASCII quotes	Convert plain-ASCII quote substitutes `` „ << >> to their typographic equivalent “ ” „ « »	Disabled
Smart em-dash and ellipsis	Convert double hyphen — to em-dash — and three consecutive dots ... to typographic ellipsis character...	Disabled
Smart no-break space	Prevents line breaks from occurring at unfortunate places in the text by replacing regular space character with no-break spaces where appropriate: around some punctuation, when used as thousand separator, and between a unit abbreviation and the number preceding it.	Enabled
Plugin Add Bibliography	Add bibliography listing in the footer of a wiki page	Disabled
Plugin Add Reference	Add a bibliography reference.	Disabled
Plugin Anchor Link	Create a link to an anchor	Disabled
Plugin Anchor Name	Create an anchor that can be linked to	Disabled
Plugin Box	Create a formatted box with a title bar	Enabled
Plugin Button	Add a link formatted as a button	Disabled

Option	Description	Default
Plugin Center	Center text	Enabled
Plugin Code	Display code with syntax highlighting and line numbering.	Enabled
Plugin Countdown	Display the time until or after a date and time	Disabled
Plugin Div	Define and format sections of a page or text	Enabled
Plugin Definition List	Create a definition list	Enabled
Plugin Fade	Create a link that shows/hides initially hidden content	Enabled
Plugin Fancy List	Create a formatted numbered list	Enabled
Plugin Fancy Table	Create a formatted table that can be filtered and sorted	Enabled
Plugin Font	Format the font type and size of text	Disabled
Plugin Footnote	Create automatically numbered footnotes (together with PluginFootnoteArea)	Disabled
Plugin Footnote Area	Create automatically numbered footnotes (together with PluginFootnote)	Disabled
Plugin Gauge	Display a horizontal bar gauge	Disabled
Plugin HTML	Add HTML to a page	Enabled
Plugin Iframe	Include the body of another web page in a scrollable frame within a page	Disabled
Plugin Include	Include a portion of another wiki page	Enabled
Plugin Monospace	Display text in a monospace font	Disabled
Plugin Mouseover	Display hidden content by mousing over text	Enabled
Plugin MediaWiki Table	Display a table using MediaWiki syntax	Disabled
Plugin Now	Show the current date and time	Enabled
Plugin Quote	Format text as a quote	Enabled
Plugin Remarks Box	Display a comment, tip, note or warning box	Enabled
Plugin Scroll	Show animated text that scrolls up or down	Disabled
Plugin Sort	Sort lines of text	Enabled
Plugin Split	Arrange content on a page into rows and columns	Enabled
Plugin Superscript	Apply superscript font to text	Enabled
Plugin Subscript	Apply subscript font to text	Enabled

Option	Description	Default
Plugin Tabs	Arrange content in tabs	Enabled
Plugin Tag	Apply an HTML tag to content	Disabled
Plugin Table of Contents (Structure)	Display a table of contents of pages in a structure	Enabled
Plugin Versions	Create tabs for showing alternate versions of content	Disabled
Plugin Show Preference	Display the value of public global preferences	Disabled
Plugin CasperJS	Enable running CasperJS scripts from this Tiki site.	Disabled
HTML purifier	<p>HTML Purifier is a standards-compliant HTML filter library written in PHP and integrated in Tiki. HTML Purifier will not only remove all malicious code (better known as XSS) with a thoroughly audited, secure yet permissive whitelist, it will also ensure that your documents are standards-compliant. Keep in mind that HTML Purifier is not HTML5 compatible and may rewrite HTML5 syntax and produce unwanted results.</p> <p><i>If you use HTML in your wiki page and it gets stripped out or rewritten, make sure your HTML is valid, or de-activate this feature. Keep in mind that HTML Purifier is not HTML5 compatible and may rewrite HTML5 syntax and produce unwanted results.</i></p>	Enabled
AutoLinks	Web (http://) and email addresses will automatically be converted to links.	Enabled
Hotwords		Disabled
Open hotwords in new window		Disabled
Characters that limit a hotword		\n\t\r\,\;\;\(\)\.\:\[\]\{\}\...
Use Quote plugin rather than ">" for quoting		Disabled
Center text using :: instead of :::	<i>Useful to avoid conflicts with C++ scope operators or default namespace separator</i>	Disabled
String to use to delimit simplebox		^
Text string used to customise mail templates	Text string used to customise mail templates and added as a preference in the appropriate mail tpl files	None
Wiki		20 rows
Comment box	Size (height) of the comment text area.	6 rows
Forum		20 rows
Forum reply		10 rows

Option	Description	Default
Cache external pages		Disabled
Cache external images		Disabled
External link icon	External links will be identified with an icon. To customize the icon, change the "link-external" icon in the icon set.	Enabled
Add "rel=nofollow" to external links	Nofollow is used to instruct some search engines that the link should not influence the ranking of the link's target in the search engine's index.	Disabled
Open external links in new window	Open links to external sites in a new browser tab or window.	Enabled
Allow image lazy loading	Allow that images are loaded in a lazy way	Disabled
Option	Description	Default
Full screen	Allow users to activate full-screen mode.	Disabled
Use file galleries to store images	If not enabled, images will be stored in the file system, in the /img/wiki_up directory, instead.	Enabled
Dynamic content system	Block of content which can be reused and programmed (timed)	Disabled
Search and replace	Enables finding and replacing of content in the edit box	Enabled
Code editor (CodeMirror)	CodeMirror code editor, which provides syntax highlighting	Disabled
Syntax highlighter (CodeMirror) Theme	CodeMirror themes (clear cache after changing) default Off (but switchable) 3024-day 3024-night ambiance ambiance-mobile base16-dark base16-light blackboard cobalt eclipse elegant erlang-dark lesser-dark mbo midnight monokai neat night paraiso-dark paraiso-light rubyblue solarized the-matrix tomorrow-night-eighties twilight vibrant-ink xq-dark xq-light	Off (but switchable)
Full WYSIWYG editor	WYSIWYG is an acronym for "What You See Is What You Get". CKEditor is used to provide a word-processor-like editing experience.	Disabled
Ajax auto-save	Save content during editing, enabling work to be recovered after any interruption. Also enable a real-time preview. This option is required for WYSIWYG plugin processing.	Enabled
Preview Edits	Add a preview tab to text areas.	Enabled
Smileys	Also known as emoticons	Enabled

Option	Description	Default
Wiki paragraph formatting	<p>When the wiki paragraph formatting feature is on, all groups of non-blank lines are collected into paragraphs. Lines can be of any length, and will be wrapped together with the next line.</p> <p>Paragraphs are separated by blank lines. When the Wiki paragraph formatting feature is off, each line will be presented as you write it. This means that if you want paragraphs to be wrapped properly, a paragraph should be all together on one line.</p>	Enabled
Create line breaks within paragraphs	When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs.	Enabled
Parse wiki syntax in comments	Parse wiki syntax in comments in all sections apart from Forums Use "Accept wiki syntax" for forums in admin forums page	Enabled
Automonospaced text	Lines indented with spaces will automatically be converted to monospace font.	Disabled
Tables syntax	for rows <return> for rows	<return> for rows
Wiki argument variables	Allow writing request variables in wiki content using or - special case Editing and Plugins General Settings	Disabled
Dynamic variables	Global snippets of text that can be included in wiki pages and edited in place. Disabled Single (%varname%) Double (%%varname%%)	Single (%varname%)
Multilingual dynamic variables	Make dynamic variable content language-specific.	Disabled
Multilevel style numbering for ordered lists	Make ordered list items display unique numbers for all levels of their sub-items; for example: 1.1, 1.2, 1.2.1, 1.2.2, etc.	Disabled
Convert from absolute to relative link	Process wiki text and convert internal links from absolute to relative links	Disabled
Enable Typography Features	Features to replace normal characters with typographic equivalents	Disabled
Smart "curly" quotes	Convert "straight" quotes to "curly" ones, also convert ' apostrophe and 'single' quotes	Disabled
Convert approximative ASCII quotes	Convert plain-ASCII quote substitutes `` „ <>> to their typographic equivalent " " „ « »	Disabled
Smart em-dash and ellipsis	Convert double hyphen — to em-dash — and three consecutive dots ... to typographic ellipsis character...	Disabled
Smart no-break space	Prevents line breaks from occurring at unfortunate places in the text by replacing regular space character with no-break spaces where appropriate: around some punctuation, when used as thousand separator, and between a unit abbreviation and the number preceding it.	Enabled
Plugin Add Bibliography	Add bibliography listing in the footer of a wiki page	Disabled
Plugin Add Reference	Add a bibliography reference.	Disabled

Option	Description	Default
Plugin Anchor Link	Create a link to an anchor	Disabled
Plugin Anchor Name	Create an anchor that can be linked to	Disabled
Plugin Box	Create a formatted box with a title bar	Enabled
Plugin Button	Add a link formatted as a button	Disabled
Plugin Center	Center text	Enabled
Plugin Code	Display code with syntax highlighting and line numbering.	Enabled
Plugin Countdown	Display the time until or after a date and time	Disabled
Plugin Div	Define and format sections of a page or text	Enabled
Plugin Definition List	Create a definition list	Enabled
Plugin Fade	Create a link that shows/hides initially hidden content	Enabled
Plugin Fancy List	Create a formatted numbered list	Enabled
Plugin Fancy Table	Create a formatted table that can be filtered and sorted	Enabled
Plugin Font	Format the font type and size of text	Disabled
Plugin Footnote	Create automatically numbered footnotes (together with PluginFootnoteArea)	Disabled
Plugin Footnote Area	Create automatically numbered footnotes (together with PluginFootnote)	Disabled
Plugin Gauge	Display a horizontal bar gauge	Disabled
Plugin HTML	Add HTML to a page	Enabled
Plugin Iframe	Include the body of another web page in a scrollable frame within a page	Disabled
Plugin Include	Include a portion of another wiki page	Enabled
Plugin Monospace	Display text in a monospace font	Disabled
Plugin Mouseover	Display hidden content by mousing over text	Enabled
Plugin MediaWiki Table	Display a table using MediaWiki syntax	Disabled
Plugin Now	Show the current date and time.	Enabled
Plugin Quote	Format text as a quote	Enabled
Plugin Remarks Box	Display a comment, tip, note or warning box	Enabled
Plugin Scroll	Show animated text that scrolls up or down	Disabled

Option	Description	Default
Plugin Slider	Embed a mini-slideshow of content on a page	Disabled
Plugin Sort	Sort lines of text	Enabled
Plugin Split	Arrange content on a page into rows and columns	Enabled
Plugin Superscript	Apply superscript font to text	Enabled
Plugin Subscript	Apply subscript font to text	Enabled
Plugin Tabs	Arrange content in tabs	Enabled
Plugin Tag	Apply an HTML tag to content	Disabled
Plugin Table of Contents (Structure)	Display a table of contents of pages in a structure	Enabled
Plugin Versions	Create tabs for showing alternate versions of content	Disabled
Plugin Show Preference	Display the value of public global preferences	Disabled
Plugin CasperJS	Enable running CasperJS scripts from this Tiki site.	Disabled
HTML purifier	<p>HTML Purifier is a standards-compliant HTML filter library written in PHP and integrated in Tiki. HTML Purifier will not only remove all malicious code (better known as XSS) with a thoroughly audited, secure yet permissive whitelist, it will also ensure that your documents are standards-compliant. Keep in mind that HTML Purifier is not HTML5 compatible and may rewrite HTML5 syntax and produce unwanted results.</p> <p><i>If you use HTML in your wiki page and it gets stripped out or rewritten, make sure your HTML is valid, or de-activate this feature. Keep in mind that HTML Purifier is not HTML5 compatible and may rewrite HTML5 syntax and produce unwanted results.</i></p>	Enabled
AutoLinks	Web (http://) and email addresses will automatically be converted to links.	Enabled
Hotwords		Disabled
Open hotwords in new window		Disabled
Characters that limit a hotword		\n\r;()\.:[]{}...
Use Quote plugin rather than ">" for quoting		Disabled
Center text using :: instead of ::	Useful to avoid conflicts with C++ scope operators or default namespace separator	Disabled
String to use to delimit simplebox	^	

Option	Description	Default
Text string used to customise mail templates	Text string used to customise mail templates and added as a preference reference in the appropriate mail tpl files	None
Wiki		20 rows
Comment box	Size (height) of the comment text area.	6 rows
Forum		20 rows
Forum reply		10 rows
Cache external pages		Disabled
Cache external images		Disabled
External link icon	External links will be identified with an icon. To customize the icon, change the "link-external" icon in the icon set.	Enabled
Add "rel=nofollow" to external links	Nofollow is used to instruct some search engines that the link should not influence the ranking of the link's target in the search engine's index.	Disabled
Open external links in new window	Open links to external sites in a new browser tab or window.	Enabled
Allow image lazy loading	Allow that images are loaded in a lazy way	Disabled
Option	Description	Default
Full screen	Allow users to activate full-screen mode.	Disabled
Use file galleries to store images	If not enabled, images will be stored in the file system, in the /img/wiki_up directory, instead.	Enabled
Dynamic content system	Block of content which can be reused and programmed (timed)	Disabled
Search and replace	Enables finding and replacing of content in the edit box	Enabled
Code editor (CodeMirror)	CodeMirror code editor, which provides syntax highlighting	Disabled
Syntax highlighter (CodeMirror) Theme	CodeMirror themes (clear cache after changing) default Off (but switchable) 3024-day 3024-night ambiance ambiance-mobile base16-dark base16-light blackboard cobalt eclipse elegant erlang-dark lesser-dark mbo midnight monokai neat night paraiso-dark paraiso-light rubyblue solarized the-matrix tomorrow-night-eighties twilight vibrant-ink xq-dark xq-light	Off (but switchable)
Full WYSIWYG editor	WYSIWYG is an acronym for "What You See Is What You Get". CKEditor is used to provide a word-processor-like editing experience.	Disabled

Option	Description	Default
Ajax auto-save	Save content during editing, enabling work to be recovered after any interruption. Also enable a real-time preview. This option is required for WYSIWYG plugin processing.	Enabled
Smileys	Also known as emoticons	Enabled
Wiki paragraph formatting	When the wiki paragraph formatting feature is on, all groups of non-blank lines are collected into paragraphs. Lines can be of any length, and will be wrapped together with the next line. Paragraphs are separated by blank lines. When the Wiki paragraph formatting feature is off, each line will be presented as you write it. This means that if you want paragraphs to be wrapped properly, a paragraph should be all together on one line.	Enabled
Create line breaks within paragraphs	When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs.	Enabled
Parse wiki syntax in comments	Parse wiki syntax in comments in all sections apart from Forums Use "Accept wiki syntax" for forums in admin forums page	Enabled
Automonospaced text	Lines indented with spaces will automatically be converted to monospace font.	Disabled
Tables syntax	for rows <return> for rows	<return> for rows
Wiki argument variables	Allow writing request variables in wiki content using or - special case Editing and Plugins General Settings	Disabled
Dynamic variables	Global snippets of text that can be included in wiki pages and edited in place. Disabled Single (%varname%) Double (%%varname%%)	Single (%varname%)
Multilingual dynamic variables	Make dynamic variable content language-specific.	Disabled
Multilevel style numbering for ordered lists	Make ordered list items display unique numbers for all levels of their sub-items; for example: 1.1, 1.2, 1.2.1, 1.2.2, etc.	Disabled
Convert from absolute to relative link	Process wiki text and convert internal links from absolute to relative links	Disabled
Enable Typography Features	Features to replace normal characters with typographic equivalents	Disabled
Smart "curly" quotes	Convert \"straight\" quotes to "curly" ones, also convert ' apostrophe and 'single' quotes	Enabled
Convert approximative ASCII quotes	Convert plain-ASCII quote substitutes `` „ <> to their typographic equivalent “ ” « »	Disabled
Smart em-dash and ellipsis	Convert double hyphen -- to em-dash — and three consecutive dots... to typographic ellipsis character...	Disabled

Option	Description	Default
Smart no-break space	Prevents line breaks from occurring at unfortunate places in the text by replacing regular space character with no-break spaces where appropriate: around some punctuation, when used as thousand separator, and between a unit abbreviation and the number preceding it.	Enabled
Plugin Add Bibliography	Add bibliography listing in the footer of a wiki page	Disabled
Plugin Add Reference	Add a bibliography reference.	Disabled
Plugin Anchor Link	Create a link to an anchor	Disabled
Plugin Anchor Name	Create an anchor that can be linked to	Disabled
Plugin Box	Create a formatted box with a title bar	Enabled
Plugin Button	Add a link formatted as a button	Disabled
Plugin Center	Center text	Enabled
Plugin Code	Display code with syntax highlighting and line numbering.	Enabled
Plugin Countdown	Display the time until or after a date and time	Disabled
Plugin Div	Define and format sections of a page or text	Enabled
Plugin Definition List	Create a definition list	Enabled
Plugin Fade	Create a link that shows/hides initially hidden content	Enabled
Plugin Fancy List	Create a formatted numbered list	Enabled
Plugin Fancy Table	Create a formatted table that can be filtered and sorted	Enabled
Plugin Font	Format the font type and size of text	Disabled
Plugin Footnote	Create automatically numbered footnotes (together with PluginFootnoteArea)	Disabled
Plugin Footnote Area	Create automatically numbered footnotes (together with PluginFootnote)	Disabled
Plugin Gauge	Display a horizontal bar gauge	Disabled
Plugin HTML	Add HTML to a page	Enabled
Plugin Iframe	Include the body of another web page in a scrollable frame within a page	Disabled
Plugin Include	Include a portion of another wiki page	Enabled
Plugin Monospace	Display text in a monospace font	Disabled
Plugin Mouseover	Display hidden content by mousing over text	Enabled

Option	Description	Default
Plugin MediaWiki Table	Display a table using MediaWiki syntax	Disabled
Plugin Now	Show the current date and time.	Enabled
Plugin Quote	Format text as a quote	Enabled
Plugin Remarks Box	Display a comment, tip, note or warning box	Enabled
Plugin Scroll	Show animated text that scrolls up or down	Disabled
Plugin Slider	Embed a mini-slideshow of content on a page	Disabled
Plugin Sort	Sort lines of text	Enabled
Plugin Split	Arrange content on a page into rows and columns	Enabled
Plugin Superscript	Apply superscript font to text	Enabled
Plugin Subscript	Apply subscript font to text	Enabled
Plugin Tabs	Arrange content in tabs	Enabled
Plugin Tag	Apply an HTML tag to content	Disabled
Plugin Table of Contents (Structure)	Display a table of contents of pages in a structure	Enabled
Plugin Versions	Create tabs for showing alternate versions of content	Disabled
Plugin Show Preference	Display the value of public global preferences	Disabled
Plugin CasperJS	Enable running CasperJS scripts from this Tiki site.	Disabled
HTML purifier	<p>HTML Purifier is a standards-compliant HTML filter library written in PHP and integrated in Tiki. HTML Purifier will not only remove all malicious code (better known as XSS) with a thoroughly audited, secure yet permissive whitelist, it will also ensure that your documents are standards-compliant. Keep in mind that HTML Purifier is not HTML5 compatible and may rewrite HTML5 syntax and produce unwanted results.</p> <p><i>If you use HTML in your wiki page and it gets stripped out or rewritten, make sure your HTML is valid, or de-activate this feature. Keep in mind that HTML Purifier is not HTML5 compatible and may rewrite HTML5 syntax and produce unwanted results.</i></p>	Enabled
AutoLinks	Web (http://) and email addresses will automatically be converted to links.	Enabled
Hotwords		Disabled
Open hotwords in new window		Disabled
Characters that limit a hotword		\n\r\v\\(\v).\\:\\[\\]\\{\\}\\...

Option	Description	Default
Use Quote plugin rather than ">" for quoting		Disabled
Center text using :: instead of ::	<p>Useful to avoid conflicts with C++ scope operators or default namespace separator.</p> <p><i>Useful to avoid conflicts with C++ scope operators or default namespace separator</i></p>	Disabled
String to use to delimit simplebox		^
Text string used to customise mail templates	Text string used to customise mail templates and added as a pref reference in the appropriate mail tpl files	None
Wiki		20 rows
Comment box	Size (height) of the comment text area.	6 rows
Forum		20 rows
Forum reply		10 rows
Cache external pages		Disabled
Cache external images		Disabled
External link icon	External links will be identified with an icon. To customize the icon, change the "link-external" icon in the icon set.	Enabled
Add "rel=nofollow" to external links	Nofollow is used to instruct some search engines that the link should not influence the ranking of the link's target in the search engine's index.	Disabled
Open external links in new window	Open links to external sites in a new browser tab or window.	Enabled
Allow image lazy loading	Allow that images are loaded in a lazy way	Disabled