

Module last_youtube_playlist_videos

Related Topics

"It displays a playlist of videos from youtube"

- [PluginYouTube](#)
- [Modules](#)

Usage

Module

```
{MODULE(module=last_youtube_playlist_videos, id=yourplaylistid, dev_key=your_youtube_api_key)} {MODULE}
```

Parameters

Display a YouTube playlist

Required parameters are in **bold**.

[Go to the source code](#)

Preferences required: `wikiplugin_youtube`

Parameters	Accepted Values	Description	Default	Since
dev_key	any string except for HTML and PHP tags	The key must be generated from the Google console. Choose to create a server key.		
id	any string except for HTML and PHP tags	ID of the YouTube playlist to display (not the complete URL). Example: <code>id=4DE69387D46DA2F6</code>		
height	any string except for HTML and PHP tags	Height of each video in pixels	350	
width	any string except for HTML and PHP tags	Width of each video in pixels	425	
allowFullScreen	(blank) true false	Enlarge video to full screen size	1	
link_url	any string except for HTML and PHP tags	Url for a link at bottom of module. Example: <code>link_url=http://www.youtube.com/CouncilofEurope#grid/user/E57D0D93BA3A56C8</code>		
link_text	any string except for HTML and PHP tags	Text for link if <code>link_url</code> is set, otherwise 'More Videos'	More Videos	

orderby	(blank) position commentCount duration published reversedPosition title viewCount	Criteria to order by the videos in the list. Default is 'position'	position
verbose	(blank) y n	Display description of video on title mouseover if 'y'. Default is 'y'	

YouTube API Key

You need to have a Google YouTube API Key v3 by the time of this writing (2018). In short, that requires that you have a Google account to access the Google API Console, request an API key, register your application, create a project, create credentials, and make sure the status is ON for the YouTube Data API v3.

See: <https://developers.google.com/youtube/v3/getting-started>

In addition, since [Tiki19+](#), you need to install the external package `google/apiclient` through the [Packages](#) Control Panel.

Example

This code:

```
{module module="last_youtube_playlist_videos" id="PLM2ch5TKp0OdwhnWPhNHOZqTnZGzuR3DF" dev_key="AlzaSyCW-h9DTf4tzNPqsbbBLkh2b970RWaK5o"}
```

Would produce:

YouTube Playlist

[Tiki: Comments moderation](#)

[Tiki: Banning Spammers from Action Log data](#)

Related Pages

See these pages for information that applies for all modules:

- [Module](#) — Overall introduction and overview
- [Module Admin](#) — Introduction to the module admin pages for site-wide and individual module settings
 - [Assigning Modules](#) — How to select a module to configure it
 - [Module Settings Interface](#) — Interface for configuring individual module settings
 - [Module Settings Parameters](#) — Explanation of standard parameter settings for modules
 - [Creating Custom Modules](#) — How to create user modules
- [Index of Modules](#) — Links to the documentation of individual modules
- [User Modules](#) — How (if the feature is active) users can choose and place their modules
- [Mods Type Modules](#) — Links to modules that are installed as components