Packages

Also called the Composer Web Installer, and introduced in Tiki18, this feature is for the installation and management of external software packages using Composer.

Overview

Note that there are two kinds of packages

- 1. "Normal" php packages, as you'd find on https://packagist.org/
- 2. Tiki Extensions https://doc.tiki.org/Packages-that-extend-Tiki

Composer is used in the Tiki code development process to import and manage external software such as jQuery and Bootstrap. But some software cannot be packaged with Tiki due to an incompatible license, or shouldn't necessarily be packaged with Tiki by default because of the software's specialized nature or niche application. So it is a natural step for Tiki site administrators to be able to use Composer to install and manage external software specifically for their site after the site is installed.

Package list

- Please see: https://packages.tiki.org/
- For developers:
 - dev info about packages.tiki.org
 - Code to build packages
 - $\circ\,$ Where to modify package availability in the Tiki code

Use

The interface for Packages is located at the site's tiki-admin.php?page=packages page. The Packages admin page has four sections, displayed in tabs — Packages Installed, Install Other Packages, Packages Bundled, and Diagnose. These sections are described below:

Packages Installed

This list shows packages that have been installed via this feature. The details for each package include package name, version required, status, and version installed, plus a remove button for each. The version required is the minimum version required by Tiki, so the version installed must be that version or a newer one. If the Packages feature hasn't been used yet, then of course the list will be empty.

Packages •

| External packages insta | llation and manageme | ent | | | |
|-------------------------|------------------------|---------------------------|------------------|--------------------|---------|
| Packages Installed | Install Other Packa | ages Packages Bu | ndled Diagn | ose | No Tabs |
| Composer Packag | es status of the packa | ages registered in the co | mposer.json file | | |
| Package Name | | Version Required | Status | Version Installed | Remove |
| mpdf/mpdf | | ^6.1 | ~ | v6.1.3 | Remove |
| jerome-breton/casperjs | -installer | dev-master | ~ | dev-master 21972ed | Remove |
| phpcasperjs/phpcaspe | rjs | ^1.3 | ~ | v1.3.0 | |
| onelogin/php-saml | | ^2.10 | ~ | 2.10.7 | Remove |
| enygma/expose | | ^3.0 | ~ | 3.0 | Remove |

The status column shows a success icon () if the package is installed, or a warning icon () if it is missing. If the package is missing, you can click the "Fix Missing Packages" button that is displayed and Tiki will try to install the package again.

Manual install (FTP)

If for some reason, the web-based package installer is not working for you, you can use the FTP alternative explained at:

https://packages.tiki.org/

Install Other Packages

This section shows packages that are available to be selected and installed.

Some examples include:

- PhantomJS and CasperJS
- mPDF
- Expose
- SAML

Packages o

External packages installation and management

| Packages Installed | Install Other Packages | Packages Bundled | Diagnose | No Tabs |
|--------------------|------------------------|------------------|----------|---------|
| Fackages installed | Install Other Fackages | Fackages Dunuleu | Diagnose | |

Composer Packages These packages have been identified as required by one or more features.

| Package Name | Version | Licence | Required by | Install |
|----------------------------------|------------|---------|---------------------|-----------------|
| jerome-breton/casperjs-installer | dev-master | MIT | wikiplugin_casperjs | Install Package |
| enygma/expose | ^3.0 | MIT | ids_enabled | Install Package |
| mpdf/mpdf | ^6.1 | GPL | Tiki Print | Install Package |
| onelogin/php-saml | ^2.10 | MIT | saml_auth_enabled | Install Package |

There appear to be some optional packages that can be installed

In the list above, there are optional packages that may be installed in order to use the Tiki features that require the package.

Install packages from the administrator interface

Composer was not detected. Please follow the manual instructions.

Install packages manually

Make sure composer is installed.

Composer can be installed manually, in the host machine, by following the instructions from the Composer website.

The script setup.sh that is included in the Tiki distribution can be run to make sure composer is installed. In this case, composer will be installed as temp/composer.phar. Below is an example of how to do this in a Linux-like operating system: bash ./setup.sh composer

Make sure there is a composer.json file in the root of the website.

If there is not already a composer.json file, then create one. The sample composer.json.dist that comes with Tiki can be used as a starting point. Below is an example of how to do this in a Linux-like operating system: cp composer.json.dist composer.json.

Install the package.

After all the steps above (that only need to be performed once), packages can be installed by issuing a command composer require package:version for each package that is to be installed. Below is an example of how to do this in a Linux-like operating system: php temp/composer.phar require --update-no-dev --prefer-dist psr/log:^1.0

Install Other Packages

Packages •

External packages installation and management

| | | | | No Tabs |
|--------------------|------------------------|------------------|----------|---------|
| Packages Installed | Install Other Packages | Packages Bundled | Diagnose | |

Composer Packages Bundled status of the packages registered in the vendor_bundled/composer.json file

For information only

This list of packages are bundled with Tiki Wiki, and displayed here for informational purpose

| Package Name | Version Required | Status | Version Installed |
|-----------------------------------|------------------|--------|--------------------|
| adodb/adodb-php | ^5.20 | ~ | v5.20.9 |
| afarkas/html5shiv | 3.7.3 | ~ | 3.7.3 |
| alxlit/bootstrap-chosen | 1.0.1 | ~ | 1.0.1 |
| blueimp/javascript-canvas-to-blob | ^2.2.0 | ~ | 2.2.0 |
| blueimp/javascript-load-image | ^1.14.0 | ~ | 1.14.0 |
| blueimp/jquery-file-upload | ^9.12.5 | ~ | v9.18.0 |
| candy-chat/xmpp-prebind-php | dev-master | ~ | dev-master 76f7382 |
| | | | |

Note: It may happen that mxGraph is not available on this list, so to add it to your Tiki installation, follow this link, it contains all the information you will need to add a package if it is not available for installation through the graphical interface.

Install Other Packages section feedback

[+]

Other information

Currently those that are available are listed in the local composer.json file and fetched from https://packagist.org.

Packages Bundled

This section lists the external software packages that are bundled with the core Tiki files, so are available for use in a fresh Tiki site. This list is for information purposes only and there's no interface here to make changes.

Diagnose

The "Diagnose Composer" button can be clicked to run Composer and test the output. If Composer isn't found for some reason, there will be a message to that effect.

Packages o

External packages installation and management

Packages Installed Insta

Install Other Packages

Packages Bundled

Diagnose

Normally, Composer will be found and run, and so some information will be shown here.

Diagnose Composer Installation Use the button below to test your composer installation.

Diagnose Composer

Results

Composer: Composer not found

Diagnose Composer - Composer Not Found

Packages •

External packages installation and management

| Packages Installed | Install Other Packages | Packages Bundled | Diagnose | No Tabs |
|--|---|----------------------------|-----------------------|-----------------------------|
|)iagnose Compos | er Installation use the but | ton bellow to test your co | mposer installation | |
| Diagnose Composer | | | | |
| Results | | | | |
| omposer: /var/www/vi | irtual/trunk.notre.website/tem | p/composer.phar | | |
| omposer diagnose o | utput | | | |
| | | | | |
| Checking composer.j | son: WARNING | | | |
| Checking composer.j: No license specified | | o so. For closed-sour | ce software you may u | e "proprietary" as license. |
| No license specified require.jerome-breto | d, it is recommended to d on/casperjs-installer : u | | | |
| No license specifie require.jerome-breto Checking platform so | d, it is recommended to d on/casperjs-installer : u ettings: OK | | | |
| No license specified require.jerome-breto Checking platform so Checking git setting | d, it is recommended to d on/casperjs-installer : u ettings: OK gs: OK | | | |
| No license specified require.jerome-breto Checking platform so Checking git setting Checking http connect | d, it is recommended to d on/casperjs-installer : u ettings: OK gs: OK ctivity to packagist: OK | nbound version constr | | |
| No license specifie require.jerome-breto Checking platform so Checking git setting Checking http connec Checking https connec | d, it is recommended to d on/casperjs-installer : u ettings: OK gs: OK ctivity to packagist: OK ectivity to packagist: OK | nbound version constr | | |
| No license specifie require.jerome-bret Checking platform s Checking git settin Checking http connec Checking https conn Checking github.com | d, it is recommended to d on/casperjs-installer : u ettings: OK gs: OK ctivity to packagist: OK ctivity to packagist: OK rate limit: OK | nbound version constr | | |
| No license specifie require.jerome-breto Checking platform s Checking git setting Checking http connec Checking https connec Checking github.com Checking github.com | d, it is recommended to d on/casperjs-installer : u ettings: OK gs: OK ctivity to packagist: OK ectivity to packagist: OK rate limit: OK space: OK | nbound version constr | | |
| No license specifie require.jerome-breto Checking platform so Checking fit setting Checking http connec Checking https connec Checking github.com Checking disk free Checking pubkeys: F/ | d, it is recommended to d on/casperjs-installer : u ettings: OK gs: OK ctivity to packagist: OK ectivity to packagist: OK rate limit: OK space: OK AIL | nbound version constr | | |
| No license specifier require.jerome-bret Checking platform s Checking git setting Checking http conne Checking https conne Checking github.com Checking disk free s Checking pubkeys for Missing pubkey for | d, it is recommended to d on/casperjs-installer : u ettings: OK gs: OK ctivity to packagist: OK ectivity to packagist: OK rate limit: OK space: OK AIL tags verification | nbound version constr | | |
| No license specifier require.jerome-breto Checking platform sr Checking git setting Checking http conner Checking https connor Checking github.com Checking github.com Checking pubkeys Fr Missing pubkey for d | d, it is recommended to d on/casperjs-installer : u ettings: OK gs: OK ctivity to packagist: OK ectivity to packagist: OK rate limit: OK space: OK AIL tags verification | nbound version constr | | |

Diagnose Composer - OK

Troubleshooting

No Tabs

Your requirements could not be resolved to an installable set of packages

If you run into errors such as the following, try uninstalling and reinstalling the packages

> = Composer execution output: Errors: ./composer.json has been updated Loading composer repositories with package information Updating dependencies Your requirements could not be resolved to an installable set of packages. Problem 1 -Conclusion: don't install mpdf/mpdf v8.0.5 - Conclusion: don't install mpdf/mpdf v8.0.4 -Conclusion: don't install mpdf/mpdf v8.0.3 - Conclusion: don't install mpdf/mpdf v8.0.2 -Conclusion: don't install mpdf/mpdf v8.0.1 - Conclusion: don't install mpdf/mpdf v8.0.0 -Conclusion: don't install mpdf/mpdf v8.0.5 - Conclusion: don't install mpdf/mpdf v8.0.4 -Conclusion: don't install mpdf/mpdf v8.0.3 - Conclusion: don't install mpdf/mpdf v8.0.2 -Conclusion: don't install mpdf/mpdf v8.0.1 - Conclusion: remove setasign/fpdi 1.6.2 -Installation request for mpdf/mpdf ^8.0.0 -> satisfiable by mpdf/mpdf[v8.0.0, v8.0.1, v8.0.2, v8.0.3, v8.0.4, v8.0.5]. -Conclusion: don't install setasign/fpdi 1.6.2 - mpdf/mpdf v8.0.0 requires setasign/fpdi ^2.1 -> satisfiable by setasign/fpdi[v2.1.0, v2.2.0,

v2.3.0, v2.1.1]. - Can only install one of: setasign/fpdi[v2.1.0, 1.6.2]. - Can only install one of: setasign/fpdi[v2.1.1, 1.6.2]. -Can only install one of: setasign/fpdi[v2.2.0, 1.6.2]. -Can only install one of: setasign/fpdi[v2.3.0, 1.6.2]. -Can only install one of: setasign/fpdi[1.6.2, v2.1.0]. -Can only install one of: setasign/fpdi[1.6.2, v2.2.0]. -Can only install one of: setasign/fpdi[1.6.2, v2.3.0]. -Installation request for setasign/fpdi (locked at 1.6.2) -> satisfiable by setasign/fpdi[1.6.2]. Running update with --no-dev does not mean require-dev is ignored, it just means the packages will not be installed. If dev requirements are blocking the update you have to resolve those problems. Installation failed, reverting ./composer.json to its original content.

Future development

Initially, the focus will be files at https://packagist.org/, but later this feature is intended to be expanded to include importing themes, libraries formerly hosted at mods.tiki.org, language files, and more.

Related

- See also https://dev.tiki.org/Composer-Web-Installer
- Profiles
- "Packaging" Composer packages
- About Tiki Packages in Tiki 18.0 LTS and why I support this project. And mods.tiki.org can now be scheduled for retirement (Marc Laporte).
- https://gitlab.com/tikiwiki/tiki-packages-build

Page alias

- Composer Web Installer
- Package