

Articles - General settings

Option	Description	Default
Articles	Articles can be used for date-specific news and announcements. You can configure articles to automatically publish and expire at specific times or to require that submissions be approved before becoming "live."	Disabled
Plugin Article List	Display multiple articles	Enabled
Plugin Article	Display a field of an article	Enabled
Title of articles homepage	Select the default title for the page that displays all articles. Topic Type Articles	None
Maximum number of articles on the articles homepage	The number of articles to show on each page of the Articles homepage.	10 articles
Submissions	Articles can be submitted but need to be approved before they are published.	Disabled
Use new articles	Use the new CustomSearch-based article lists rather than database information	Disabled
Article creator remains article owner	Last article editor does not automatically become author (owner).	Disabled
Rankings	Users can see several charts or rankings about the item.	Disabled
User ratings on articles	Allow users to rate articles. <i>Permissions involved: rate_article, ratings_view_results. Also, when configuring articles, "Admin Types > Comment can rate article" needs to be set.</i>	Disabled
Article rating options	List of options available for the rating of articles.	0,1,2,3,4,5
Comments on articles	Users with permission can post or reply to comments. The comments will appear at the bottom of the page.	Disabled
Number per page	Set the number of comments per page.	10 comments
Display order	Set the display order of comments. Newest first Oldest first Points	Points
Article content templates	Predefined content for an article	Disabled
Lock Content Templates	Enable users to lock content templates and so prevent others from editing them	Disabled
Specify notification emails when creating articles	Send a notification email when creating an article. Remember that notification emails for article topics can be redefined when the topic is edited after its creation.	Disabled
Paginate articles	Divide articles into multiple pages with pagebreak markers.	Disabled

Option	Description	Default
Custom attributes for article types	Enable additional custom fields for article types	Enabled
Geolocate articles	Provide controls to indicate a geographic location in the article edit form.	Disabled
Article title in SEFURL	The article title rather than article number can be displayed in the search engine friendly URL.	Enabled
Related articles	Display a list of related articles at the bottom of an article page	Disabled
Tracker for articles	Have a tracker to supplement article information	Disabled
Tracker ID of tracker for articles	A tracker for articles must contain an "Articles" field	None
Article copyright	Apply copyright management preferences to this feature.	Disabled
Article image maximum file size	Maximum file size for an article image. Article images are stored in the database so it should remain low.	500000 kilobytes
Default maximum width for custom article images	Set the default maximum width of the article image <i>"0" for no maximum</i>	0 pixels
Default maximum height for custom article images	Set the default maximum height of article images <i>"0" for no maximum</i>	0 pixels
Default maximum width for custom article images in list mode (on View Articles)	Sets the default maximum width of custom article images in list mode (on View Articles page) <i>"0" to default to the view mode maximum</i>	0 pixels
Default maximum height of custom article images in list mode (on View Articles page)	Set the default maximum height of custom article images in list mode (on the View Articles page) <i>"0" to default to the view mode maximum</i>	0 pixels
ShareThis buttons	Enable sharing site content via ShareThis <i>Insert a ShareThis button from http://www.sharethis.com.</i>	Disabled
Your ShareThis publisher identifier (optional)	Set to define your ShareThis publisher identifier <i>record your ShareThis publisher ID</i>	None

Option	Description	Default
Articles	Articles can be used for date-specific news and announcements. You can configure articles to automatically publish and expire at specific times or to require that submissions be approved before becoming "live."	Disabled
Plugin Article List	Display multiple articles	Enabled
Plugin Article	Display a field of an article	Enabled
Title of articles homepage	Select the default title for the page that displays all articles. Topic Type Articles	None

Option	Description	Default
Maximum number of articles on the articles homepage	The number of articles to show on each page of the Articles homepage.	10 articles
Submissions	Articles can be submitted but need to be approved before they are published.	Disabled
Use new articles	Use the new CustomSearch-based article lists rather than database information	Disabled
Article creator remains article owner	Last article editor does not automatically become author (owner).	Disabled
Rankings	Users can see several charts or rankings about the item.	Disabled
User ratings on articles	Allow users to rate articles. <i>Permissions involved: rate_article, ratings_view_results. Also, when configuring articles, "Admin Types > Comment can rate article" needs to be set.</i>	Disabled
Article rating options	List of options available for the rating of articles.	0,1,2,3,4,5
Comments on articles	Users with permission can post or reply to comments. The comments will appear at the bottom of the page.	Disabled
Number per page	Set the number of comments per page.	10 comments
Display order	Set the display order of comments. Newest first Oldest first Points	Points
Article content templates	Predefined content for an article	Disabled
Lock Content Templates	Enable users to lock content templates and so prevent others from editing them	Disabled
Specify notification emails when creating articles	Send a notification email when creating an article. Remember that notification emails for article topics can be redefined when the topic is edited after its creation.	Disabled
Paginate articles	Divide articles into multiple pages with pagebreak markers.	Disabled
Custom attributes for article types	Enable additional custom fields for article types	Enabled
Geolocate articles	Provide controls to indicate a geographic location in the article edit form.	Disabled
Article title in SEFURL	The article title rather than article number can be displayed in the search engine friendly URL.	Enabled
Related articles	Display a list of related articles at the bottom of an article page	Disabled
Tracker for articles	Have a tracker to supplement article information	Disabled
Tracker ID of tracker for articles	A tracker for articles must contain an "Articles" field	None

Option	Description	Default
Article copyright	Apply copyright management preferences to this feature.	Disabled
Article image maximum file size	Maximum file size for an article image. Article images are stored in the database so it should remain low.	500000 kilobytes
Default maximum width for custom article images	Set the default maximum width of the article image <i>"0" for no maximum</i>	0 pixels
Default maximum height for custom article images	Set the default maximum height of article images <i>"0" for no maximum</i>	0 pixels
Default maximum width for custom article images in list mode (on View Articles)	Sets the default maximum width of custom article images in list mode (on View Articles page) <i>"0" to default to the view mode maximum</i>	0 pixels
Default maximum height of custom article images in list mode (on View Articles page)	Set the default maximum height of custom article images in list mode (on the View Articles page) <i>"0" to default to the view mode maximum</i>	0 pixels
ShareThis buttons	Enable sharing site content via ShareThis <i>Insert a ShareThis button from http://www.sharethis.com.</i>	Disabled
Your ShareThis publisher identifier (optional)	Set to define your ShareThis publisher identifier <i>record your ShareThis publisher ID</i>	None

Option	Description	Default
Articles	Articles can be used for date-specific news and announcements. You can configure articles to automatically publish and expire at specific times or to require that submissions be approved before becoming "live."	Disabled
Plugin Article List	Display multiple articles	Enabled
Plugin Article	Display a field of an article	Enabled
Title of articles homepage	Select the default title for the page that displays all articles. Topic Type Articles	None
Maximum number of articles on the articles homepage	The number of articles to show on each page of the Articles homepage.	10 articles
Submissions	Articles can be submitted but need to be approved before they are published.	Disabled
Use new articles	Use the new CustomSearch-based article lists rather than database information	Disabled
Article creator remains article owner	Last article editor does not automatically become author (owner).	Disabled
Rankings	Users can see several charts or rankings about the item.	Disabled

Option	Description	Default
User ratings on articles	Allow users to rate articles. <i>Permissions involved: rate_article, ratings_view_results. Also, when configuring articles, "Admin Types > Comment can rate article" needs to be set.</i>	Disabled
Article rating options	List of options available for the rating of articles.	0,1,2,3,4,5
Comments on articles	Users with permission can post or reply to comments. The comments will appear at the bottom of the page.	Disabled
Number per page	Set the number of comments per page.	10 comments
Display order	Set the display order of comments. Newest first Oldest first Points	Points
Article content templates	Predefined content for an article	Disabled
Lock Content Templates	Enable users to lock content templates and so prevent others from editing them	Disabled
Specify notification emails when creating articles	Send a notification email when creating an article. Remember that notification emails for article topics can be redefined when the topic is edited after its creation.	Disabled
Paginate articles	Divide articles into multiple pages with pagebreak markers.	Disabled
Custom attributes for article types	Enable additional custom fields for article types	Enabled
Geolocate articles	Provide controls to indicate a geographic location in the article edit form.	Disabled
Article title in SEFURL	The article title rather than article number can be displayed in the search engine friendly URL.	Enabled
Related articles	Display a list of related articles at the bottom of an article page	Disabled
Tracker for articles	Have a tracker to supplement article information	Disabled
Tracker ID of tracker for articles	A tracker for articles must contain an "Articles" field	None
Article copyright	Apply copyright management preferences to this feature.	Disabled
Article image maximum file size	Maximum file size for an article image. Article images are stored in the database so it should remain low.	500000 kilobytes
Default maximum width for custom article images	Set the default maximum width of the article image <i>"0" for no maximum</i>	0 pixels
Default maximum height for custom article images	Set the default maximum height of article images <i>"0" for no maximum</i>	0 pixels

Option	Description	Default
Default maximum width for custom article images in list mode (on View Articles)	Sets the default maximum width of custom article images in list mode (on View Articles page) <i>"0" to default to the view mode maximum</i>	0 pixels
Default maximum height of custom article images in list mode (on View Articles page)	Set the default maximum height of custom article images in list mode (on the View Articles page) <i>"0" to default to the view mode maximum</i>	0 pixels
ShareThis buttons	Enable sharing site content via ShareThis <i>Insert a ShareThis button from http://www.sharethis.com.</i>	Disabled
Your ShareThis publisher identifier (optional)	Set to define your ShareThis publisher identifier <i>record your ShareThis publisher ID</i>	None
Option	Description	Default
Articles	Articles can be used for date-specific news and announcements. You can configure articles to automatically publish and expire at specific times or to require that submissions be approved before becoming "live."	Disabled
Plugin Article List	Display multiple articles	Enabled
Plugin Article	Display a field of an article	Enabled
Title of articles homepage	Select the default title for the page that displays all articles. Topic Type Articles	None
Maximum number of articles on the articles homepage	The number of articles to show on each page of the Articles homepage.	10 articles
Submissions	Articles can be submitted but need to be approved before they are published.	Disabled
Use new articles	Use the new CustomSearch-based article lists rather than database information	Disabled
Article creator remains article owner	Last article editor does not automatically become author (owner).	Disabled
Rankings	Users can see several charts or rankings about the item.	Disabled
User ratings on articles	Allow users to rate articles. <i>Permissions involved: rate_article, ratings_view_results. Also, when configuring articles, "Admin Types > Comment can rate article" needs to be set.</i>	Disabled
Article rating options	List of options available for the rating of articles.	0,1,2,3,4,5
Comments on articles	Users with permission can post or reply to comments. The comments will appear at the bottom of the page.	Disabled
Number per page	Set the number of comments per page.	10 comments

Option	Description	Default
Display order	Set the display order of comments. Newest first Oldest first Points	Points
Article content templates	Predefined content for an article	Disabled
Lock Content Templates	Enable users to lock content templates and so prevent others from editing them	Disabled
Specify notification emails when creating articles	Send a notification email when creating an article. Remember that notification emails for article topics can be redefined when the topic is edited after its creation.	Disabled
Paginate articles	Divide articles into multiple pages with pagebreak markers.	Disabled
Custom attributes for article types	Enable additional custom fields for article types	Enabled
Geolocate articles	Provide controls to indicate a geographic location in the article edit form.	Disabled
Article title in SEFURL	The article title rather than article number can be displayed in the search engine friendly URL.	Enabled
Related articles	Display a list of related articles at the bottom of an article page	Disabled
Tracker for articles	Have a tracker to supplement article information	Disabled
Tracker ID of tracker for articles	A tracker for articles must contain an "Articles" field	None
Article copyright	Apply copyright management preferences to this feature.	Disabled
Article image maximum file size	Maximum file size for an article image. Article images are stored in the database so it should remain low.	500000 kilobytes
Default maximum width for custom article images	Set the default maximum width of the article image <i>"0" for no maximum</i>	0 pixels
Default maximum height for custom article images	Set the default maximum height of article images <i>"0" for no maximum</i>	0 pixels
Default maximum width for custom article images in list mode (on View Articles)	Sets the default maximum width of custom article images in list mode (on View Articles page) <i>"0" to default to the view mode maximum</i>	0 pixels
Default maximum height of custom article images in list mode (on View Articles page)	Set the default maximum height of custom article images in list mode (on the View Articles page) <i>"0" to default to the view mode maximum</i>	0 pixels
ShareThis buttons	Enable sharing site content via ShareThis <i>Insert a ShareThis button from http://www.sharethis.com.</i>	Disabled
Your ShareThis publisher identifier (optional)	Set to define your ShareThis publisher identifier <i>record your ShareThis publisher ID</i>	None

Option	Description	Default
First year in the dropdown	<i>Enter a year or use +/- N to specify a year relative to the current year</i>	-10 years
Last year in the dropdown	<i>Enter a year or use +/- N to specify a year relative to the current year</i>	+10 years
Option	Description	Default
Articles	Articles can be used for date-specific news and announcements. You can configure articles to automatically publish and expire at specific times or to require that submissions be approved before becoming "live."	Disabled
Plugin Article List	Display multiple articles	Enabled
Plugin Article	Display a field of an article	Enabled
Title of articles homepage	Select the default title for the page that displays all articles. Topic Type Articles	None
Maximum number of articles on the articles homepage	The number of articles to show on each page of the Articles homepage.	10 articles
Submissions	Articles can be submitted but need to be approved before they are published.	Disabled
Use new articles	Use the new CustomSearch-based article lists rather than database information	Disabled
Article creator remains article owner	Last article editor does not automatically become author (owner).	Disabled
Rankings	Users can see several charts or rankings about the item.	Disabled
User ratings on articles	Allow users to rate articles. <i>Permissions involved: rate_article, ratings_view_results. Also, when configuring articles, "Admin Types > Comment can rate article" needs to be set.</i>	Disabled
Article rating options	List of options available for the rating of articles.	0,1,2,3,4,5
Comments on articles	Users with permission can post or reply to comments. The comments will appear at the bottom of the page.	Disabled
Number per page	Set the number of comments per page.	10 comments
Display order	Set the display order of comments. Newest first Oldest first Points	Points
Article content templates	Predefined content for an article	Disabled
Lock Content Templates	Enable users to lock content templates and so prevent others from editing them	Disabled

Option	Description	Default
Specify notification emails when creating articles	Send a notification email when creating an article. Remember that notification emails for article topics can be redefined when the topic is edited after its creation.	Disabled
Paginate articles	Divide articles into multiple pages with pagebreak markers.	Disabled
Custom attributes for article types	Enable additional custom fields for article types	Enabled
Geolocate articles	Provide controls to indicate a geographic location in the article edit form.	Disabled
Article title in SEFURL	The article title rather than article number can be displayed in the search engine friendly URL.	Enabled
Related articles	Display a list of related articles at the bottom of an article page	Disabled
Tracker for articles	Have a tracker to supplement article information	Disabled
Tracker ID of tracker for articles	A tracker for articles must contain an "Articles" field	None
Article copyright	Apply copyright management preferences to this feature.	Disabled
Article image maximum file size	Maximum file size for an article image. Article images are stored in the database so it should remain low.	500000 kilobytes
Default maximum width for custom article images	Set the default maximum width of the article image <i>"0" for no maximum</i>	0 pixels
Default maximum height for custom article images	Set the default maximum height of article images <i>"0" for no maximum</i>	0 pixels
Default maximum width for custom article images in list mode (on View Articles)	Sets the default maximum width of custom article images in list mode (on View Articles page) <i>"0" to default to the view mode maximum</i>	0 pixels
Default maximum height of custom article images in list mode (on View Articles page)	Set the default maximum height of custom article images in list mode (on the View Articles page) <i>"0" to default to the view mode maximum</i>	0 pixels
ShareThis buttons	Enable sharing site content via ShareThis <i>Insert a ShareThis button from http://www.sharethis.com.</i>	Disabled
Your ShareThis publisher identifier (optional)	Set to define your ShareThis publisher identifier <i>record your ShareThis publisher ID</i>	None
First year in the dropdown	<i>Enter a year or use +/- N to specify a year relative to the current year</i>	-10 years
Last year in the dropdown	<i>Enter a year or use +/- N to specify a year relative to the current year</i>	+10 years

Option	Description	Default
Articles	Articles can be used for date-specific news and announcements. You can configure articles to automatically publish and expire at specific times or to require that submissions be approved before becoming "live."	Disabled
Plugin Article List	Display multiple articles	Enabled
Plugin Article	Display a field of an article	Enabled
Title of articles homepage	Select the default title for the page that displays all articles. Topic Type Articles	None
Maximum number of articles on the articles homepage	The number of articles to show on each page of the Articles homepage.	10 articles
Submissions	Articles can be submitted but need to be approved before they are published.	Disabled
Use new articles	Use the new CustomSearch-based article lists rather than database information	Disabled
Article creator remains article owner	Last article editor does not automatically become author (owner).	Disabled
Rankings	Users can see several charts or rankings about the item.	Disabled
User ratings on articles	Allow users to rate articles. <i>Permissions involved: rate_article, ratings_view_results. Also, when configuring articles, "Admin Types > Comment can rate article" needs to be set.</i>	Disabled
Article rating options	List of options available for the rating of articles.	0,1,2,3,4,5
Comments on articles	Users with permission can post or reply to comments. The comments will appear at the bottom of the page.	Disabled
Number per page	Set the number of comments per page.	10 comments
Display order	Set the display order of comments. Newest first Oldest first Points	Points
Article content templates	Predefined content for an article	Disabled
Lock Content Templates	Enable users to lock content templates and so prevent others from editing them	Disabled
Specify notification emails when creating articles	Send a notification email when creating an article. Remember that notification emails for article topics can be redefined when the topic is edited after its creation.	Disabled
Paginate articles	Divide articles into multiple pages with pagebreak markers.	Disabled
Custom attributes for article types	Enable additional custom fields for article types	Enabled

Option	Description	Default
Geolocate articles	Provide controls to indicate a geographic location in the article edit form.	Disabled
Article title in SEFURL	The article title rather than article number can be displayed in the search engine friendly URL.	Enabled
Related articles	Display a list of related articles at the bottom of an article page	Disabled
Tracker for articles	Have a tracker to supplement article information	Disabled
Tracker ID of tracker for articles	A tracker for articles must contain an "Articles" field	None
Article copyright	Apply copyright management preferences to this feature.	Disabled
Article image maximum file size	Maximum file size for an article image. Article images are stored in the database so it should remain low.	500000 kilobytes
Default maximum width for custom article images	Set the default maximum width of the article image <i>"0" for no maximum</i>	0 pixels
Default maximum height for custom article images	Set the default maximum height of article images <i>"0" for no maximum</i>	0 pixels
Default maximum width for custom article images in list mode (on View Articles)	Sets the default maximum width of custom article images in list mode (on View Articles page) <i>"0" to default to the view mode maximum</i>	0 pixels
Default maximum height of custom article images in list mode (on View Articles page)	Set the default maximum height of custom article images in list mode (on the View Articles page) <i>"0" to default to the view mode maximum</i>	0 pixels
ShareThis buttons	Enable sharing site content via ShareThis <i>Insert a ShareThis button from http://www.sharethis.com.</i>	Disabled
Your ShareThis publisher identifier (optional)	Set to define your ShareThis publisher identifier <i>record your ShareThis publisher ID</i>	None

Articles - Listing and view

Option	Description	Default
Article order	Default sort mode for the articles on the list-articles page Newest first	Newest first
Title		Enabled
Title length		50 characters
Id		Enabled
Type		Enabled

Option	Description	Default
Topic		Enabled
Publication date		Enabled
Expiration date		Disabled
Visible		Disabled
Language		Disabled
Author (owner)		Enabled
Author name (as displayed)		Disabled
Author rating		Disabled
Users rating		Disabled
Reads		Enabled
Size		Enabled
Images		Disabled
Is published		Enabled
Show map mode buttons in articles list		Disabled
Trailer position	Top Between heading and body	Top
Header text position	Header text position Requires a smaller image for list view Next to image Below image	Next to image
Option	Description	Default
Article order	Default sort mode for the articles on the list-articles page Newest first	Newest first
Title		Enabled
Title length		50 characters
Id		Enabled
Type		Enabled
Topic		Enabled
Publication date		Enabled
Expiration date		Disabled
Visible		Disabled

Option	Description	Default
Language		Disabled
Author (owner)		Enabled
Author name (as displayed)		Disabled
Author rating		Disabled
Users rating		Disabled
Reads		Enabled
Size		Enabled
Images		Disabled
Is published		Enabled
Show map mode buttons in articles list		Disabled
Trailer position	Top Between heading and body	Top
Header text position	Header text position Requires a smaller image for list view Next to image Below image	Next to image

Option	Description	Default
Article order	Default sort mode for the articles on the list-articles page Newest first	Newest first
Title		Enabled
Title length		50 characters
Id		Enabled
Type		Enabled
Topic		Enabled
Publication date		Enabled
Expiration date		Disabled
Visible		Disabled
Language		Disabled
Author (owner)		Enabled
Author name (as displayed)		Disabled
Author rating		Disabled

Option	Description	Default
Users rating		Disabled
Reads		Enabled
Size		Enabled
Images		Disabled
Is published		Enabled
Show map mode buttons in articles list		Disabled
Trailer position	Top Between heading and body	Top
Header text position	Header text position Requires a smaller image for list view Next to image Below image	Next to image
Option	Description	Default
Article order	Default sort mode for the articles on the list-articles page Newest first	Newest first
Title		Enabled
Title length		50 characters
Id		Enabled
Type		Enabled
Topic		Enabled
Publication date		Enabled
Expiration date		Disabled
Visible		Disabled
Language		Disabled
Author (owner)		Enabled
Author name (as displayed)		Disabled
Author rating		Disabled
Users rating		Disabled
Reads		Enabled
Size		Enabled
Images		Disabled

Option	Description	Default
Is published		Enabled
Show map mode buttons in articles list		Disabled
Trailer position	Top Between heading and body	Top
Header text position	Header text position Requires a smaller image for list view Next to image Below image	Next to image
Option	Description	Default
Article order	Default sort mode for the articles on the list-articles page Newest first	Newest first
Title		Enabled
Title length		50 characters
Id		Enabled
Type		Enabled
Topic		Enabled
Publication date		Enabled
Expiration date		Disabled
Visible		Disabled
Language		Disabled
Author (owner)		Enabled
Author name (as displayed)		Disabled
Author rating		Disabled
Users rating		Disabled
Reads		Enabled
Size		Enabled
Images		Disabled
Is published		Enabled
Show map mode buttons in articles list		Disabled
Trailer position	Top Between heading and body	Top
Header text position	Header text position Requires a smaller image for list view Next to image Below image	Next to image

Option	Description	Default
Article order	Default sort mode for the articles on the list-articles page Newest first	Newest first
Title		Enabled
Title length		50 characters
Id		Enabled
Type		Enabled
Topic		Enabled
Publication date		Enabled
Expiration date		Disabled
Visible		Disabled
Language		Disabled
Author (owner)		Enabled
Author name (as displayed)		Disabled
Author rating		Disabled
Users rating		Disabled
Reads		Enabled
Size		Enabled
Images		Disabled
Is published		Enabled
Show map mode buttons in articles list		Disabled
Trailer position	Top Between heading and body	Top
Header text position	Header text positionRequires a smaller image for list view Next to image Below image	Next to image

Banner ads

Option	Description	Default
Banners	Insert, track, and manage advertising banners.	Disabled
Plugin Banner	Add a banner	Disabled

Option	Description	Default
Publish	Make the banner visible to all site visitors. <i>Activate must be turned on for Publish to take effect.</i>	Disabled
Site ads	Enable advertising <i>Activate will display content for Admin only. Select Publish to display for all users.</i>	Enabled

Option	Description	Default
Banners	Insert, track, and manage advertising banners.	Disabled
Plugin Banner	Add a banner	Disabled
Publish	Make the banner visible to all site visitors. <i>Activate must be turned on for Publish to take effect.</i>	Disabled
Site ads	Enable advertising <i>Activate will display content for Admin only. Select Publish to display for all users.</i>	Enabled

Option	Description	Default
Banners	Insert, track, and manage advertising banners.	Disabled
Plugin Banner	Add a banner	Disabled
Publish	Make the banner visible to all site visitors. <i>Activate must be turned on for Publish to take effect.</i>	Disabled
Site ads	Enable advertising <i>Activate will display content for Admin only. Select Publish to display for all users.</i>	Enabled

Option	Description	Default
Banners	Insert, track, and manage advertising banners.	Disabled
Plugin Banner	Add a banner	Disabled
Publish	Make the banner visible to all site visitors. <i>Activate must be turned on for Publish to take effect.</i>	Disabled
Site ads	Enable advertising <i>Activate will display content for Admin only. Select Publish to display for all users.</i>	Enabled

Option	Description	Default
Banners	Insert, track, and manage advertising banners.	Disabled
Plugin Banner	Add a banner	Disabled
Publish	Make the banner visible to all site visitors. <i>Activate must be turned on for Publish to take effect.</i>	Disabled

Option	Description	Default
Site ads	Enable advertising <i>Activate will display content for Admin only. Select Publish to display for all users.</i>	Enabled
Option	Description	Default
Banners	Insert, track, and manage advertising banners.	Disabled
Plugin Banner	Add a banner	Disabled
Publish	Make the banner visible to all site visitors. <i>Activate must be turned on for Publish to take effect.</i>	Disabled
Site ads	Enable advertising <i>Activate will display content for Admin only. Select Publish to display for all users.</i>	Enabled

Blogs - Listing

Option	Description	Default
Default order	Creation Date (desc) Last modification date (desc) Blog title (asc) Number of posts (desc) Visits (desc) Activity (desc)	Creation Date (desc)
Title		Enabled
Title length		35 characters
Description		Enabled
Creation date		Enabled
Last modified		Enabled
User	Disabled Plain text Link to user information User profile picture	Plain text
Posts		Enabled
Visits		Enabled
Activity		Disabled
Option	Description	Default
Default order	Creation Date (desc) Last modification date (desc) Blog title (asc) Number of posts (desc) Visits (desc) Activity (desc)	Creation Date (desc)
Title		Enabled
Title length		35 characters
Description		Enabled

Option	Description	Default
Creation date		Enabled
Last modified		Enabled
User	Disabled Plain text Link to user information User profile picture	Plain text
Posts		Enabled
Visits		Enabled
Activity		Disabled

Option	Description	Default
Default order	Creation Date (desc) Last modification date (desc) Blog title (asc) Number of posts (desc) Visits (desc) Activity (desc)	Creation Date (desc)
Title		Enabled
Title length		35 characters
Description		Enabled
Creation date		Enabled
Last modified		Enabled
User	Disabled Plain text Link to user information User profile picture	Plain text
Posts		Enabled
Visits		Enabled
Activity		Disabled

Option	Description	Default
Default order	Creation Date (desc) Last modification date (desc) Blog title (asc) Number of posts (desc) Visits (desc) Activity (desc)	Creation Date (desc)
Title		Enabled
Title length		35 characters
Description		Enabled
Creation date		Enabled
Last modified		Enabled
User	Disabled Plain text Link to user information User profile picture	Plain text
Posts		Enabled

Option	Description	Default
Visits		Enabled
Activity		Disabled
Option	Description	Default
Default order	Creation Date (desc) Last modification date (desc) Blog title (asc) Number of posts (desc) Visits (desc) Activity (desc)	Creation Date (desc)
Title		Enabled
Title length		35 characters
Description		Enabled
Creation date		Enabled
Last modified		Enabled
User	Disabled Plain text Link to user information User profile picture	Plain text
Posts		Enabled
Visits		Enabled
Activity		Disabled
Option	Description	Default
Default order	Creation Date (desc) Last modification date (desc) Blog title (asc) Number of posts (desc) Visits (desc) Activity (desc)	Creation Date (desc)
Title		Enabled
Title length		35 characters
Description		Enabled
Creation date		Enabled
Last modified		Enabled
User	Disabled Plain text Link to user information User profile picture	Plain text
Posts		Enabled
Visits		Enabled
Activity		Disabled

Blogs - General settings

Option	Description	Default
Blog	Online diaries or journals.	Disabled
Plugin Blog List	Display posts from a site blog	Disabled
Home blog (main blog)	None Doc.tiki.org Configuration Cha	0
Rankings	Users can see several charts or rankings about the page.	Disabled
Custom blog headings	<i>Using custom blog headings will use significantly more server resources. Unless you need per-blog templates, you should customize the template file instead.</i>	Disabled
Publish dates can be modified		Enabled
Limit blog categories to those under this category	If you get an error message indicating a mandatory category is required when editing a blog post, this is the option to blame. Set it to None. None All Archived Editorial Board Meeting Files example Keywords Retired Status Status::3.In Progress Templates Versions Versions::1.x Versions::10.x Versions::11.x Versions::12.x Versions::13.x Versions::14.x Versions::15.x Versions::16.x Versions::17.x Versions::18.x Versions::2.x Versions::3.x Versions::4.x Versions::5.x Versions::6.x Versi...	None
Geolocate blog posts	Provide controls to indicate a geographic location in the blog post edit form.	Disabled
Blog title in SEFURL	The blog title rather than blog number can be displayed in the search engine friendly URL.	Enabled
Blog post copyright	Apply copyright management preferences to this feature.	Disabled
Blog post Comments	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Enabled
Number per page		0 comments
Default ordering	Newest first Oldest first Points	Oldest first
ShareThis buttons	Enable sharing site content via ShareThis <i>Insert a ShareThis button from http://www.sharethis.com.</i>	Disabled
Your ShareThis publisher identifier (optional)	Set to define your ShareThis publisher identifier	None
Option	Description	Default
Blog	Online diaries or journals.	Disabled
Plugin Blog List	Display posts from a site blog	Disabled
Home blog (main blog)	None Doc.tiki.org Configuration Cha	0
Rankings	Users can see several charts or rankings about the page.	Disabled

Option	Description	Default
Custom blog headings	<i>Using custom blog headings will use significantly more server resources. Unless you need per-blog templates, you should customize the template file instead.</i>	Disabled
Publish dates can be modified		Enabled
Limit blog categories to those under this category	If you get an error message indicating a mandatory category is required when editing a blog post, this is the option to blame. Set it to None. None All Archived Editorial Board Meeting Files example Keywords Retired Status Status::3.In Progress Templates Versions Versions::1.x Versions::10.x Versions::11.x Versions::12.x Versions::13.x Versions::14.x Versions::15.x Versions::16.x Versions::17.x Versions::18.x Versions::2.x Versions::3.x Versions::4.x Versions::5.x Versions::6.x Versi...	None
Geolocate blog posts	Provide controls to indicate a geographic location in the blog post edit form.	Disabled
Blog title in SEFURL	The blog title rather than blog number can be displayed in the search engine friendly URL.	Enabled
Blog post copyright	Apply copyright management preferences to this feature.	Disabled
Blog post Comments	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Enabled
Number per page		0 comments
Default ordering	Newest first Oldest first Points	Oldest first
ShareThis buttons	Enable sharing site content via ShareThis <i>Insert a ShareThis button from http://www.sharethis.com.</i>	Disabled
Your ShareThis publisher identifier (optional)	Set to define your ShareThis publisher identifier	None

Option	Description	Default
Blog	Online diaries or journals.	Disabled
Plugin Blog List	Display posts from a site blog	Disabled
Home blog (main blog)	None Doc.tiki.org Configuration Cha	0
Rankings	Users can see several charts or rankings about the page.	Disabled
Custom blog headings	<i>Using custom blog headings will use significantly more server resources. Unless you need per-blog templates, you should customize the template file instead.</i>	Disabled
Publish dates can be modified		Enabled

Option	Description	Default
Limit blog categories to those under this category	If you get an error message indicating a mandatory category is required when editing a blog post, this is the option to blame. Set it to None. None All Archived Editorial Board Meeting Files example Keywords Retired Status Status::3.In Progress Templates Versions Versions::1.x Versions::10.x Versions::11.x Versions::12.x Versions::13.x Versions::14.x Versions::15.x Versions::16.x Versions::17.x Versions::18.x Versions::2.x Versions::3.x Versions::4.x Versions::5.x Versions::6.x Versi...	None
Geolocate blog posts	Provide controls to indicate a geographic location in the blog post edit form.	Disabled
Blog title in SEFURL	The blog title rather than blog number can be displayed in the search engine friendly URL.	Enabled
Blog post copyright	Apply copyright management preferences to this feature.	Disabled
Blog post Comments	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Enabled
Number per page		0 comments
Default ordering	Newest first Oldest first Points	Oldest first
ShareThis buttons	Enable sharing site content via ShareThis <i>Insert a ShareThis button from http://www.sharethis.com.</i>	Disabled
Your ShareThis publisher identifier (optional)	Set to define your ShareThis publisher identifier	None

Option	Description	Default
Blog	Online diaries or journals.	Disabled
Plugin Blog List	Display posts from a site blog	Disabled
Home blog (main blog)	None Doc.tiki.org Configuration Cha	0
Rankings	Users can see several charts or rankings about the page.	Disabled
Custom blog headings	<i>Using custom blog headings will use significantly more server resources. Unless you need per-blog templates, you should customize the template file instead.</i>	Disabled
Publish dates can be modified		Enabled
Limit blog categories to those under this category	If you get an error message indicating a mandatory category is required when editing a blog post, this is the option to blame. Set it to None. None All Archived Editorial Board Meeting Files example Keywords Retired Status Status::3.In Progress Templates Versions Versions::1.x Versions::10.x Versions::11.x Versions::12.x Versions::13.x Versions::14.x Versions::15.x Versions::16.x Versions::17.x Versions::18.x Versions::2.x Versions::3.x Versions::4.x Versions::5.x Versions::6.x Versi...	None
Geolocate blog posts	Provide controls to indicate a geographic location in the blog post edit form.	Disabled

Option	Description	Default
Blog title in SEFURL	The blog title rather than blog number can be displayed in the search engine friendly URL.	Enabled
Blog post copyright	Apply copyright management preferences to this feature.	Disabled
Blog post Comments	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Enabled
Number per page		0 comments
Default ordering	Newest first Oldest first Points	Oldest first
ShareThis buttons	Enable sharing site content via ShareThis <i>Insert a ShareThis button from http://www.sharethis.com.</i>	Disabled
Your ShareThis publisher identifier (optional)	Set to define your ShareThis publisher identifier	None

Option	Description	Default
Blog	Online diaries or journals.	Disabled
Plugin Blog List	Display posts from a site blog	Disabled
Home blog (main blog)	No blog available (create one first)	0
Rankings	Users can see several charts or rankings about the page.	Disabled
Custom blog headings	<i>Using custom blog headings will use significantly more server resources. Unless you need per-blog templates, you should customize the template file instead.</i>	Disabled
Publish dates can be modified		Enabled
Limit blog categories to those under this category	If you get an error message indicating a mandatory category is required when editing a blog post, this is the option to blame. Set it to None. None	None
Geolocate blog posts	Provide controls to indicate a geographic location in the blog post edit form.	Disabled
Blog title in SEFURL	The blog title rather than blog number can be displayed in the search engine friendly URL.	Enabled
Blog post copyright	Apply copyright management preferences to this feature.	Disabled
Blog post Comments	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Enabled
Number per page		0 comments
Default ordering	Newest first Oldest first Points	Oldest first
ShareThis buttons	Enable sharing site content via ShareThis <i>Insert a ShareThis button from http://www.sharethis.com.</i>	Disabled

Option	Description	Default
Your ShareThis publisher identifier (optional)	Set to define your ShareThis publisher identifier	None
Option	Description	Default
Blog	Online diaries or journals.	Disabled
Plugin Blog List	Display posts from a site blog	Disabled
Home blog (main blog)	No blog available (create one first)	0
Rankings	Users can see several charts or rankings about the page.	Disabled
Custom blog headings	<i>Using custom blog headings will use significantly more server resources. Unless you need per-blog templates, you should customize the template file instead.</i>	Disabled
Publish dates can be modified		Enabled
Limit blog categories to those under this category	If you get an error message indicating a mandatory category is required when editing a blog post, this is the option to blame. Set it to None. None	None
Geolocate blog posts	Provide controls to indicate a geographic location in the blog post edit form.	Disabled
Blog title in SEFURL	The blog title rather than blog number can be displayed in the search engine friendly URL.	Enabled
Blog post copyright	Apply copyright management preferences to this feature.	Disabled
Blog post Comments	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Enabled
Number per page		0 comments
Default ordering	Newest first Oldest first Points	Oldest first
ShareThis buttons	Enable sharing site content via ShareThis <i>Insert a ShareThis button from http://www.sharethis.com.</i>	Disabled
Your ShareThis publisher identifier (optional)	Set to define your ShareThis publisher identifier	None

Calendar

Option	Description	Default
Calendar	Events calendar with public, private and group channels.	Disabled
Plugin Calendar	Display a calendar and its events	Enabled

Option	Description	Default
Plugin Events	Display events from calendars	Enabled
Plugin Mayan Calendars	Convert a Gregorian date to a Mayan calendar date	Disabled
Plugin Add to Google Calendar	Add a calendar item to a Google calendar.	Disabled
Display only selected calendars by default		Disabled
Select default calendars to display	Example	None
Default view mode	Day Week Month Quarter Semester Year	Month
Event click action	View or edit item on click Edit View	View
View list begins	Focus date Period beginning	Period beginning
First day of the week	Sunday Monday Depends user language	Depends user language
Split hours in periods of	Times shown in week and day view. 1 5 10 15 30	30 minutes
Minute Interval	Interval to show between minutes on time selectors 1 5 10 15 30	5 minutes
Manual selection of time/date		Disabled
Show "Export Calendars" button		Disabled
Show "Export Calendar Item" Button	Allow exporting a single calendar event as an iCal file	Disabled
Show "Add to Google Calendar" icon		Disabled
Calendar start of day		25200 seconds
Calendar end of day		72000 seconds
Date picker for date selection	JavaScript popup date selector (uses jQuery UI DatePicker).	Enabled
First year in the dropdown	<i>Enter a year or use +/- N to specify a year relative to the current year. Year selection is valid when the JS Calendar is not enabled</i>	-3 years
Last year in the dropdown	<i>Enter a year or use +/- N to specify a year relative to the current year</i>	+5 years
Sticky popup		Disabled
Action calendar	Displays a calendar of system events, such as wiki page modifications, forum posts and article publications. Days with events show links to the action calendar page.	Disabled

Option	Description	Default
Item view tab		Disabled
Days to display in the calendar	Sunday Monday Tuesday Wednesday Thursday Friday Saturday	0, 1, 2, 3, 4, 5, 6
Treat calendar item descriptions as HTML	Use this if you use the WYSIWYG editor for calendars. This is to handle legacy data from Tiki pre 7.0.	Enabled
Enable watch events when you are the editor	Check this to receive email notifications of events you changed yourself.	Enabled
License for FullCalendar premium plugins	FullCalendar premium license. <i>For details on the premium license please check https://fullcalendar.io/license</i>	None
Holidays calendar	Choose a calendar to store non-working days which are used in date calculations involving working days.	None

Option	Description	Default
Calendar	Events calendar with public, private and group channels.	Disabled
Plugin Calendar	Display a calendar and its events	Enabled
Plugin Events	Display events from calendars	Enabled
Plugin Mayan Calendars	Convert a Gregorian date to a Mayan calendar date	Disabled
Plugin Add to Google Calendar	Add a calendar item to a Google calendar.	Disabled
Display only selected calendars by default		Disabled
Select default calendars to display	Example	None
Default view mode	Day Week Month Quarter Semester Year	Month
Event click action	View or edit item on click Edit View	View
View list begins	Focus date Period beginning	Period beginning
First day of the week	Sunday Monday Depends user language	Depends user language
Split hours in periods of	Times shown in week and day view. 1 5 10 15 30	30 minutes
Minute Interval	Interval to show between minutes on time selectors 1 5 10 15 30	5 minutes
Manual selection of time/date		Disabled
Show "Export Calendars" button		Disabled

Option	Description	Default
Show "Export Calendar Item" Button	Allow exporting a single calendar event as an iCal file	Disabled
Show "Add to Google Calendar" icon		Disabled
Calendar start of day		25200 seconds
Calendar end of day		72000 seconds
Date picker for date selection	JavaScript popup date selector (uses jQuery UI DatePicker).	Enabled
First year in the dropdown	<i>Enter a year or use +/- N to specify a year relative to the current year. Year selection is valid when the JS Calendar is not enabled</i>	-3 years
Last year in the dropdown	<i>Enter a year or use +/- N to specify a year relative to the current year</i>	+5 years
Sticky popup		Disabled
Action calendar	Displays a calendar of system events, such as wiki page modifications, forum posts and article publications. Days with events show links to the action calendar page.	Disabled
Item view tab		Disabled
Days to display in the calendar	Sunday Monday Tuesday Wednesday Thursday Friday Saturday	0, 1, 2, 3, 4, 5, 6
Treat calendar item descriptions as HTML	Use this if you use the WYSIWYG editor for calendars. This is to handle legacy data from Tiki pre 7.0.	Enabled
Enable watch events when you are the editor	Check this to receive email notifications of events you changed yourself.	Enabled
License for FullCalendar premium plugins	FullCalendar premium license. <i>For details on the premium license please check https://fullcalendar.io/license</i>	None
Holidays calendar	Choose a calendar to store non-working days which are used in date calculations involving working days.	None

Option	Description	Default
Calendar	Events calendar with public, private and group channels.	Disabled
Plugin Calendar	Display a calendar and its events	Enabled
Plugin Events	Display events from calendars	Enabled
Plugin Mayan Calendars	Convert a Gregorian date to a Mayan calendar date	Disabled
Plugin Add to Google Calendar	Add a calendar item to a Google calendar.	Disabled

Option	Description	Default
Display only selected calendars by default		Disabled
Select default calendars to display	Example	None
Default view mode	Day Week Month Quarter Semester Year	Month
Event click action	View or edit item on click Edit View	Edit
View list begins	Focus date Period beginning	Period beginning
First day of the week	Sunday Monday Depends user language	Depends user language
Split hours in periods of	Times shown in week and day view. 1 5 10 15 30	30 minutes
Minute Interval	Interval to show between minutes on time selectors 1 5 10 15 30	5 minutes
Manual selection of time/date		Disabled
Show "Export Calendars" button		Disabled
Show "Export Calendar Item" Button	Allow exporting a single calendar event as an iCal file	Disabled
Show "Add to Google Calendar" icon		Disabled
Calendar start of day		25200 seconds
Calendar end of day		72000 seconds
Date picker for date selection	JavaScript popup date selector (uses jQuery UI DatePicker).	Enabled
First year in the dropdown	<i>Enter a year or use +/- N to specify a year relative to the current year. Year selection is valid when the JS Calendar is not enabled</i>	-3 years
Last year in the dropdown	<i>Enter a year or use +/- N to specify a year relative to the current year</i>	+5 years
Sticky popup		Disabled
Action calendar	Displays a calendar of system events, such as wiki page modifications, forum posts and article publications. Days with events show links to the action calendar page.	Disabled
Item view tab		Disabled
Days to display in the calendar	Sunday Monday Tuesday Wednesday Thursday Friday Saturday	0, 1, 2, 3, 4, 5, 6

Option	Description	Default
Treat calendar item descriptions as HTML	Use this if you use the WYSIWYG editor for calendars. This is to handle legacy data from Tiki pre 7.0.	Enabled
Enable watch events when you are the editor	Check this to receive email notifications of events you changed yourself.	Enabled
License for FullCalendar premium plugins	FullCalendar premium license. <i>For details on the premium license please check https://fullcalendar.io/license</i>	None

Option	Description	Default
Calendar	Events calendar with public, private and group channels.	Disabled
Plugin Calendar	Display a calendar and its events	Enabled
Plugin Events	Display events from calendars	Enabled
Plugin Mayan Calendars	Convert a Gregorian date to a Mayan calendar date	Disabled
Plugin Add to Google Calendar	Add a calendar item to a Google calendar.	Disabled
Display only select calendars by default		Disabled
Select default calendars to display	Example	None
Default view mode	Day Week Month Quarter Semester Year	Month
Event click action	View or edit item on click Edit View	Edit
View list begins	Focus date Period beginning	Period beginning
First day of the week	Sunday Monday Depends user language	Depends user language
Split hours in periods of	Times shown in week and day view. 1 5 10 15 30	30 minutes
Minute Interval	Interval to show between minutes on time selectors 1 5 10 15 30	5 minutes
Manual selection of time/date		Disabled
Show "Export Calendars" button		Disabled
Show "Export Calendar Item" Button	Allow exporting a single calendar event as an iCal file	Disabled
Show "Add to Google Calendar" icon		Disabled
Date picker for date selection	JavaScript popup date selector (uses jQuery UI DatePicker).	Enabled

Option	Description	Default
First year in the dropdown	Enter a year or use +/- N to specify a year relative to the current year. Year selection is valid when the JS Calendar is not enabled	-3 years
Last year in the dropdown	Enter a year or use +/- N to specify a year relative to the current year	+5 years
Sticky popup		Disabled
Action calendar	Displays a calendar of system events, such as wiki page modifications, forum posts and article publications. Days with events show links to the action calendar page.	Disabled
Item view tab		Disabled
Days to display in the calendar	Sunday Monday Tuesday Wednesday Thursday Friday Saturday	0, 1, 2, 3, 4, 5, 6
Treat calendar item descriptions as HTML	Use this if you use the WYSIWYG editor for calendars. This is to handle legacy data from Tiki pre 7.0.	Enabled
Enable watch events when you are the editor	Check this to receive email notifications of events you changed yourself.	Enabled
License for FullCalendar premium plugins	FullCalendar premium license. For details on the premium license please check https://fullcalendar.io/license	None
Option	Description	Default
Calendar	Events calendar with public, private and group channels.	Disabled
Plugin Calendar	Display a calendar and its events	Enabled
Plugin Events	Display events from calendars	Enabled
Plugin Mayan Calendars	Convert a Gregorian date to a Mayan calendar date	Disabled
Plugin Add to Google Calendar	Add a calendar item to a Google calendar.	Disabled
Display only select calendars by default		Disabled
Select default calendars to display		None
Default view mode	Day Week Month Quarter Semester Year	Month
View list begins	Focus date Period beginning	Period beginning
First day of the week	Sunday Monday Depends user language	Depends user language
Split hours in periods of	Times shown in week and day view. 1 5 10 15 30	30 minutes

Option	Description	Default
Minute Interval	Interval to show between minutes on time selectors 1 5 10 15 30	5 minutes
Manual selection of time/date		Disabled
Show "Export Calendars" button		Disabled
Show "Export Calendar Item" Button	Allow exporting a single calendar event as an iCal file	Disabled
Show "Add to Google Calendar" icon		Disabled
Date picker for date selection	JavaScript popup date selector (uses jQuery UI DatePicker).	Enabled
First year in the dropdown	<i>Enter a year or use +/- N to specify a year relative to the current year. Year selection is valid when the JS Calendar is not enabled</i>	-3 years
Last year in the dropdown	<i>Enter a year or use +/- N to specify a year relative to the current year</i>	+5 years
Sticky popup		Disabled
Action calendar	Displays a calendar of system events, such as wiki page modifications, forum posts and article publications. Days with events show links to the action calendar page.	Disabled
Item view tab		Disabled
Days to display in the calendar	Sunday Monday Tuesday Wednesday Thursday Friday Saturday	0, 1, 2, 3, 4, 5, 6
Treat calendar item descriptions as HTML	Use this if you use the WYSIWYG editor for calendars. This is to handle legacy data from Tiki pre 7.0.	Enabled
Enable watch events when you are the editor	Check this to receive email notifications of events you changed yourself.	Enabled
License for FullCalendar premium plugins	FullCalendar premium license. <i>For details on the premium license please check https://fullcalendar.io/license</i>	None

Option	Description	Default
Calendar	Events calendar with public, private and group channels.	Disabled
Plugin Calendar	Display a calendar and its events	Enabled
Plugin Events	Display events from calendars	Enabled
Plugin Mayan Calendars	Convert a Gregorian date to a Mayan calendar date	Disabled
Plugin Add to Google Calendar	Add a calendar item to a Google calendar.	Disabled

Option	Description	Default
Display only select calendars by default		Disabled
Select default calendars to display		None
Default view mode	Day Week Month Quarter Semester Year	Month
View list begins	Focus date Period beginning	Period beginning
First day of the week	Sunday Monday Depends user language	Depends user language
Split hours in periods of	Times shown in week and day view. 1 5 10 15 30	30 minutes
Minute Interval	Interval to show between minutes on time selectors 1 5 10 15 30	5 minutes
Manual selection of time/date		Disabled
Show "Export Calendars" button		Disabled
Show "Export Calendar Item" Button	Allow exporting a single calendar event as an iCal file	Disabled
Show "Add to Google Calendar" icon		Disabled
Use FullCalendar to display calendars		Disabled
Date picker for date selection	JavaScript popup date selector (uses jQuery UI DatePicker).	Enabled
First year in the dropdown	<i>Enter a year or use +/- N to specify a year relative to the current year. Year selection is valid when the JS Calendar is not enabled</i>	-3 years
Last year in the dropdown	<i>Enter a year or use +/- N to specify a year relative to the current year</i>	+5 years
Sticky popup		Disabled
Action calendar	Displays a calendar of system events, such as wiki page modifications, forum posts and article publications. Days with events show links to the action calendar page.	Disabled
Item view tab		Disabled
Days to display in the calendar	Sunday Monday Tuesday Wednesday Thursday Friday Saturday	0, 1, 2, 3, 4, 5, 6
Treat calendar item descriptions as HTML	Use this if you use the WYSIWYG editor for calendars. This is to handle legacy data from Tiki pre 7.0.	Enabled
Enable watch events when you are the editor	Check this to receive email notifications of events you changed yourself.	Enabled

Category

Option	Description	Default
Category	Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access	Enabled
Plugin Category	List categories and objects assigned to them	Enabled
Plugin Category Path	Show the full category path for a wiki page	Enabled
Plugin Category Orphans	List objects that are not categorized	Enabled
Inline plugin Category		Disabled
Inline plugin PluginCategoryTransition		Disabled
Inline plugin Category Orphans		Disabled
Inline plugin Category Path		Disabled
Category path	Show the category tree above the wiki page	Disabled
Exclude these category IDs	Category path won't appear for these category IDs.	None
Category path format	Alter how the category path will be rendered. Links to the category when the category is visible Text label when the category is visible Link when visible, text label otherwise Always display the category path labels	Links to the category when ...
Sort categories case insensitively	Ignore case and accents when listing categories. Disable to use the "locale" sort settings.	Disabled
Show category objects	Show, at the bottom of the wiki page, objects in the same category	Disabled
Revision approval categories	List of category IDs for which revision approval is required.	None
"More Like This" algorithm for categories	Basic Weighted	None
Minimum number of categories in common	1 2 3 4 5 6 7 8 9 10	2 categories
List objects with most categories in common	No minimum is applied.	Enabled
Maximum number of "more like this" objects	The default maximum records setting for the site is used if this is set to 0.	0 objects
Category transition	Enables transitions for objects between different categories. Transitions will create a document workflow.	Disabled
Plugin PluginCategoryTransition	Display controls to trigger category transitions for any object.	Disabled

Option	Description	Default
Provides the current categories to Smarty templates	When enabled, the \$objectCategoryIds variable is set to the identifiers of the categories of the object being viewed. This allows showing alternate content depending on the categories of the current object, but reduces performance.	Disabled
Categories to add as CSS classes to <body>	Pages in selected categories will have a class with syntax like "cat_catname" added to the body tag.	None
Excluded categories	List of category IDs to exclude from the search index	None
Clear cache upon category change	A cache is used to avoid having to fetch all categories from the database every time; this clears the cache when an object is categorized to keep the count up to date. <i>Can slow saving objects on sites with a lot of categories. You may need to manually clear caches to update category object counts.</i>	Enabled
Generate custom facets from categories	Comma-separated list of category IDs.	None
Areas	Binding categories and perspectives to each other	Disabled
Areas root category ID	ID of category whose child categories are bound to a perspective by areas	0
Category filter		Disabled
Category jail	Limits the visibility of objects to those in these category IDs. Used mainly for creating workspaces from perspectives. <i>This should only be set for perspectives, and not globally.</i>	None
Category defaults	Require certain categories to be present. If none of the categories in a given set is provided, assign a category by default. Use *7 to specify all the categories in the subtree of 7 + category 7. Can do only this for objectname matching the regex (Example: /RND_/ = name beginning by RND_)(Optional) Can do for wiki only (optional). Rename will only reassign the categories for wiki pages. <i>One per line, for example: 1,4,6,*7/4:/RND_/:wiki page</i>	None
Automatically geocode items with this category	Automatically geocode items based on category name when categorized in the sub-categories of this category ID	None
Replace any existing geocode	When automatically geocoding items based on category name, replace existing geocode, if any	Disabled
Use approximate geocode location	When automatically geocoding items based on category name, use randomly approximated location instead of precise location	Disabled
Synchronize multilingual categories	Make sure that the categories of the translations are synchronized when modified on any version. None Only those specified All but those specified	None

Option	Description	Default
Synchronized categories	List of categories affected by the multilingual synchronization. Depending on the parent feature, this list will be used as a white list (the only categories allowed) or as a black list (all categories allowed except those specified).	None
Workspace root category	ID of the root category containing all workspaces. <i>This value is automatically managed and should not need to be modified manually.</i>	0
Default domain for non categorized content	The domain (hostname only) to be used when redirecting the user if he tries to read content that is not bound to the category/perspective configured for the current domain.	None
Limit wiki page categories to those under this category	If an error message indicates a mandatory category is required when editing a wiki page, set this option to "None". None All Archived Editorial Board Meeting Files example Keywords Retired Status Status::3.In Progress Templates Versions Versions::1.x Versions::10.x Versions::11.x Versions::12.x Versions::13.x Versions::14.x Versions::15.x Versions::16.x Versions::17.x Versions::18.x Versions::2.x Versions::3.x Versions::4.x Versions::5.x Versions::6.x Versi...	None
Limit blog categories to those under this category	If you get an error message indicating a mandatory category is required when editing a blog post, this is the option to blame. Set it to None. None All Archived Editorial Board Meeting Files example Keywords Retired Status Status::3.In Progress Templates Versions Versions::1.x Versions::10.x Versions::11.x Versions::12.x Versions::13.x Versions::14.x Versions::15.x Versions::16.x Versions::17.x Versions::18.x Versions::2.x Versions::3.x Versions::4.x Versions::5.x Versions::6.x Versi...	None
Use unified search in category admin	Use unified search to find objects to add to categories. This limits the types of objects available to those included in the unified index.	Disabled
Automatically select the theme-control category of the current theme when categorizing	When creating or editing an object, automatically select the category that matches the theme-control category of the current theme	Disabled
Parent category of theme control categories	Choose the parent category of categories used for theme control None Archived (35) Editorial Board Meeting (10) Files example (13) Keywords (12) Retired (34) Status (1) 3.In Progress (4) Templates (33) Versions (14) 1.x (15) 10.x (24) 11.x (25) 12.x (26) 13.x (27) 14.x (28) 15.x (29) 16.x (30) 17.x (31) 18.x (32) 2.x (16) 3.x (17) 4.x (18) 5.x (19) 6.x (20) 7.x (21) 8.x (22) 9.x (23)	Disabled
Store session variable for current theme	Store a session variable for current theme so that it can be used for auto-selecting a category when categorizing	Disabled
Categorize tracker item	Enable the tracker item to be categorized in one or more categories under the specified main category.	Enabled

Option	Description	Default
Index Tracker Category names	Index the names and paths of category field values <i>Requires reindexing</i>	Enabled
Include category selector in forum list	Include a dropdown selector in the forum list to choose a category for the post.	Disabled
Forum post categories	Categories available in the category picker for forum posts.	None
Categories		Disabled
Categories path		Disabled
Show category object count	Show object count when browsing categories, complying with search and type filters <i>Can slow the loading of the categories page on large sites.</i>	Enabled
Show category id's	Show object id's when browsing categories	Disabled
Show categories	For polls that are categorized, the category is displayed.	Disabled
Categorize structure pages together	Place new pages of a structure in the same category as the structure's root page	Disabled

Option	Description	Default
Category	Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access	Enabled
Plugin Category	List categories and objects assigned to them	Enabled
Plugin Category Path	Show the full category path for a wiki page	Enabled
Plugin Category Orphans	List objects that are not categorized	Enabled
Inline plugin Category		Disabled
Inline plugin PluginCategoryTransition		Disabled
Inline plugin Category Orphans		Disabled
Inline plugin Category Path		Disabled
Category path	Show the category tree above the wiki page	Disabled
Exclude these category IDs	Category path won't appear for these category IDs.	None
Category path format	Alter how the category path will be rendered. Links to the category when the category is visible Text label when the category is visible Link when visible, text label otherwise Always display the category path labels	Links to the category when ...
Sort categories case insensitively	Ignore case and accents when listing categories. Disable to use the "locale" sort settings.	Disabled

Option	Description	Default
Show category objects	Show, at the bottom of the wiki page, objects in the same category	Disabled
Revision approval categories	List of category IDs for which revision approval is required.	None
"More Like This" algorithm for categories	Basic Weighted	None
Minimum number of categories in common	1 2 3 4 5 6 7 8 9 10	2 categories
List objects with most categories in common	No minimum is applied.	Enabled
Maximum number of "more like this" objects	The default maximum records setting for the site is used if this is set to 0.	0 objects
Category transition	Enables transitions for objects between different categories. Transitions will create a document workflow.	Disabled
Plugin PluginCategoryTransition	Display controls to trigger category transitions for any object.	Disabled
Provides the current categories to Smarty templates	When enabled, the \$objectCategoryIds variable is set to the identifiers of the categories of the object being viewed. This allows showing alternate content depending on the categories of the current object, but reduces performance.	Disabled
Categories to add as CSS classes to <body>	Pages in selected categories will have a class with syntax like "cat_catname" added to the body tag.	None
Excluded categories	List of category IDs to exclude from the search index	None
Clear cache upon category change	A cache is used to avoid having to fetch all categories from the database every time; this clears the cache when an object is categorized to keep the count up to date. <i>Can slow saving objects on sites with a lot of categories. You may need to manually clear caches to update category object counts.</i>	Enabled
Generate custom facets from categories	Comma-separated list of category IDs.	None
Areas	Binding categories and perspectives to each other	Disabled
Areas root category ID	ID of category whose child categories are bound to a perspective by areas	0
Category filter		Disabled
Category jail	Limits the visibility of objects to those in these category IDs. Used mainly for creating workspaces from perspectives. <i>This should only be set for perspectives, and not globally.</i>	None

Option	Description	Default
Category defaults	<p>Require certain categories to be present. If none of the categories in a given set is provided, assign a category by default. Use *7 to specify all the categories in the subtree of 7 + category 7. Can do only this for objectname matching the regex (Example: /RND_/ = name beginning by RND_)(Optional) Can do for wiki only (optional). Rename will only reassign the categories for wiki pages.</p> <p><i>One per line, for example: 1,4,6,*7/4:/RND_/:wiki page</i></p>	None
Automatically geocode items with this category	Automatically geocode items based on category name when categorized in the sub-categories of this category ID	None
Replace any existing geocode	When automatically geocoding items based on category name, replace existing geocode, if any	Disabled
Use approximate geocode location	When automatically geocoding items based on category name, use randomly approximated location instead of precise location	Disabled
Synchronize multilingual categories	<p>Make sure that the categories of the translations are synchronized when modified on any version.</p> <p>None Only those specified All but those specified</p>	None
Synchronized categories	List of categories affected by the multilingual synchronization. Depending on the parent feature, this list will be used as a white list (the only categories allowed) or as a black list (all categories allowed except those specified).	None
Workspace root category	<p>ID of the root category containing all workspaces.</p> <p><i>This value is automatically managed and should not need to be modified manually.</i></p>	0
Default domain for non categorized content	The domain (hostname only) to be used when redirecting the user if he tries to read content that is not bound to the category/perspective configured for the current domain.	None
Limit wiki page categories to those under this category	<p>If an error message indicates a mandatory category is required when editing a wiki page, set this option to "None".</p> <p>None All Archived Editorial Board Meeting Files example Keywords Retired Status Status::3.In Progress Templates Versions Versions::1.x Versions::10.x Versions::11.x Versions::12.x Versions::13.x Versions::14.x Versions::15.x Versions::16.x Versions::17.x Versions::18.x Versions::2.x Versions::3.x Versions::4.x Versions::5.x Versions::6.x Versi...</p>	None

Option	Description	Default
Limit blog categories to those under this category	<p>If you get an error message indicating a mandatory category is required when editing a blog post, this is the option to blame. Set it to None.</p> <p>None All Archived Editorial Board Meeting Files example Keywords Retired Status Status::3.In Progress Templates Versions Versions::1.x Versions::10.x Versions::11.x Versions::12.x Versions::13.x Versions::14.x Versions::15.x Versions::16.x Versions::17.x Versions::18.x Versions::2.x Versions::3.x Versions::4.x Versions::5.x Versions::6.x Versi...</p>	None
Use unified search in category admin	Use unified search to find objects to add to categories. This limits the types of objects available to those included in the unified index.	Disabled
Automatically select the theme-control category of the current theme when categorizing	When creating or editing an object, automatically select the category that matches the theme-control category of the current theme	Disabled
Parent category of theme control categories	<p>Choose the parent category of categories used for theme control</p> <p>None Archived (35) Editorial Board Meeting (10) Files example (13) Keywords (12) Retired (34) Status (1) 3.In Progress (4) Templates (33) Versions (14) 1.x (15) 10.x (24) 11.x (25) 12.x (26) 13.x (27) 14.x (28) 15.x (29) 16.x (30) 17.x (31) 18.x (32) 2.x (16) 3.x (17) 4.x (18) 5.x (19) 6.x (20) 7.x (21) 8.x (22) 9.x (23)</p>	Disabled
Store session variable for current theme	Store a session variable for current theme so that it can be used for auto-selecting a category when categorizing	Disabled
Categorize tracker item	Enable the tracker item to be categorized in one or more categories under the specified main category.	Enabled
Index Tracker Category names	Index the names and paths of category field values <i>Requires reindexing</i>	Enabled
Include category selector in forum list	Include a dropdown selector in the forum list to choose a category for the post.	Disabled
Forum post categories	Categories available in the category picker for forum posts.	None
Categories		Disabled
Categories path		Disabled
Show category object count	<p>Show object count when browsing categories, complying with search and type filters</p> <p><i>Can slow the loading of the categories page on large sites.</i></p>	Enabled
Show category id's	Show object id's when browsing categories	Disabled
Show categories	For polls that are categorized, the category is displayed.	Disabled

Option	Description	Default
Categorize structure pages together	Place new pages of a structure in the same category as the structure's root page	Disabled
Option	Description	Default
Category	Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access	Enabled
Plugin Category	List categories and objects assigned to them	Enabled
Plugin Category Path	Show the full category path for a wiki page	Enabled
Plugin Category Orphans	List objects that are not categorized	Enabled
Inline plugin Category		Disabled
Inline plugin PluginCategoryTransition		Disabled
Inline plugin Category Orphans		Disabled
Inline plugin Category Path		Disabled
Category path	Show the category tree above the wiki page	Disabled
Exclude these category IDs	Category path won't appear for these category IDs.	None
Category path format	Alter how the category path will be rendered. Links to the category when the category is visible Text label when the category is visible Link when visible, text label otherwise Always display the category path labels	Links to the category when ...
Sort categories case insensitively	Ignore case and accents when listing categories. Disable to use the "locale" sort settings.	Disabled
Show category objects	Show, at the bottom of the wiki page, objects in the same category	Disabled
Revision approval categories	List of category IDs for which revision approval is required.	None
"More Like This" algorithm for categories	Basic Weighted	None
Minimum number of categories in common	1 2 3 4 5 6 7 8 9 10	2 categories
List objects with most categories in common	No minimum is applied.	Enabled
Maximum number of "more like this" objects	The default maximum records setting for the site is used of this is set to 0.	0 objects
Category transition	Enables transitions for objects between different categories. Transitions will create a document workflow.	Disabled

Option	Description	Default
Plugin PluginCategoryTransition	Display controls to trigger category transitions for any object.	Disabled
Provides the current categories to Smarty templates	When enabled, the \$objectCategoryIds variable is set to the identifiers of the categories of the object being viewed. This allows showing alternate content depending on the categories of the current object, but reduces performance.	Disabled
Categories to add as CSS classes to <body>	Pages in selected categories will have a class with syntax like "cat_catname" added to the body tag.	None
Excluded categories	List of category IDs to exclude from the search index	None
Clear cache upon category change	A cache is used to avoid having to fetch all categories from the database every time; this clears the cache when an object is categorized to keep the count up to date. <i>Can slow saving objects on sites with a lot of categories. You may need to manually clear caches to update category object counts.</i>	Enabled
Generate custom facets from categories	Comma-separated list of category IDs.	None
Areas	Binding categories and perspectives to each other	Disabled
Areas root category ID	ID of category whose child categories are bound to a perspective by areas	0
Category filter		Disabled
Category jail	Limits the visibility of objects to those in these category IDs. Used mainly for creating workspaces from perspectives. <i>This should only be set for perspectives, and not globally.</i>	None
Category jail root	Always display categories outside of the jail root, which would be for normal categorization.	0
Category defaults	Require certain categories to be present. If none of the categories in a given set is provided, assign a category by default. Use *7 to specify all the categories in the subtree of 7 + category 7. Can do only this for objectname matching the regex (Example: /RND_/ = name beginning by RND_)(Optional) Can do for wiki only (optional). Rename will only reassign the categories for wiki pages. <i>One per line, for example: 1,4,6,*7/4:/RND_/:wiki page</i>	None
Automatically geocode items with this category	Automatically geocode items based on category name when categorized in the sub-categories of this category ID	None
Replace any existing geocode	When automatically geocoding items based on category name, replace existing geocode, if any	Disabled
Use approximate geocode location	When automatically geocoding items based on category name, use randomly approximated location instead of precise location	Disabled

Option	Description	Default
Synchronize multilingual categories	Make sure that the categories of the translations are synchronized when modified on any version. None Only those specified All but those specified	None
Synchronized categories	List of categories affected by the multilingual synchronization. Depending on the parent feature, this list will be used as a white list (the only categories allowed) or as a black list (all categories allowed except those specified).	None
Workspace root category	ID of the root category containing all workspaces. <i>This value is automatically managed and should not need to be modified manually.</i>	0
Default domain for non categorized content	The domain (hostname only) to be used when redirecting the user if he tries to read content that is not bound to the category/perspective configured for the current domain.	None
Limit wiki page categories to those under this category	If an error message indicates a mandatory category is required when editing a wiki page, set this option to "None". None All Archived Editorial Board Meeting Files example Keywords Retired Status Status::3.In Progress Templates Versions Versions::1.x Versions::10.x Versions::11.x Versions::12.x Versions::13.x Versions::14.x Versions::15.x Versions::16.x Versions::17.x Versions::18.x Versions::2.x Versions::3.x Versions::4.x Versions::5.x Versions::6.x Versi...	None
Limit blog categories to those under this category	If you get an error message indicating a mandatory category is required when editing a blog post, this is the option to blame. Set it to None. None All Archived Editorial Board Meeting Files example Keywords Retired Status Status::3.In Progress Templates Versions Versions::1.x Versions::10.x Versions::11.x Versions::12.x Versions::13.x Versions::14.x Versions::15.x Versions::16.x Versions::17.x Versions::18.x Versions::2.x Versions::3.x Versions::4.x Versions::5.x Versions::6.x Versi...	None
Use unified search in category admin	Use unified search to find objects to add to categories. This limits the types of objects available to those included in the unified index.	Disabled
Automatically select the theme-control category of the current theme when categorizing	When creating or editing an object, automatically select the category that matches the theme-control category of the current theme	Disabled
Parent category of theme control categories	Choose the parent category of categories used for theme control None Archived (35) Editorial Board Meeting (10) Files example (13) Keywords (12) Retired (34) Status (1) 3.In Progress (4) Templates (33) Versions (14) 1.x (15) 10.x (24) 11.x (25) 12.x (26) 13.x (27) 14.x (28) 15.x (29) 16.x (30) 17.x (31) 18.x (32) 2.x (16) 3.x (17) 4.x (18) 5.x (19) 6.x (20) 7.x (21) 8.x (22) 9.x (23)	Disabled

Option	Description	Default
Store session variable for current theme	Store a session variable for current theme so that it can be used for auto-selecting a category when categorizing	Disabled
Categorize tracker item	Enable the tracker item to be categorized in one or more categories under the specified main category.	Enabled
Index Tracker Category names	Index the names and paths of category field values <i>Requires reindexing</i>	Enabled
Include category selector in forum list	Include a dropdown selector in the forum list to choose a category for the post.	Disabled
Forum post categories	Categories available in the category picker for forum posts.	None
Categories		Disabled
Categories path		Disabled
Show category object count	Show object count when browsing categories, complying with search and type filters <i>Can slow the loading of the categories page on large sites.</i>	Enabled
Show category id's	Show object id's when browsing categories	Disabled
Show categories	For polls that are categorized, the category is displayed.	Disabled
Categorize structure pages together	Place new pages of a structure in the same category as the structure's root page	Disabled

Option	Description	Default
Category	Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access	Disabled
Plugin Category	List categories and objects assigned to them	Enabled
Plugin Category Path	Show the full category path for a wiki page	Enabled
Plugin Category Orphans	List objects that are not categorized	Enabled
Inline plugin Category		Disabled
Inline plugin PluginCategoryTransition		Disabled
Inline plugin Category Orphans		Disabled
Inline plugin Category Path		Disabled
Category path	Show the category tree above the wiki page	Disabled
Exclude these category IDs	Category path won't appear for these category IDs.	None

Option	Description	Default
Category path format	Alter how the category path will be rendered. Links to the category when the category is visible Text label when the category is visible Link when visible, text label otherwise Always display the category path labels	Links to the category when ...
Sort categories case insensitively	Ignore case and accents when listing categories. Disable to use the "locale" sort settings.	Disabled
Show category objects	Show, at the bottom of the wiki page, objects in the same category	Disabled
Revision approval categories	List of category IDs for which revision approval is required.	None
"More Like This" algorithm for categories	Basic Weighted	None
Minimum number of categories in common	1 2 3 4 5 6 7 8 9 10	2 categories
List objects with most categories in common	No minimum is applied.	Enabled
Maximum number of "more like this" objects	The default maximum records setting for the site is used of this is set to 0.	0 objects
Category transition	Enables transitions for objects between different categories. Transitions will create a document workflow.	Disabled
Plugin PluginCategoryTransition	Display controls to trigger category transitions for any object.	Disabled
Provides the current categories to Smarty templates	When enabled, the \$objectCategoryIds variable is set to the identifiers of the categories of the object being viewed. This allows showing alternate content depending on the categories of the current object, but reduces performance.	Disabled
Categories to add as CSS classes to <body>	Pages in selected categories will have a class with syntax like "cat_catname" added to the body tag.	None
Excluded categories	List of category IDs to exclude from the search index	None
Clear cache upon category change	A cache is used to avoid having to fetch all categories from the database every time; this clears the cache when an object is categorized to keep the count up to date. <i>Can slow saving objects on sites with a lot of categories. You may need to manually clear caches to update category object counts.</i>	Enabled
Generate custom facets from categories	Comma-separated list of category IDs.	None
Areas	Binding categories and perspectives to each other	Disabled
Areas root category ID	ID of category whose child categories are bound to a perspective by areas	0
Category filter		Disabled

Option	Description	Default
Category jail	Limits the visibility of objects to those in these category IDs. Used mainly for creating workspaces from perspectives. <i>This should only be set for perspectives, and not globally.</i>	None
Category jail root	Always display categories outside of the jail root, which would be for normal categorization.	0
Category defaults	Require certain categories to be present. If none of the categories in a given set is provided, assign a category by default. Use *7 to specify all the categories in the subtree of 7 + category 7. Can do only this for objectname matching the regex (Example: /RND_/ = name beginning by RND_)(Optional) Can do for wiki only (optional). Rename will only reassign the categories for wiki pages. <i>One per line, for example: 1,4,6,*7/4:/RND_/:wiki page</i>	None
Automatically geocode items with this category	Automatically geocode items based on category name when categorized in the sub-categories of this category ID	None
Replace any existing geocode	When automatically geocoding items based on category name, replace existing geocode, if any	Disabled
Use approximate geocode location	When automatically geocoding items based on category name, use randomly approximated location instead of precise location	Disabled
Synchronize multilingual categories	Make sure that the categories of the translations are synchronized when modified on any version. None Only those specified All but those specified	None
Synchronized categories	List of categories affected by the multilingual synchronization. Depending on the parent feature, this list will be used as a white list (the only categories allowed) or as a black list (all categories allowed except those specified).	None
Workspace root category	ID of the root category containing all workspaces. <i>This value is automatically managed and should not need to be modified manually.</i>	0
Default domain for non categorized content	The domain (hostname only) to be used when redirecting the user if he tries to read content that is not bound to the category/perspective configured for the current domain.	None
Limit wiki page categories to those under this category	If an error message indicates a mandatory category is required when editing a wiki page, set this option to "None". None All Archived Editorial Board Meeting Files example Keywords Retired Status Status::3.In Progress Templates Versions Versions::1.x Versions::10.x Versions::11.x Versions::12.x Versions::13.x Versions::14.x Versions::15.x Versions::16.x Versions::17.x Versions::18.x Versions::2.x Versions::3.x Versions::4.x Versions::5.x Versions::6.x Versi...	None

Option	Description	Default
Limit blog categories to those under this category	If you get an error message indicating a mandatory category is required when editing a blog post, this is the option to blame. Set it to None. None All Archived Editorial Board Meeting Files example Keywords Retired Status Status::3.In Progress Templates Versions Versions::1.x Versions::10.x Versions::11.x Versions::12.x Versions::13.x Versions::14.x Versions::15.x Versions::16.x Versions::17.x Versions::18.x Versions::2.x Versions::3.x Versions::4.x Versions::5.x Versions::6.x Versi...	None
Use unified search in category admin	Use unified search to find objects to add to categories. This limits the types of objects available to those included in the unified index.	Disabled
Automatically select the theme-control category of the current theme when categorizing	When creating or editing an object, automatically select the category that matches the theme-control category of the current theme	Disabled
Parent category of theme control categories	Choose the parent category of categories used for theme control None Archived (35) Editorial Board Meeting (10) Files example (13) Keywords (12) Retired (34) Status (1) 3.In Progress (4) Templates (33) Versions (14) 1.x (15) 10.x (24) 11.x (25) 12.x (26) 13.x (27) 14.x (28) 15.x (29) 16.x (30) 17.x (31) 18.x (32) 2.x (16) 3.x (17) 4.x (18) 5.x (19) 6.x (20) 7.x (21) 8.x (22) 9.x (23)	Disabled
Store session variable for current theme	Store a session variable for current theme so that it can be used for auto-selecting a category when categorizing	Disabled
Categorize tracker item	Enable the tracker item to be categorized in one or more categories under the specified main category.	Enabled
Index Tracker Category names	Index the names and paths of category field values <i>Requires reindexing</i>	Disabled
Include category selector in forum list	Include a dropdown selector in the forum list to choose a category for the post.	Disabled
Forum post categories	Categories available in the category picker for forum posts.	None
Categories		Disabled
Categories path		Disabled
Ignore category viewing restrictions	Display items the user may not be entitled to view in search results. <i>Will improve performance, but may show forbidden results</i>	Disabled
Show category object count	Show object count when browsing categories, complying with search and type filters <i>Can slow the loading of the categories page on large sites.</i>	Enabled
Show categories	For polls that are categorized, the category is displayed.	Disabled

Option	Description	Default
Categorize structure pages together	Place new pages of a structure in the same category as the structure's root page	Disabled
Option	Description	Default
Category	Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access	Disabled
Plugin Category	List categories and objects assigned to them	Enabled
Plugin Category Path	Show the full category path for a wiki page	Enabled
Plugin Category Orphans	List objects that are not categorized	Enabled
Category path	Show the category tree above the wiki page	Disabled
Exclude these category IDs	Category path won't appear for these category IDs.	None
Category path format	Alter how the category path will be rendered. Links to the category when the category is visible Text label when the category is visible Link when visible, text label otherwise Always display the category path labels	Links to the category when ...
Sort categories case insensitively	Ignore case and accents when listing categories. Disable to use the "locale" sort settings.	Disabled
Show category objects	Show, at the bottom of the wiki page, objects in the same category	Disabled
"More Like This" algorithm for categories	Basic Weighted	None
Minimum number of categories in common	1 2 3 4 5 6 7 8 9 10	2 categories
List objects with most categories in common	No minimum is applied.	Enabled
Maximum number of "more like this" objects	The default maximum records setting for the site is used of this is set to 0.	0 objects
Category transition	Enables transitions for objects between different categories. Transitions will create a document workflow.	Disabled
Provides the current categories to Smarty templates	When enabled, the \$objectCategoryIds variable is set to the identifiers of the categories of the object being viewed. This allows showing alternate content depending on the categories of the current object, but reduces performance.	Disabled
Categories to add as CSS classes to <body>	Pages in selected categories will have a class with syntax like "cat_catname" added to the body tag.	None

Option	Description	Default
Clear cache upon category change	A cache is used to avoid having to fetch all categories from the database every time; this clears the cache when an object is categorized to keep the count up to date. <i>Can slow saving objects on sites with a lot of categories. You may need to manually clear caches to update category object counts.</i>	Enabled
Generate custom facets from categories	Comma-separated list of category IDs.	None
Areas	Binding categories and perspectives to each other	Disabled
Areas root category ID	ID of category whose child categories are bound to a perspective by areas	0
Category jail	Limits the visibility of objects to those in these category IDs. Used mainly for creating workspaces from perspectives. <i>This should only be set for perspectives, and not globally.</i>	None
Category jail root	Always display categories outside of the jail root, which would be for normal categorization.	0
Category defaults	Require certain categories to be present. If none of the categories in a given set is provided, assign a category by default. Use *7 to specify all the categories in the subtree of 7 + category 7. Can do only this for objectname matching the regex (Example: /RND_/ = name beginning by RND_)(Optional) Can do for wiki only (optional). Rename will only reassign the categories for wiki pages. <i>One per line, for example: 1,4,6,*7/4:/RND_/:wiki page</i>	None
Automatically geocode items with this category	Automatically geocode items based on category name when categorized in the sub-categories of this category ID	None
Replace any existing geocode	When automatically geocoding items based on category name, replace existing geocode, if any	Disabled
Use approximate geocode location	When automatically geocoding items based on category name, use randomly approximated location instead of precise location	Disabled
Synchronize multilingual categories	Make sure that the categories of the translations are synchronized when modified on any version. None Only those specified All but those specified	None
Synchronized categories	List of categories affected by the multilingual synchronization. Depending on the parent feature, this list will be used as a white list (the only categories allowed) or as a black list (all categories allowed except those specified).	None
Limit wiki page categories to those under this category	If an error message indicates a mandatory category is required when editing a wiki page, set this option to "None". None	None
Limit blog categories to those under this category	If you get an error message indicating a mandatory category is required when editing a blog post, this is the option to blame. Set it to None. None	None

Option	Description	Default
Use unified search in category admin	Use unified search to find objects to add to categories. This limits the types of objects available to those included in the unified index.	Disabled
Ignore category viewing restrictions	Display items the user may not be entitled to view in search results. <i>Will improve performance, but may show forbidden results</i>	Disabled
Show category object count	Show object count when browsing categories, complying with search and type filters <i>Can slow the loading of the categories page on large sites.</i>	Enabled
Option	Description	Default
Category	Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access	Disabled
Plugin Category	List categories and objects assigned to them	Enabled
Plugin Category Path	Show the full category path for a wiki page	Enabled
Plugin Category Orphans	List objects that are not categorized	Enabled
Category path	Show the category tree above the wiki page	Disabled
Exclude these category IDs	Category path won't appear for these category IDs.	None
Category path format	Alter how the category path will be rendered. Links to the category when the category is visible Text label when the category is visible Link when visible, text label otherwise Always display the category path labels	Links to the category when ...
Sort categories case insensitively	Ignore case and accents when listing categories. Disable to use the "locale" sort settings.	Disabled
Show category objects	Show, at the bottom of the wiki page, objects in the same category	Disabled
"More Like This" algorithm for categories	Basic Weighted	None
Minimum number of categories in common	1 2 3 4 5 6 7 8 9 10	2 categories
List objects with most categories in common	No minimum is applied.	Enabled
Maximum number of "more like this" objects	The default maximum records setting for the site is used of this is set to 0.	0 objects
Category transition	Enables transitions for objects between different categories. Transitions will create a document workflow.	Disabled

Option	Description	Default
Provides the current categories to Smarty templates	When enabled, the \$objectCategoryIds variable is set to the identifiers of the categories of the object being viewed. This allows showing alternate content depending on the categories of the current object, but reduces performance.	Disabled
Categories to add as CSS classes to <body>	Pages in selected categories will have a class with syntax like "cat_catname" added to the body tag.	None
Clear cache upon category change	A cache is used to avoid having to fetch all categories from the database every time; this clears the cache when an object is categorized to keep the count up to date. <i>Can slow saving objects on sites with a lot of categories. You may need to manually clear caches to update category object counts.</i>	Enabled
Areas	Binding categories and perspectives to each other	Disabled
Areas root category ID	ID of category whose child categories are bound to a perspective by areas	0
Category jail	Limits the visibility of objects to those in these category IDs. Used mainly for creating workspaces from perspectives. <i>This should only be set for perspectives, and not globally.</i>	None
Category jail root	Always display categories outside of the jail root, which would be for normal categorization.	0
Category defaults	Require certain categories to be present. If none of the categories in a given set is provided, assign a category by default. Use *7 to specify all the categories in the subtree of 7 + category 7. Can do only this for objectname matching the regex (Example: /RND_/ = name beginning by RND_)(Optional) Can do for wiki only (optional). Rename will only reassign the categories for wiki pages. <i>One per line, for example: 1,4,6,*7/4:/RND_/:wiki page</i>	None
Automatically geocode items with this category	Automatically geocode items based on category name when categorized in the sub-categories of this category ID	None
Replace any existing geocode	When automatically geocoding items based on category name, replace existing geocode, if any	Disabled
Use approximate geocode location	When automatically geocoding items based on category name, use randomly approximated location instead of precise location	Disabled
Synchronize multilingual categories	Make sure that the categories of the translations are synchronized when modified on any version. None Only those specified All but those specified	None
Synchronized categories	List of categories affected by the multilingual synchronization. Depending on the parent feature, this list will be used as a white list (the only categories allowed) or as a black list (all categories allowed except those specified).	None

Option	Description	Default
Limit wiki page categories to those under this category	If an error message indicates a mandatory category is required when editing a wiki page, set this option to "None". None	None
Limit blog categories to those under this category	If you get an error message indicating a mandatory category is required when editing a blog post, this is the option to blame. Set it to None. None	None
Limit image gallery categories to those under this category	None	None
Use unified search in category admin	Use unified search to find objects to add to categories. This limits the types of objects available to those included in the unified index.	Disabled
Ignore category viewing restrictions	Display items the user may not be entitled to view in search results. <i>Will improve performance, but may show forbidden results</i>	Disabled
Show category object count	Show object count when browsing categories, complying with search and type filters <i>Can slow the loading of the categories page on large sites.</i>	Enabled

Comments

Option	Description	Default
Comments moderation	Enables the admin or other authorized group member to validate comments before they are visible	Disabled
Comments locking	Comments can be closed (no comments, or no new comments)	Disabled
Add author name in From email header	Add the name of the comment author in the email header "From", making the email look like sent from "John Doe &<noreply@example.com&>"	Disabled
Allow logged-in users to post comments anonymously	This can be used to encourage honest feedback without self-censorship, such as in a forum for brainstorming or feedback for improvement.	Disabled
Use vote system for comments	Allow users with permission to vote on comments. <i>Permissions involved: vote_comments, wiki_view_comments, ratings_view_results</i>	Disabled
Archive comments	If a comment is archived, only admins can see it	Disabled
Allow comments to be edited by their author	Allow a comment to be modified by its author after posting it, for clarifications, correction of errors, etc.	Enabled
Comment correction timeout	The time in minutes during which a comment can be modified by its author after posting it, for clarifications, correction of errors, etc.	90 minutes

Option	Description	Default
Use Akismet to filter comments	Prevent comment spam by using the Akismet service to determine if the comment is spam. If comment moderation is enabled, Akismet will indicate if the comment is to be moderated or not. If there is no comment moderation, the comment will be rejected if considered to be spam.	Disabled
Show comments below items	Show comments for a tracker item below the item itself as in other trackers, instead of enclosed in a tab	Disabled
Akismet API Key	Key required for the Akismet comment spam prevention. <i>Obtain this key by registering your site at http://akismet.com</i>	None
Filter spam for registered users	Activate spam filtering for registered users as well. Useful if your site allows anyone to register without screening.	Disabled
Number of comments per page		25
Sort mode for comments	Oldest first Newest first	Oldest first
Limit indentation on thread reply	Limit Indentation (to 5) All indented	Limit Indentation (to 5)
Disable comment titles	Don't display the title input field on comments and their replies.	Enabled
Anchor links on headings	Cause a link icon to appear on hover over each heading, useful for sharing the URL to an exact location on a page.	Enabled
Parse wiki syntax in comments	Parse wiki syntax in comments in all sections apart from Forums Use "Accept wiki syntax" for forums in admin forums page	Enabled
Email field	Email field for comments (only for anonymous users).	Disabled
Website field	Website field for comments (only for anonymous users).	Disabled
Comment box	Size (height) of the comment text area.	6 rows
Inline comments	Contextual comments	Disabled
Inline comments using Apache Annotator	Use the Open/Apache Annotator JavaScript based library for managing inline comments as annotations.	Disabled
Show extra info	Show author and date on Open Annotator inline comments.	Enabled
Comments on articles	Users with permission can post or reply to comments. The comments will appear at the bottom of the page.	Disabled
Comments below wiki pages	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Disabled
Display comment list by default		Disabled
Display Post new comment form by default		Disabled

Option	Description	Default
Number per page		10 comments
Display order	Newest first Oldest first Points	Points
Allow comments per wiki page	Enable control of comments on wiki pages on a per-page basis. Disable Enable (default On) Enable (default Off)	Disable
Enable watches on comments		Enabled
Also print comments		Disabled
Blog post Comments	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Enabled
File gallery comments	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Disabled
Number per page	Number of comments per page	10 comments
Default order	Default order of comments. Newest first Oldest first Points	Points
Comments for polls	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Disabled
Comments for FAQs	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Enabled
Plugin Tracker Comments	Display the number of comments for a tracker	Enabled
Option	Description	Default
Comments moderation	Enables the admin or other authorized group member to validate comments before they are visible	Disabled
Comments locking	Comments can be closed (no comments, or no new comments)	Disabled
Add author name in From email header	Add the name of the comment author in the email header "From", making the email look like sent from "John Doe <noreply@example.com>"	Disabled
Allow logged-in users to post comments anonymously	This can be used to encourage honest feedback without self-censorship, such as in a forum for brainstorming or feedback for improvement.	Disabled
Use vote system for comments	Allow users with permission to vote on comments. <i>Permissions involved: vote_comments, wiki_view_comments, ratings_view_results</i>	Disabled
Archive comments	If a comment is archived, only admins can see it	Disabled
Allow comments to be edited by their author	Allow a comment to be modified by its author after posting it, for clarifications, correction of errors, etc.	Enabled

Option	Description	Default
Comment correction timeout	The time in minutes during which a comment can be modified by its author after posting it, for clarifications, correction of errors, etc.	90 minutes
Use Akismet to filter comments	Prevent comment spam by using the Akismet service to determine if the comment is spam. If comment moderation is enabled, Akismet will indicate if the comment is to be moderated or not. If there is no comment moderation, the comment will be rejected if considered to be spam.	Disabled
Show comments below items	Show comments for a tracker item below the item itself as in other trackers, instead of enclosed in a tab	Disabled
Akismet API Key	Key required for the Akismet comment spam prevention. <i>Obtain this key by registering your site at http://akismet.com</i>	None
Filter spam for registered users	Activate spam filtering for registered users as well. Useful if your site allows anyone to register without screening.	Disabled
Number of comments per page		25
Sort mode for comments	Oldest first Newest first	Oldest first
Limit indentation on thread reply	Limit Indentation (to 5) All indented	Limit Indentation (to 5)
Disable comment titles	Don't display the title input field on comments and their replies.	Enabled
Anchor links on headings	Cause a link icon to appear on hover over each heading, useful for sharing the URL to an exact location on a page.	Enabled
Parse wiki syntax in comments	Parse wiki syntax in comments in all sections apart from Forums Use "Accept wiki syntax" for forums in admin forums page	Enabled
Email field	Email field for comments (only for anonymous users).	Disabled
Website field	Website field for comments (only for anonymous users).	Disabled
Comment box	Size (height) of the comment text area.	6 rows
Inline comments	Contextual comments	Disabled
Inline comments using Apache Annotator	Use the Open/Apache Annotator JavaScript based library for managing inline comments as annotations.	Disabled
Show extra info	Show author and date on Open Annotator inline comments.	Enabled
Comments on articles	Users with permission can post or reply to comments. The comments will appear at the bottom of the page.	Disabled
Comments below wiki pages	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Disabled
Display comment list by default		Disabled

Option	Description	Default
Display Post new comment form by default		Disabled
Number per page		10 comments
Display order	Newest first Oldest first Points	Points
Allow comments per wiki page	Enable control of comments on wiki pages on a per-page basis. Disable Enable (default On) Enable (default Off)	Disable
Enable watches on comments		Enabled
Also print comments		Disabled
Blog post Comments	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Enabled
File gallery comments	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Disabled
Number per page	Number of comments per page	10 comments
Default order	Default order of comments. Newest first Oldest first Points	Points
Comments for polls	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Disabled
Comments for FAQs	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Enabled
Plugin Tracker Comments	Display the number of comments for a tracker	Enabled
Option	Description	Default
Comments moderation	Enables the admin or other authorized group member to validate comments before they are visible	Disabled
Comments locking	Comments can be closed (no comments, or no new comments)	Disabled
Add author name in From email header	Add the name of the comment author in the email header "From", making the email look like sent from "John Doe <noreply@example.com>"	Disabled
Allow logged-in users to post comments anonymously	This can be used to encourage honest feedback without self-censorship, such as in a forum for brainstorming or feedback for improvement.	Disabled
Use vote system for comments	Allow users with permission to vote on comments. <i>Permissions involved: vote_comments, wiki_view_comments, ratings_view_results</i>	Disabled
Archive comments	If a comment is archived, only admins can see it	Disabled

Option	Description	Default
Allow comments to be edited by their author	Allow a comment to be modified by its author after posting it, for clarifications, correction of errors, etc.	Enabled
Comment correction timeout	The time in minutes during which a comment can be modified by its author after posting it, for clarifications, correction of errors, etc.	90 minutes
Use Akismet to filter comments	Prevent comment spam by using the Akismet service to determine if the comment is spam. If comment moderation is enabled, Akismet will indicate if the comment is to be moderated or not. If there is no comment moderation, the comment will be rejected if considered to be spam.	Disabled
Show comments below items	Show comments for a tracker item below the item itself as in other trackers, instead of enclosed in a tab	Disabled
Akismet API Key	Key required for the Akismet comment spam prevention. <i>Obtain this key by registering your site at http://akismet.com</i>	None
Filter spam for registered users	Activate spam filtering for registered users as well. Useful if your site allows anyone to register without screening.	Disabled
Number of comments per page		25
Sort mode for comments	Oldest first Newest first	Oldest first
Limit indentation on thread reply	Limit Indentation (to 5) All indented	Limit Indentation (to 5)
Disable comment titles	Don't display the title input field on comments and their replies.	Enabled
Anchor links on headings	Cause a link icon to appear on hover over each heading, useful for sharing the URL to an exact location on a page.	Enabled
Parse wiki syntax in comments	Parse wiki syntax in comments in all sections apart from Forums Use "Accept wiki syntax" for forums in admin forums page	Enabled
Email field	Email field for comments (only for anonymous users).	Disabled
Website field	Website field for comments (only for anonymous users).	Disabled
Comment box	Size (height) of the comment text area.	6 rows
Inline comments	Contextual comments	Disabled
Inline comments using Apache Annotator	Use the Open/Apache Annotator JavaScript based library for managing inline comments as annotations.	Disabled
Show extra info	Show author and date on Open Annotator inline comments.	Enabled
Comments on articles	Users with permission can post or reply to comments. The comments will appear at the bottom of the page.	Disabled
Comments below wiki pages	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Disabled

Option	Description	Default
Display comment list by default		Disabled
Display Post new comment form by default		Disabled
Number per page		10 comments
Display order	Newest first Oldest first Points	Points
Allow comments per wiki page	Enable control of comments on wiki pages on a per-page basis. Disable Enable (default On) Enable (default Off)	Disable
Enable watches on comments		Enabled
Also print comments		Disabled
Blog post Comments	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Enabled
File gallery comments	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Disabled
Number per page	Number of comments per page	10 comments
Default order	Default order of comments. Newest first Oldest first Points	Points
Comments for polls	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Disabled
Comments for FAQs	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Enabled
Plugin Tracker Comments	Display the number of comments for a tracker	Enabled

Option	Description	Default
Comments moderation	Enables the admin or other authorized group member to validate comments before they are visible	Disabled
Comments locking	Comments can be closed (no comments, or no new comments)	Disabled
Add author name in From email header	Add the name of the comment author in the email header "From", making the email look like sent from "John Doe <noreply@example.com>"	Disabled
Allow logged-in users to post comments anonymously	This can be used to encourage honest feedback without self-censorship, such as in a forum for brainstorming or feedback for improvement.	Disabled
Use vote system for comments	Allow users with permission to vote on comments. <i>Permissions involved: vote_comments, wiki_view_comments, ratings_view_results</i>	Disabled

Option	Description	Default
Archive comments	If a comment is archived, only admins can see it	Disabled
Allow comments to be edited by their author	Allow a comment to be modified by its author after posting it, for clarifications, correction of errors, etc.	Enabled
Comment edition timeout	The period(time) in minutes during which a comment can be modified by its author after posting it, for clarifications, correction of errors, etc.	90 minutes
Use Akismet to filter comments	Prevent comment spam by using the Akismet service to determine if the comment is spam. If comment moderation is enabled, Akismet will indicate if the comment is to be moderated or not. If there is no comment moderation, the comment will be rejected if considered to be spam.	Disabled
Show comments below items	Show comments for a tracker item below the item itself as in other trackers, instead of enclosed in a tab	Disabled
Akismet API Key	Key required for the Akismet comment spam prevention. <i>Obtain this key by registering your site at http://akismet.com</i>	None
Filter spam for registered users	Activate spam filtering for registered users as well. Useful if your site allows anyone to register without screening.	Disabled
Number of comments per page		25
Sort mode for comments	Oldest first Newest first	Oldest first
Limit indentation on thread reply	Limit Indentation (to 5) All indented	Limit Indentation (to 5)
Disable comment titles	Don't display the title input field on comments and their replies.	Enabled
Anchor links on headings	Cause a link icon to appear on hover over each heading, useful for sharing the URL to an exact location on a page.	Enabled
Parse wiki syntax in comments	Parse wiki syntax in comments in all sections apart from Forums Use "Accept wiki syntax" for forums in admin forums page	Enabled
Email field	Email field for comments (only for anonymous users).	Disabled
Website field	Website field for comments (only for anonymous users).	Disabled
Comment box	Size (height) of the comment text area.	6 rows
Inline comments	Contextual comments	Disabled
Inline comments using Apache Annotator	Use the Open/Apache Annotator JavaScript based library for managing inline comments as annotations.	Disabled
Show extra info	Show author and date on Open Annotator inline comments.	Enabled
Comments on articles	Users with permission can post or reply to comments. The comments will appear at the bottom of the page.	Disabled

Option	Description	Default
Comments below wiki pages	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Disabled
Display comment list by default		Disabled
Display Post new comment form by default		Disabled
Number per page		10 comments
Display order	Newest first Oldest first Points	Points
Allow comments per wiki page	Enable control of comments on wiki pages on a per-page basis. Disable Enable (default On) Enable (default Off)	Disable
Enable watches on comments		Enabled
Also print comments		Disabled
Blog post Comments	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Enabled
File gallery comments	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Disabled
Number per page	Number of comments per page	10 comments
Default order	Default order of comments. Newest first Oldest first Points	Points
Comments for polls	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Disabled
Comments for FAQs	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Enabled
Plugin Tracker Comments	Display the number of comments for a tracker	Enabled
Option	Description	Default
Comments moderation	Enables the admin or other authorized group member to validate comments before they are visible	Disabled
Comments locking	Comments can be closed (no comments, or no new comments)	Disabled
Add author name in From email header	Add the name of the comment author in the email header "From", making the email look like sent from "John Doe <noreply@example.com>"	Disabled
Allow logged-in users to post comments anonymously	This can be used to encourage honest feedback without self-censorship, such as in a forum for brainstorming or feedback for improvement.	Disabled

Option	Description	Default
Use vote system for comments	Allow users with permission to vote on comments. <i>Permissions involved: vote_comments, wiki_view_comments, ratings_view_results</i>	Disabled
Archive comments	If a comment is archived, only admins can see it	Disabled
Allow comments to be edited by their author	Allow a comment to be modified by its author for a 30-minute period after posting it, for clarifications, correction of errors, etc.	Enabled
Use Akismet to filter comments	Prevent comment spam by using the Akismet service to determine if the comment is spam. If comment moderation is enabled, Akismet will indicate if the comment is to be moderated or not. If there is no comment moderation, the comment will be rejected if considered to be spam.	Disabled
Show comments below items	Show comments for a tracker item below the item itself as in other trackers, instead of enclosed in a tab	Disabled
Akismet API Key	Key required for the Akismet comment spam prevention. <i>Obtain this key by registering your site at http://akismet.com</i>	None
Filter spam for registered users	Activate spam filtering for registered users as well. Useful if your site allows anyone to register without screening.	Disabled
Number of comments per page		25
Sort mode for comments	Oldest first Newest first	Oldest first
Disable comment titles	Don't display the title input field on comments and their replies.	Enabled
Anchor links on headings	Cause a link icon to appear on hover over each heading, useful for sharing the URL to an exact location on a page.	Enabled
Parse wiki syntax in comments	Parse wiki syntax in comments in all sections apart from Forums Use "Accept wiki syntax" for forums in admin forums page	Enabled
Email field	Email field for comments (only for anonymous users).	Disabled
Website field	Website field for comments (only for anonymous users).	Disabled
Comment box	Size (height) of the comment text area.	6 rows
Inline comments	Contextual comments	Disabled
Inline comments using Apache Annotator	Use the Open/Apache Annotator JavaScript based library for managing inline comments as annotations.	Disabled
Show extra info	Show author and date on Open Annotator inline comments.	Enabled
Comments on articles	Users with permission can post or reply to comments. The comments will appear at the bottom of the page.	Disabled
Comments below wiki pages	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Disabled

Option	Description	Default
Display comment list by default		Disabled
Display Post new comment form by default		Disabled
Number per page		10 comments
Display order	Newest first Oldest first Points	Points
Allow comments per wiki page	Enable control of comments on wiki pages on a per-page basis. Disable Enable (default On) Enable (default Off)	Disable
Enable watches on comments		Enabled
Blog post Comments	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Enabled
File gallery comments	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Disabled
Number per page	Number of comments per page	10 comments
Default order	Default order of comments. Newest first Oldest first Points	Points
Comments for polls	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Disabled
Comments for FAQs	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Enabled
Plugin Tracker Comments	Display the number of comments for a tracker	Enabled
Option	Description	Default
Comments moderation	Enables the admin or other authorized group member to validate comments before they are visible	Disabled
Comments locking	Comments can be closed (no comments, or no new comments)	Disabled
Add author name in From email header	Add the name of the comment author in the email header "From", making the email look like sent from "John Doe "	Disabled
Allow logged-in users to post comments anonymously	This can be used to encourage honest feedback without self-censorship, such as in a forum for brainstorming or feedback for improvement.	Disabled
Use vote system for comments	Allow users with permission to vote on comments. <i>Permissions involved: vote_comments, wiki_view_comments, ratings_view_results</i>	Disabled
Archive comments	If a comment is archived, only admins can see it	Disabled

Option	Description	Default
Allow comments to be edited by their author	Allow a comment to be modified by its author for a 30-minute period after posting it, for clarifications, correction of errors, etc.	Enabled
Use Akismet to filter comments	Prevent comment spam by using the Akismet service to determine if the comment is spam. If comment moderation is enabled, Akismet will indicate if the comment is to be moderated or not. If there is no comment moderation, the comment will be rejected if considered to be spam.	Disabled
Show comments below items	Show comments for a tracker item below the item itself as in other trackers, instead of enclosed in a tab	Disabled
Akismet API Key	Key required for the Akismet comment spam prevention. <i>Obtain this key by registering your site at http://akismet.com</i>	None
Filter spam for registered users	Activate spam filtering for registered users as well. Useful if your site allows anyone to register without screening.	Disabled
Number of comments per page		25
Sort mode for comments	Oldest first Newest first	Oldest first
Disable comment titles	Don't display the title input field on comments and their replies.	Enabled
Anchor links on headings	Cause a link icon to appear on hover over each heading, useful for sharing the URL to an exact location on a page.	Enabled
Parse wiki syntax in comments	Parse wiki syntax in comments in all sections apart from Forums Use "Accept wiki syntax" for forums in admin forums page	Enabled
Email field	Email field for comments (only for anonymous users).	Disabled
Website field	Website field for comments (only for anonymous users).	Disabled
Comment box	Size (height) of the comment text area.	6 rows
Inline comments	Contextual comments	Disabled
Inline comments using Apache Annotator	Use the Open/Apache Annotator JavaScript based library for managing inline comments as annotations.	Disabled
Comments on articles	Users with permission can post or reply to comments. The comments will appear at the bottom of the page.	Disabled
Comments below wiki pages	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Disabled
Display comment list by default		Disabled
Display Post new comment form by default		Disabled
Number per page		10 comments
Display order	Newest first Oldest first Points	Points

Option	Description	Default
Allow comments per wiki page	Enable control of comments on wiki pages on a per-page basis. Disable Enable (default On) Enable (default Off)	Disable
Enable watches on comments		Enabled
Blog post Comments	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Enabled
File gallery comments	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Disabled
Number per page	Number of comments per page	10 comments
Default order	Default order of comments. Newest first Oldest first Points	Points
Comments for polls	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Disabled
Comments for FAQs	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Enabled
Plugin Tracker Comments	Display the number of comments for a tracker	Enabled

Community - Features

Option	Description	Default
Users can choose to show their gender	Display a user's gender if permitted by the user.	Disabled
Allow showing user's information on mouseover	Show users' information on mouseover. <i>Requires user's information to be public</i>	Disabled
Real name	Show the user's real name	Enabled
Gender		Enabled
Profile picture (avatar)		Enabled
Score		Enabled
Country		Enabled
Email		Enabled
Last login		Enabled
Distance		Enabled
Invite users	Allow users to invite new users to register at this site, by sending an email.	Disabled

Option	Description	Default
Share access rights with friends when using Share	Allow users to share their access rights for the current page with a friend when sending the link by email, Twitter, or Facebook. The lifespan of the link is defined by the site.	Disabled
Group transition	Enables transitions for users between different groups. Transitions will create a user approval workflow.	Disabled
Group transition sets default	Sets the group transitioned to as the user's default group.	Disabled
User likes	Enable users to "like" content.	Disabled
Must Read	Allow assignment of mandatory readings and track progress.	Disabled
Must read tracker	Tracker containing the individual read requests. <i>Tracker ID</i>	None
Configuration for multilike	Separate configurations by a blank line; for example, relation_prefix=tiki.multilike ids=1,2,3 values=1,3,5 labels=Good,Great,Excellent)	None

Option	Description	Default
Users can choose to show their gender	Display a user's gender if permitted by the user.	Disabled
Allow showing user's information on mouseover	Show users' information on mouseover. <i>Requires user's information to be public</i>	Disabled
Real name	Show the user's real name	Enabled
Gender		Enabled
Profile picture (avatar)		Enabled
Score		Enabled
Country		Enabled
Email		Enabled
Last login		Enabled
Distance		Enabled
Invite users	Allow users to invite new users to register at this site, by sending an email.	Disabled
Share access rights with friends when using Share	Allow users to share their access rights for the current page with a friend when sending the link by email, Twitter, or Facebook. The lifespan of the link is defined by the site.	Disabled
Group transition	Enables transitions for users between different groups. Transitions will create a user approval workflow.	Disabled
Group transition sets default	Sets the group transitioned to as the user's default group.	Disabled

Option	Description	Default
User likes	Enable users to "like" content.	Disabled
Must Read	Allow assignment of mandatory readings and track progress.	Disabled
Must read tracker	Tracker containing the individual read requests. <i>Tracker ID</i>	None
Configuration for multilike	Separate configurations by a blank line; for example, relation_prefix=tiki.multilike ids=1,2,3 values=1,3,5 labels=Good,Great,Excellent)	None

Option	Description	Default
Users can choose to show their gender	Display a user's gender if permitted by the user.	Disabled
Allow showing user's information on mouseover	Show users' information on mouseover. <i>Requires user's information to be public</i>	Disabled
Real name	Show the user's real name	Enabled
Gender		Enabled
Profile picture (avatar)		Enabled
Score		Enabled
Country		Enabled
Email		Enabled
Last login		Enabled
Distance		Enabled
Invite users	Allow users to invite new users to register at this site, by sending an email.	Disabled
Share access rights with friends when using Share	Allow users to share their access rights for the current page with a friend when sending the link by email, Twitter, or Facebook. The lifespan of the link is defined by the site.	Disabled
Group transition	Enables transitions for users between different groups. Transitions will create a user approval workflow.	Disabled
Group transition sets default	Sets the group transitioned to as the user's default group.	Disabled
User likes	Enable users to "like" content.	Disabled
Must Read	Allow assignment of mandatory readings and track progress.	Disabled
Must read tracker	Tracker containing the individual read requests. <i>Tracker ID</i>	None

Option	Description	Default
Configuration for multilike	Separate configurations by a blank line; for example, relation_prefix=tiki.multilike ids=1,2,3 values=1,3,5 labels=Good,Great,Excellent)	None
Option	Description	Default
Users can choose to show their gender	Display a user's gender if permitted by the user.	Disabled
Allow showing user's information on mouseover	Show users' information on mouseover. <i>Requires user's information to be public</i>	Disabled
Real name	Show the user's real name	Enabled
Gender		Enabled
Profile picture (avatar)		Enabled
Score		Enabled
Country		Enabled
Email		Enabled
Last login		Enabled
Distance		Enabled
Invite users	Allow users to invite new users to register at this site, by sending an email.	Disabled
Share access rights with friends when using Share	Allow users to share their access rights for the current page with a friend when sending the link by email, Twitter, or Facebook. The lifespan of the link is defined by the site.	Disabled
Group transition	Enables transitions for users between different groups. Transitions will create a user approval workflow.	Disabled
Group transition sets default	Sets the group transitioned to as the user's default group.	Disabled
User likes	Enable users to "like" content.	Disabled
Must Read	Allow assignment of mandatory readings and track progress.	Disabled
Must read tracker	Tracker containing the individual read requests. <i>Tracker ID</i>	None
Configuration for multilike	Separate configurations by a blank line; for example, relation_prefix=tiki.multilike ids=1,2,3 values=1,3,5 labels=Good,Great,Excellent)	None
Option	Description	Default
Users can choose to show their gender	Display a user's gender if permitted by the user.	Disabled

Option	Description	Default
Allow showing user's information on mouseover	Show users' information on mouseover. <i>Requires user's information to be public</i>	Disabled
Real name	Show the user's real name	Enabled
Gender		Enabled
Profile picture (avatar)		Enabled
Score		Enabled
Country		Enabled
Email		Enabled
Last login		Enabled
Distance		Enabled
Invite users	Allow users to invite new users to register at this site, by sending an email.	Disabled
Share access rights with friends when using Share	Allow users to share their access rights for the current page with a friend when sending the link by email, Twitter, or Facebook. The lifespan of the link is defined by the site.	Disabled
Group transition	Enables transitions for users between different groups. Transitions will create a user approval workflow.	Disabled
Group transition sets default	Sets the group transitioned to as the user's default group.	Disabled
User likes	Enable users to "like" content.	Disabled
Must read	Allow assignment of mandatory readings and track progress.	Disabled
Must read tracker	Tracker containing the individual read requests. <i>Tracker ID</i>	None
Configuration for multilike	Separate configurations by a blank line; for example, relation_prefix=tiki.multilike ids=1,2,3 values=1,3,5 labels=Good,Great,Excellent)	None

Option	Description	Default
Users can choose to show their gender	Display a user's gender if permitted by the user.	Disabled
Allow showing user's information on mouseover	Show users' information on mouseover. <i>Requires user's information to be public</i>	Disabled
Real name	Show the user's real name	Enabled
Gender		Enabled
Profile picture (avatar)		Enabled

Option	Description	Default
Score		Enabled
Country		Enabled
Email		Enabled
Last login		Enabled
Distance		Enabled
Invite users	Allow users to invite new users to register at this site, by sending an email.	Disabled
Share access rights with friends when using Share	Allow users to share their access rights for the current page with a friend when sending the link by email, Twitter, or Facebook. The lifespan of the link is defined by the site.	Disabled
Group transition	Enables transitions for users between different groups. Transitions will create a user approval workflow.	Disabled
Group transition sets default	Sets the group transitioned to as the user's default group.	Disabled
User likes	Enable users to "like" content.	Disabled
Must read	Allow assignment of mandatory readings and track progress.	Disabled
Must read tracker	Tracker containing the individual read requests. <i>Tracker ID</i>	None
Configuration for multilike	Separate configurations by a blank line; for example, relation_prefix=tiki.multilike ids=1,2,3 values=1,3,5 labels=Good,Great,Excellent)	None

Community - Plugins

Option	Description	Default
Plugin Author	Add popups and color coding that identifies authors	Enabled
Plugin Profile picture	Display a user's profile picture	Disabled
Plugin Favorite	Display a button for a user to click to make an object a favorite	Disabled
Plugin Group	Display content based on the user's groups or friends	Enabled
Plugin Group Expiration	Show the expiration date of a group the user belongs to	Disabled
Plugin Invite	Invite a user to join your groups	Enabled
Plugin Mail	Mail other users or groups	Disabled
Plugin Map	Display a map	Enabled

Option	Description	Default
Plugin Member List	List and allow editing of group members	Disabled
Plugin Member Payment	Receive payment from a member to extend membership to a group	Enabled
Plugin Permissions	Display content based on permission settings	Disabled
Plugin Proposal	Allow users to vote on a proposal and view the results	Disabled
Plugin User List with Real Names	Show user real names for members of a group	Disabled
Plugin Subscribe Group	Allow users to subscribe to a group	Disabled
Plugin Subscribe Groups	Allow users to subscribe to a list of groups	Disabled
Plugin User Count	Display number of users for a site or one or more groups	Disabled
Plugin User Link	Display a link to a user's information page	Enabled
Plugin User List	Display a list of registered users	Disabled
Plugin User Preference	Display contents based on user preference settings	Disabled

Option	Description	Default
Plugin Author	Add popups and color coding that identifies authors	Enabled
Plugin Profile picture	Display a user's profile picture	Disabled
Plugin Favorite	Display a button for a user to click to make an object a favorite	Disabled
Plugin Group	Display content based on the user's groups or friends	Enabled
Plugin Group Expiration	Show the expiration date of a group the user belongs to	Disabled
Plugin Invite	Invite a user to join your groups	Enabled
Plugin Mail	Mail other users or groups	Disabled
Plugin Map	Display a map	Enabled
Plugin Member List	List and allow editing of group members	Disabled
Plugin Member Payment	Receive payment from a member to extend membership to a group	Enabled
Plugin Permissions	Display content based on permission settings	Disabled
Plugin Proposal	Allow users to vote on a proposal and view the results	Disabled
Plugin User List with Real Names	Show user real names for members of a group	Disabled
Plugin Subscribe Group	Allow users to subscribe to a group	Disabled
Plugin Subscribe Groups	Allow users to subscribe to a list of groups	Disabled

Option	Description	Default
Plugin User Count	Display number of users for a site or one or more groups	Disabled
Plugin User Link	Display a link to a user's information page	Enabled
Plugin User List	Display a list of registered users	Disabled
Plugin User Preference	Display contents based on user preference settings	Disabled
Option	Description	Default
Plugin Author	Add popups and color coding that identifies authors	Enabled
Plugin Profile picture	Display a user's profile picture	Disabled
Plugin Favorite	Display a button for a user to click to make an object a favorite	Disabled
Plugin Group	Display content based on the user's groups or friends	Enabled
Plugin Group Expiration	Show the expiration date of a group the user belongs to	Disabled
Plugin Invite	Invite a user to join your groups	Enabled
Plugin Mail	Mail other users or groups	Disabled
Plugin Map	Display a map	Enabled
Plugin Member List	List and allow editing of group members	Disabled
Plugin Member Payment	Receive payment from a member to extend membership to a group	Enabled
Plugin Permissions	Display content based on permission settings	Disabled
Plugin Proposal	Allow users to vote on a proposal and view the results	Disabled
Plugin User List with Real Names	Show user real names for members of a group	Disabled
Plugin Subscribe Group	Allow users to subscribe to a group	Disabled
Plugin Subscribe Groups	Allow users to subscribe to a list of groups	Disabled
Plugin User Count	Display number of users for a site or one or more groups	Disabled
Plugin User Link	Display a link to a user's information page	Enabled
Plugin User List	Display a list of registered users	Disabled
Plugin User Preference	Display contents based on user preference settings	Disabled
Option	Description	Default
Plugin Author	Add popups and color coding that identifies authors	Enabled
Plugin Profile picture	Display a user's profile picture	Disabled

Option	Description	Default
Plugin Favorite	Display a button for a user to click to make an object a favorite	Disabled
Plugin Group	Display content based on the user's groups or friends	Enabled
Plugin Group Expiration	Show the expiration date of a group the user belongs to	Disabled
Plugin Invite	Invite a user to join your groups	Enabled
Plugin Mail	Mail other users or groups	Disabled
Plugin Map	Display a map	Enabled
Plugin Member List	List and allow editing of group members	Disabled
Plugin Member Payment	Receive payment from a member to extend membership to a group	Enabled
Plugin Permissions	Display content based on permission settings	Disabled
Plugin Proposal	Allow users to vote on a proposal and view the results	Disabled
Plugin User List with Real Names	Show user real names for members of a group	Disabled
Plugin Subscribe Group	Allow users to subscribe to a group	Disabled
Plugin Subscribe Groups	Allow users to subscribe to a list of groups	Disabled
Plugin User Count	Display number of users for a site or one or more groups	Disabled
Plugin User Link	Display a link to a user's information page	Enabled
Plugin User List	Display a list of registered users	Disabled
Plugin User Preference	Display contents based on user preference settings	Disabled
Option	Description	Default
Plugin Author	Add popups and color coding that identifies authors	Enabled
Plugin Profile picture	Display a user's profile picture	Disabled
Plugin Favorite	Display a button for a user to click to make an object a favorite	Disabled
Plugin Group	Display content based on the user's groups or friends	Enabled
Plugin Group Expiration	Show the expiration date of a group the user belongs to	Disabled
Plugin Invite	Invite a user to join your groups	Enabled
Plugin Mail	Mail other users or groups	Disabled
Plugin Map	Display a map	Enabled
Plugin Member List	List and allow editing of group members	Disabled

Option	Description	Default
Plugin Member Payment	Receive payment from a member to extend membership to a group	Enabled
Plugin Permissions	Display content based on permission settings	Disabled
Plugin Proposal	Allow users to vote on a proposal and view the results	Disabled
Plugin User List with Real Names	Show user real names for members of a group	Disabled
Plugin Subscribe Group	Allow users to subscribe to a group	Disabled
Plugin Subscribe Groups	Allow users to subscribe to a list of groups	Disabled
Plugin User Count	Display number of users for a site or one or more groups	Disabled
Plugin User Link	Display a link to a user's information page	Enabled
Plugin User List	Display a list of registered users	Disabled
Plugin User Preference	Display contents based on user preference settings	Disabled

Option	Description	Default
Plugin Author	Add popups and color coding that identifies authors	Enabled
Plugin Profile picture	Display a user's profile picture	Disabled
Plugin Favorite	Display a button for a user to click to make an object a favorite	Disabled
Plugin Group	Display content based on the user's groups or friends	Enabled
Plugin Group Expiration	Show the expiration date of a group the user belongs to	Disabled
Plugin Invite	Invite a user to join your groups	Enabled
Plugin Mail	Mail other users or groups	Disabled
Plugin Map	Display a map	Enabled
Plugin Member List	List and allow editing of group members	Disabled
Plugin Member Payment	Receive payment from a member to extend membership to a group	Enabled
Plugin Permissions	Display content based on permission settings	Disabled
Plugin Proposal	Allow users to vote on a proposal and view the results	Disabled
Plugin User List with Real Names	Show user real names for members of a group	Disabled
Plugin Subscribe Group	Allow users to subscribe to a group	Disabled
Plugin Subscribe Groups	Allow users to subscribe to a list of groups	Disabled
Plugin User Count	Display number of users for a site or one or more groups	Disabled

Option	Description	Default
Plugin User Link	Display a link to a user's information page	Enabled
Plugin User List	Display a list of registered users	Disabled
Plugin User Preference	Display contents based on user preference settings	Disabled

Community - Social interaction

Option	Description	Default
Friendship Network	Users can identify other users as their friends	Disabled
Social network type	Select how the friendship relations within the social network should be treated. Follow (as in Twitter) Friend (as in Facebook) Followers need approval	Follow (as in Twitter)
Sort order	Score ascending Score descending Name ascending Name descending Login ascending Login descending	Score descending
Name		Enabled
Score		Enabled
Country		Enabled
Distance		Enabled
Record basic events	Enable recording of basic internal Tiki events. This is primarily for entry level options. Using custom events is strongly encouraged.	Disabled
Record tracker item creation	Enable recording of basic internal Tiki events.	Disabled
Record tracker item update	Enable recording of basic internal Tiki events.	Disabled
Record user following users	Enable recording of basic internal Tiki events.	Disabled
Record user being followed by users	Enable recording of basic internal Tiki events.	Disabled
Record user adding new friend	Enable recording of basic internal Tiki events.	Disabled
Custom activities	Allow the defining of custom behaviors in addition to internal events.	Disabled
Enable notifications through activities	Allow users to create notifications using activities.	Disabled

Option	Description	Default
Disable indexing of activity stream log	Activity stream log in the search index is controlled by the presence of custom or basic activity events and also by enabling monitoring of events by users. Larger activity streams can cause problems with certain search engines. If you have such problems, you can disable indexing of activity stream here.	Disabled
Goal, recognition and rewards	A tool to set motivational goals to increase engagement on the site.	Disabled
Reward badge tracker	Tracker ID containing the list of badges to be awarded on goal completion. Each badge can be awarded only once per user. <i>0 to disable</i>	0
Groups not eligible for goals	Groups that will not be on the eligible group list.	Admins, Anonymous
Score	Score is a game to motivate participants to increase their contribution by comparing to other users.	Disabled

Option	Description	Default
Friendship Network	Users can identify other users as their friends	Disabled
Social network type	Select how the friendship relations within the social network should be treated. Follow (as in Twitter) Friend (as in Facebook) Followers need approval	Follow (as in Twitter)
Sort order	Score ascending Score descending Name ascending Name descending Login ascending Login descending	Score descending
Name		Enabled
Score		Enabled
Country		Enabled
Distance		Enabled
Record basic events	Enable recording of basic internal Tiki events. This is primarily for entry level options. Using custom events is strongly encouraged.	Disabled
Record tracker item creation	Enable recording of basic internal Tiki events.	Disabled
Record tracker item update	Enable recording of basic internal Tiki events.	Disabled
Record user following users	Enable recording of basic internal Tiki events.	Disabled
Record user being followed by users	Enable recording of basic internal Tiki events.	Disabled
Record user adding new friend	Enable recording of basic internal Tiki events.	Disabled
Custom activities	Allow the defining of custom behaviors in addition to internal events.	Disabled

Option	Description	Default
Enable notifications through activities	Allow users to create notifications using activities.	Disabled
Disable indexing of activity stream log	Activity stream log in the search index is controlled by the presence of custom or basic activity events and also by enabling monitoring of events by users. Larger activity streams can cause problems with certain search engines. If you have such problems, you can disable indexing of activity stream here.	Disabled
Goal, recognition and rewards	A tool to set motivational goals to increase engagement on the site.	Disabled
Reward badge tracker	Tracker ID containing the list of badges to be awarded on goal completion. Each badge can be awarded only once per user. <i>0 to disable</i>	0
Groups not eligible for goals	Groups that will not be on the eligible group list.	Admins, Anonymous
Score	Score is a game to motivate participants to increase their contribution by comparing to other users.	Disabled

Option	Description	Default
Friendship Network	Users can identify other users as their friends	Disabled
Social network type	Select how the friendship relations within the social network should be treated. Follow (as in Twitter) Friend (as in Facebook) Followers need approval	Follow (as in Twitter)
Sort order	Score ascending Score descending Name ascending Name descending Login ascending Login descending	Score descending
Name		Enabled
Score		Enabled
Country		Enabled
Distance		Enabled
Record basic events	Enable recording of basic internal Tiki events. This is primarily for entry level options. Using custom events is strongly encouraged.	Disabled
Record tracker item creation	Enable recording of basic internal Tiki events.	Disabled
Record tracker item update	Enable recording of basic internal Tiki events.	Disabled
Record user following users	Enable recording of basic internal Tiki events.	Disabled
Record user being followed by users	Enable recording of basic internal Tiki events.	Disabled
Record user adding new friend	Enable recording of basic internal Tiki events.	Disabled

Option	Description	Default
Custom activities	Allow the defining of custom behaviors in addition to internal events.	Disabled
Enable notifications through activities	Allow users to create notifications using activities.	Disabled
Disable indexing of activity stream log	Activity stream log in the search index is controlled by the presence of custom or basic activity events and also by enabling monitoring of events by users. Larger activity streams can cause problems with certain search engines. If you have such problems, you can disable indexing of activity stream here.	Disabled
Goal, recognition and rewards	A tool to set motivational goals to increase engagement on the site.	Disabled
Reward badge tracker	Tracker ID containing the list of badges to be awarded on goal completion. Each badge can be awarded only once per user. <i>0 to disable</i>	0
Groups not eligible for goals	Groups that will not be on the eligible group list.	Admins, Anonymous
Score	Score is a game to motivate participants to increase their contribution by comparing to other users.	Disabled

Option	Description	Default
Friendship Network	Users can identify other users as their friends	Disabled
Social network type	Select how the friendship relations within the social network should be treated. Follow (as in Twitter) Friend (as in Facebook) Followers need approval	Follow (as in Twitter)
Sort order	Score ascending Score descending Name ascending Name descending Login ascending Login descending	Score descending
Name		Enabled
Score		Enabled
Country		Enabled
Distance		Enabled
Record basic events	Enable recording of basic internal Tiki events. This is primarily for entry level options. Using custom events is strongly encouraged.	Disabled
Record tracker item creation	Enable recording of basic internal Tiki events.	Disabled
Record tracker item update	Enable recording of basic internal Tiki events.	Disabled
Record user following users	Enable recording of basic internal Tiki events.	Disabled
Record user being followed by users	Enable recording of basic internal Tiki events.	Disabled

Option	Description	Default
Record user adding new friend	Enable recording of basic internal Tiki events.	Disabled
Custom activities	Allow the defining of custom behaviors in addition to internal events.	Disabled
Enable notifications through activities	Allow users to create notifications using activities.	Disabled
Disable indexing of activity stream log	Activity stream log in the search index is controlled by the presence of custom or basic activity events and also by enabling monitoring of events by users. Larger activity streams can cause problems with certain search engines. If you have such problems, you can disable indexing of activity stream here.	Disabled
Goal, recognition and rewards	A tool to set motivational goals to increase engagement on the site.	Disabled
Reward badge tracker	Tracker ID containing the list of badges to be awarded on goal completion. Each badge can be awarded only once per user. <i>0 to disable</i>	0
Groups not eligible for goals	Groups that will not be on the eligible group list.	Admins, Anonymous
Score	Score is a game to motivate participants to increase their contribution by comparing to other users.	Disabled

Option	Description	Default
Friendship network	Users can identify other users as their friends	Disabled
Social network type	Select how the friendship relations within the social network should be treated. Follow (as in Twitter) Friend (as in Facebook) Followers need approval	Follow (as in Twitter)
Sort order	Score ascending Score descending Name ascending Name descending Login ascending Login descending	Score descending
Name		Enabled
Score		Enabled
Country		Enabled
Distance		Enabled
Record basic events	Enable recording of basic internal Tiki events. This is primarily for entry level options. Using custom events is strongly encouraged.	Disabled
Record tracker item creation	Enable recording of basic internal Tiki events.	Disabled
Record tracker item update	Enable recording of basic internal Tiki events.	Disabled
Record user following users	Enable recording of basic internal Tiki events.	Disabled

Option	Description	Default
Record user being followed by users	Enable recording of basic internal Tiki events.	Disabled
Record user adding new friend	Enable recording of basic internal Tiki events.	Disabled
Custom activities	Allow the defining of custom behaviors in addition to internal events.	Disabled
Enable notifications through activities	Allow users to create notifications using activities.	Disabled
Goal, recognition and rewards	A tool to set motivational goals to increase engagement on the site.	Disabled
Reward badge tracker	Tracker ID containing the list of badges to be awarded on goal completion. Each badge can be awarded only once per user. <i>0 to disable</i>	0
Groups not eligible for goals	Groups that will not be on the eligible group list.	Admins, Anonymous
Score	Score is a game to motivate participants to increase their contribution by comparing to other users.	Disabled
Option	Description	Default
Friendship network	Users can identify other users as their friends	Disabled
Social network type	Select how the friendship relations within the social network should be treated. Follow (as in Twitter) Friend (as in Facebook) Followers need approval	Follow (as in Twitter)
Sort order	Score ascending Score descending Name ascending Name descending Login ascending Login descending	Score descending
Name		Enabled
Score		Enabled
Country		Enabled
Distance		Enabled
Record basic events	Enable recording of basic internal Tiki events. This is primarily for entry level options. Using custom events is strongly encouraged.	Disabled
Record tracker item creation	Enable recording of basic internal Tiki events.	Disabled
Record tracker item update	Enable recording of basic internal Tiki events.	Disabled
Record user following users	Enable recording of basic internal Tiki events.	Disabled

Option	Description	Default
Record user being followed by users	Enable recording of basic internal Tiki events.	Disabled
Record user adding new friend	Enable recording of basic internal Tiki events.	Disabled
Custom activities	Allow the defining of custom behaviors in addition to internal events.	Disabled
Enable notifications through activities	Allow users to create notifications using activities.	Disabled
Goal, recognition and rewards	A tool to set motivational goals to increase engagement on the site.	Disabled
Reward badge tracker	Tracker ID containing the list of badges to be awarded on goal completion. Each badge can be awarded only once per user. <i>0 to disable</i>	0
Groups not eligible for goals	Groups that will not be on the eligible group list.	Admins, Anonymous
Score	Score is a game to motivate participants to increase their contribution by comparing to other users.	Disabled