

## Video - Kaltura

Option	Description	Default
<a href="#">Kaltura video management</a>	Integration with the Kaltura video management platform	Disabled
<a href="#">Plugin Kaltura Video</a>	Display a video created through the Kaltura feature	Enabled
<a href="#">Kaltura Video</a>	Display a series of attached Kaltura videos.	Disabled
Kaltura service URL	for example, <a href="https://www.kaltura.com/">https://www.kaltura.com/</a>	<a href="https://www.kaltura.com/">https://www.kaltura.com/</a>
Partner ID	Kaltura Partner ID	None
Admin secret	Kaltura partner-setting admin secret.	None
User secret	Kaltura partner-setting user secret.	None
Kaltura video player ID	Kaltura Dynamic Player (KDP) user interface configuration ID Playlist Horizontal   New Player Test   With Selection of Thumbnail   Horizontal player w/multiple playlists   Player with no share button   Player with custom watermark	None
Kaltura video player ID (in entry edit mode)	Kaltura Dynamic Player (KDP) user interface configuration ID for use when editing. You can use a player which also has an option to select a frame as video thumbnail Playlist Horizontal   New Player Test   With Selection of Thumbnail   Horizontal player w/multiple playlists   Player with no share button   Player with custom watermark	None
Show remixes from old versions of Kaltura	Show remixes from old versions of Kaltura (remixing is no longer supported)	Disabled

  

Option	Description	Default
<a href="#">Kaltura video management</a>	Integration with the Kaltura video management platform	Disabled
<a href="#">Plugin Kaltura Video</a>	Display a video created through the Kaltura feature	Enabled
<a href="#">Kaltura Video</a>	Display a series of attached Kaltura videos.	Disabled
Kaltura service URL	for example, <a href="https://www.kaltura.com/">https://www.kaltura.com/</a>	<a href="https://www.kaltura.com/">https://www.kaltura.com/</a>
Partner ID	Kaltura Partner ID	None
Admin secret	Kaltura partner-setting admin secret.	None
User secret	Kaltura partner-setting user secret.	None
Kaltura video player ID	Kaltura Dynamic Player (KDP) user interface configuration ID Playlist Horizontal   New Player Test   With Selection of Thumbnail   Horizontal player w/multiple playlists   Player with no share button   Player with custom watermark	None

Option	Description	Default
Kaltura video player ID (in entry edit mode)	Kaltura Dynamic Player (KDP) user interface configuration ID for use when editing. You can use a player which also has an option to select a frame as video thumbnail Playlist Horizontal   New Player Test   With Selection of Thumbnail   Horizontal player w/multiple playlists   Player with no share button   Player with custom watermark	None
Show remixes from old versions of Kaltura	Show remixes from old versions of Kaltura (remixing is no longer supported)	Disabled

Option	Description	Default
<a href="#">Kaltura video management</a>	Integration with the Kaltura video management platform	Disabled
<a href="#">Plugin Kaltura Video</a>	Display a video created through the Kaltura feature	Enabled
<a href="#">Kaltura Video</a>	Display a series of attached Kaltura videos.	Disabled
Kaltura service URL	for example, <a href="https://www.kaltura.com/">https://www.kaltura.com/</a>	<a href="https://www.kaltura.com/">https://www.kaltura.com/</a>
Partner ID	Kaltura Partner ID	None
Admin secret	Kaltura partner-setting admin secret.	None
User secret	Kaltura partner-setting user secret.	None
Kaltura video player ID	Kaltura Dynamic Player (KDP) user interface configuration ID Playlist Horizontal   New Player Test   With Selection of Thumbnail   Horizontal player w/multiple playlists   Player with no share button   Player with custom watermark	None
Kaltura video player ID (in entry edit mode)	Kaltura Dynamic Player (KDP) user interface configuration ID for use when editing. You can use a player which also has an option to select a frame as video thumbnail Playlist Horizontal   New Player Test   With Selection of Thumbnail   Horizontal player w/multiple playlists   Player with no share button   Player with custom watermark	None
Show remixes from old versions of Kaltura	Show remixes from old versions of Kaltura (remixing is no longer supported)	Disabled

Option	Description	Default
<a href="#">Kaltura video management</a>	Integration with the Kaltura video management platform	Disabled
<a href="#">Plugin Kaltura Video</a>	Display a video created through the Kaltura feature	Enabled
<a href="#">Kaltura Video</a>	Display a series of attached Kaltura videos.	Disabled
Kaltura service URL	for example, <a href="https://www.kaltura.com/">https://www.kaltura.com/</a>	<a href="https://www.kaltura.com/">https://www.kaltura.com/</a>
Partner ID	Kaltura Partner ID	None
Admin secret	Kaltura partner-setting admin secret.	None

Option	Description	Default
User secret	Kaltura partner-setting user secret.	None
Kaltura video player ID	Kaltura Dynamic Player (KDP) user interface configuration ID Playlist Horizontal   New Player Test   With Selection of Thumbnail   Horizontal player w/multiple playlists   Player with no share button   Player with custom watermark	None
Kaltura video player ID (in entry edit mode)	Kaltura Dynamic Player (KDP) user interface configuration ID for use when editing. You can use a player which also has an option to select a frame as video thumbnail Playlist Horizontal   New Player Test   With Selection of Thumbnail   Horizontal player w/multiple playlists   Player with no share button   Player with custom watermark	None
KCW UI configuration ID	Kaltura Configuration Wizard (KCW) user interface configuration ID	None
Show remixes from old versions of Kaltura	Show remixes from old versions of Kaltura (remixing is no longer supported)	Disabled

Option	Description	Default
<a href="#">Kaltura video management</a>	Integration with the Kaltura video management platform	Disabled
<a href="#">Plugin Kaltura Video</a>	Display a video created through the Kaltura feature	Enabled
<a href="#">Kaltura Video</a>	Display a series of attached Kaltura videos.	Disabled
Kaltura service URL	for example, <a href="https://www.kaltura.com/">https://www.kaltura.com/</a>	<a href="https://www.kaltura.com/">https://www.kaltura.com/</a>
Partner ID	Kaltura Partner ID	None
Admin secret	Kaltura partner-setting admin secret.	None
User secret	Kaltura partner-setting user secret.	None
Kaltura video player ID	Kaltura Dynamic Player (KDP) user interface configuration ID	None
Kaltura video player ID (in entry edit mode)	Kaltura Dynamic Player (KDP) user interface configuration ID for use when editing. You can use a player which also has an option to select a frame as video thumbnail	None
KCW UI configuration ID	Kaltura Configuration Wizard (KCW) user interface configuration ID	None
Show remixes from old versions of Kaltura	Show remixes from old versions of Kaltura (remixing is no longer supported)	Disabled

Option	Description	Default
<a href="#">Kaltura video management</a>	Integration with the Kaltura video management platform	Disabled
<a href="#">Plugin Kaltura Video</a>	Display a video created through the Kaltura feature	Enabled

Option	Description	Default
<a href="#">Kaltura Video</a>	Display a series of attached Kaltura videos.	Disabled
Kaltura service URL	for example, <a href="https://www.kaltura.com/">https://www.kaltura.com/</a>	<a href="https://www.kaltura.com/">https://www.kaltura.com/</a>
Partner ID	Kaltura Partner ID	None
Admin secret	Kaltura partner-setting admin secret.	None
User secret	Kaltura partner-setting user secret.	None
Kaltura video player ID	Kaltura Dynamic Player (KDP) user interface configuration ID	None
Kaltura video player ID (in entry edit mode)	Kaltura Dynamic Player (KDP) user interface configuration ID for use when editing. You can use a player which also has an option to select a frame as video thumbnail	None
KCW UI configuration ID	Kaltura Configuration Wizard (KCW) user interface configuration ID	None
Show remixes from old versions of Kaltura	Show remixes from old versions of Kaltura (remixing is no longer supported)	Disabled

## Web Services

Option	Description	Default
<a href="#">Web services</a>	Can receive web services via JSON or YAML.	Disabled
Default cache	Cache time in seconds to use if the webservice does not supply "max-age" or "no-cache" in the response.	300 seconds

  

Option	Description	Default
<a href="#">Web services</a>	Can receive web services via JSON or YAML.	Disabled
Default cache	Cache time in seconds to use if the webservice does not supply "max-age" or "no-cache" in the response.	300 seconds

  

Option	Description	Default
<a href="#">Web services</a>	Can receive web services via JSON or YAML.	Disabled
Default cache	Cache time in seconds to use if the webservice does not supply "max-age" or "no-cache" in the response.	300 seconds

  

Option	Description	Default
<a href="#">Web services</a>	Can receive web services via JSON or YAML.	Disabled

Option	Description	Default
Default cache	Cache time in seconds to use if the webservice does not supply "max-age" or "no-cache" in the response.	300 seconds

  

Option	Description	Default
<a href="#">Web services</a>	Can receive web services via JSON or YAML.	Disabled
Default cache	Cache time in seconds to use if the webservice does not supply "max-age" or "no-cache" in the response.	300 seconds

  

Option	Description	Default
<a href="#">Web services</a>	Can receive web services via JSON or YAML.	Disabled
Default cache	Cache time in seconds to use if the webservice does not supply "max-age" or "no-cache" in the response.	300 seconds

## Wiki - Features

### Wiki - Flagged revision

Option	Description	Default
<a href="#">Revision approval</a>	Uses flagged revisions to hide unapproved wiki page revisions from users without necessary privileges.	Disabled
Revision approval categories	List of category IDs for which revision approval is required.	None

  

Option	Description	Default
<a href="#">Revision approval</a>	Uses flagged revisions to hide unapproved wiki page revisions from users without necessary privileges.	Disabled
Revision approval categories	List of category IDs for which revision approval is required.	None

  

Option	Description	Default
<a href="#">Revision approval</a>	Uses flagged revisions to hide unapproved wiki page revisions from users without necessary privileges.	Disabled
Revision approval categories	List of category IDs for which revision approval is required.	None

  

Option	Description	Default
<a href="#">Revision approval</a>	Uses flagged revisions to hide unapproved wiki page revisions from users without necessary privileges.	Disabled

Option	Description	Default
Revision approval categories	List of category IDs for which revision approval is required.	None
Option	Description	Default
<a href="#">Revision approval</a>	Uses flagged revisions to hide unapproved wiki page revisions from users without necessary privileges.	Disabled
Revision approval categories	List of category IDs for which revision approval is required.	None
Option	Description	Default
<a href="#">Revision approval</a>	Uses flagged revisions to hide unapproved wiki page revisions from users without necessary privileges.	Disabled
Revision approval categories	List of category IDs for which revision approval is required.	None

## Wiki - General preferences

Option	Description	Default
<a href="#">Wiki</a>	Pages and collaboratively authored documents with edit history.	Enabled
Wiki homepage	The default home page of the wiki when no other page is specified. The page will be created if it does not already exist.	HomePage
Wiki URL scheme	Alter the SEFURL pattern for page names. <i>Use the "View" action to regenerate your URLs after changing this setting.</i> Replace spaces with dashes   Replace spaces with underscores   URL Encode (Tiki Classic)	Replace spaces with dashes
Prevent special characters in page names	Some characters in a wiki page name may prevent the page from being easily accessible via the URL or wiki links. This option prevents the creation of page names with such characters.	Enabled
Wiki link format	Level of special characters acceptable in wiki links for page names. For example: Page éâî <i>"Strict" includes only basic characters such as a-z and 0-9. A site that uses accented or special characters in page names should not use "strict".</i> Complete   Relaxed   Strict	Complete
Page name display stripper	The character(s) to use as a delimiter in the page name. The portion of the name after the character(s) will not be displayed. If the page name display stripper conflicts with the namespace separator, the namespace is used and the page name display is not stripped.	None
Display page name as page title	Display the page name at the top of each page as page title. If not enabled, the page content should contain an h1 heading to function as the page title, or the page description can be used as the title.	Disabled

Option	Description	Default
Display the page name above the page area	Display the page name in small text at the top of each page (above the page's content).	Disabled
Display the page name inside the page content	Display the page name inside the page content.	Disabled
Add an option to hide the page title per wiki page	Enable the page title to not be displayed, on a per-page basis.	Enabled
Anchor links on headings	Cause a link icon to appear on hover over each heading, useful for sharing the URL to an exact location on a page. h1 only   h2 and above   h3 and above   h4 and above   h5 and above   h6 and above   none (disabled)	h6 and above
Show the page description	Display the wiki page description between the page title and the page content.	Disabled
Display input at top of Edit tab	More prominent location than on Properties tab	Disabled
Show the page ID	Each wiki page has a numeric ID and this can be displayed.	Disabled
Show the page version	Display the page version information when viewing the page.	Disabled
Wiki author list style	Change the list format that is used to display the authors of the page. Creator and Author   Business style   Collaborative style   Page last modified on   none (disabled)	none (disabled)
Specify wiki author list style per page	Enable the style in which the author list is displayed to be modified on a per-page basis.	Disabled
Encourage contribution to wiki pages by anonymous	When a page is not editable because the user is anonymous, display the edit buttons anyway. The visitor will be prompted with a log-in screen and will be encouraged to register in order to be able to edit the page.	Disabled
Show/hide icon before headings	For use with the !!- or !!+ syntax. Activating this will display the show/hide icon at the left of the heading; otherwise, it displays below.	Disabled
Wiki page edit buttons location	Specify the location of the Save, Preview, and Cancel buttons on the wiki edit page. Top   Bottom   Both	Bottom
Wiki navigation bar location	When using the ...page... <i>Wiki page pagination has not been enabled.</i> page break wiki syntax Top   Bottom   Both	Bottom
Wiki top line location	Page description, page actions, icons, backlinks.... Top   Bottom   Both   Neither	Top
Wiki buttons	Specify the location of the wiki-specific options (such as Backlinks, Page Description, and so on) Top   Bottom   Neither	Bottom
Undo		Disabled

Option	Description	Default
Allow minor edits of wiki pages	Minor edits don't flag new content for translation and don't cause watch notifications to be sent (unless "Watch minor edits" is enabled).	Disabled
Allow plugin-specific edits	Add an icon next to each plugin usage to enable editing the plugin in a popup form, without needing to edit the whole page. This feature is unavailable outside wiki pages, whether or not this preference is enabled.	Enabled
Allow section-specific edits	Add an edit icon at the top of each heading-demarcated wiki page section (up to a configurable maximum level) to ease the editing of a single section.	Enabled
Only display focused edit icons (for sections and/or plugins) on request	Focused edit icons will only display after a per-session "Edit icons" preference is enabled. This preference is defined directly from any wiki page.	Enabled
Section-specific edits maximum level	Prevent a proliferation of edit icons for low-level sections. For example, when set to 2, no edit icons will show for third-level (HTML h3) sections. All   1   2   3   4   5   6	0
Allow HTML	Per-page option: HTML tags are used to create elements of the wiki page, instead of being displayed as code. <i>This is potentially dangerous, as it allows raw HTML to be added. Be sure to enable this option only if trusted users can create and edit menus.</i>	Disabled
Support Tiki's "wiki syntax" in HTML pages	This allows a mixture of wiki syntax and HTML in the code of wiki pages where HTML is allowed.	Enabled
Mandatory wiki page edit summary	Reject save attempts that do not include an edit summary describing the changes made.	Disabled
Footnotes	Logged-in users can write personal footnotes when editing a page. The footnotes display immediately below the wiki page only to the user who edited it. This is a good way for users to make personal notes about pages..	Disabled
Position of tags selection	Place the tags selection more prominently than under the "Properties" tab. Properties tab   Edit tab   Tags tab	Properties tab
Warn before page lock timeout	Provide a JavaScript alert before the user's lock on a page times out.	Enabled
Warn on edit conflict	When another user is editing a page, spreadsheet or tracker item, you will be warned about a possible conflict. This feature is useful to prevent collisions when editing.	Enabled
Edit idle timeout	Select the amount of time (in minutes) after which a user's edit session will expire. If the user does not save or preview their work, it will be lost. Tiki will display a "countdown time" in the user's browser and display an alert when only a minute remains. 1   2   5   10   15   30	2 minutes



Option	Description	Default
Favorite language for new pages	This favorite language will automatically be used for new wiki pages by default. None   Albanian (Shqip, sq)   Arabic (العربية, ar)   Brazilian Portuguese (Português Brasileiro, pt-br)   Bulgarian (български език, bg)   Catalan (Català, ca)   Croatian (Hrvatski, hr)   Czech (Česky, cs)   Danish (Dansk, da)   Dutch (Nederlands, nl)   English (en)   English British (British English, en-uk)   Farsi (فارسي, fa)   Fijian (fj)   Finnish (Suomi, fi)   F...	None
<a href="#">Full WYSIWYG editor</a>	WYSIWYG is an acronym for "What You See Is What You Get". <a href="#">CKEditor</a> is used to provide a word-processor-like editing experience.	Enabled
Limit wiki page categories to those under this category	If an error message indicates a mandatory category is required when editing a wiki page, set this option to "None". None   All   Archived   Editorial Board Meeting   Files example   Keywords   Retired   Status   Status::3.In Progress   Templates   Versions   Versions::1.x   Versions::10.x   Versions::11.x   Versions::12.x   Versions::13.x   Versions::14.x   Versions::15.x   Versions::16.x   Versions::17.x   Versions::18.x   Versions::2.x   Versions::3.x   Versions::4.x   Versions::5.x   Versions::6.x   Versi...	None
Log bytes changes (+/-) in action logs	<i>May impact performance</i>	Disabled
<a href="#">Wiki content templates</a>	Prewritten content (probably partial content) for a wiki page	Disabled
Lock Content Templates	Enable users to lock content templates and so prevent others from editing them	Disabled
<a href="#">Wiki auto-toc</a>	Automatic table of contents generation for wiki pages. The generated table of contents will display as a fixed-position aside next to the page contents. This setting can be toggled per page, in the page properties.	Disabled
Inline auto-toc	Change the display of the table of contents for wiki pages to inline.	Disabled
Table of contents position	Position of the table of contents, either top, left, right (right is the default) Right   Left   Top	Right
Table of contents offset	Offset for table of contents. Useful when there is a fixed navigation bar. If used with inline TOC, will behave as a top margin.	10 pixels
Table of contents on every page	Set the default for the table of contents (default "no" and can be overridden per page) No   Yes	No
Tabs	Determine if the table of contents includes the content of Tabs plugin or not. No   Yes	No
<a href="#">Plugin Attachment</a>	Display an attachment or a list of them	Enabled
<a href="#">Plugin Author</a>	Add popups and color coding that identifies authors	Enabled
<a href="#">Plugin Backlinks</a>	List all pages and tracker items that link to a particular page	Disabled

Option	Description	Default
<a href="#">Plugin Include</a>	Include a portion of another wiki page	Enabled
Force link to included page	When only a portion of page is included, create a "See full page" link to the included page. It has the same effect of setting "linkoriginal=y" parameter every time Plugin Include is used.	Disabled
<a href="#">Plugin List Pages</a>	List pages based on various criteria	Disabled
<a href="#">Plugin Random Include</a>	Include a random page's content.	Disabled
<a href="#">Plugin Show Pages</a>	Find pages by searching within page names	Disabled
<a href="#">Plugin Slideshow</a>	Create a slideshow from the content of a wiki page	Disabled
<a href="#">Plugin Title Search</a>	Search page titles	Disabled
<a href="#">Plugin Transclude</a>	Include the content of another page with certain changes	Enabled
<a href="#">Plugin Wanted Pages</a>	Show location of links to pages not yet created	Disabled
<a href="#">Plugin Footnote</a>	Create automatically numbered footnotes (together with PluginFootnoteArea)	Disabled
<a href="#">Plugin Footnote Area</a>	Create automatically numbered footnotes (together with PluginFootnote)	Disabled
Display footnote content in popover	When the mouse is over the footnote reference, show footnote content in a popover window.	Enabled

Option	Description	Default
<a href="#">Wiki</a>	Pages and collaboratively authored documents with edit history.	Enabled
Wiki homepage	The default home page of the wiki when no other page is specified. The page will be created if it does not already exist.	HomePage
Wiki URL scheme	Alter the SEFURL pattern for page names. <i>Use the "View" action to regenerate your URLs after changing this setting.</i> Replace spaces with dashes   Replace spaces with underscores   URL Encode (Tiki Classic)	Replace spaces with dashes
Prevent special characters in page names	Some characters in a wiki page name may prevent the page from being easily accessible via the URL or wiki links. This option prevents the creation of page names with such characters.	Enabled
Wiki link format	Level of special characters acceptable in wiki links for page names. For example: Page éâ <i>"Strict" includes only basic characters such as a-z and 0-9. A site that uses accented or special characters in page names should not use "strict".</i> Complete   Relaxed   Strict	Complete

Option	Description	Default
Page name display stripper	The character(s) to use as a delimiter in the page name. The portion of the name after the character(s) will not be displayed. If the page name display stripper conflicts with the namespace separator, the namespace is used and the page name display is not stripped.	None
Display page name as page title	Display the page name at the top of each page as page title. If not enabled, the page content should contain an h1 heading to function as the page title, or the page description can be used as the title.	Disabled
Display the page name above the page area	Display the page name in small text at the top of each page (above the page's content).	Disabled
Display the page name inside the page content	Display the page name inside the page content.	Disabled
Add an option to hide the page title per wiki page	Enable the page title to not be displayed, on a per-page basis.	Enabled
Anchor links on headings	Cause a link icon to appear on hover over each heading, useful for sharing the URL to an exact location on a page. h1 only   h2 and above   h3 and above   h4 and above   h5 and above   h6 and above   none (disabled)	h6 and above
Show the page description	Display the wiki page description between the page title and the page content.	Disabled
Display input at top of Edit tab	More prominent location than on Properties tab	Disabled
Show the page ID	Each wiki page has a numeric ID and this can be displayed.	Disabled
Show the page version	Display the page version information when viewing the page.	Disabled
Wiki author list style	Change the list format that is used to display the authors of the page. Creator and Author   Business style   Collaborative style   Page last modified on   none (disabled)	none (disabled)
Specify wiki author list style per page	Enable the style in which the author list is displayed to be modified on a per-page basis.	Disabled
Encourage contribution to wiki pages by anonymous	When a page is not editable because the user is anonymous, display the edit buttons anyway. The visitor will be prompted with a log-in screen and will be encouraged to register in order to be able to edit the page.	Disabled
Show/hide icon before headings	For use with the !!- or !!+ syntax. Activating this will display the show/hide icon at the left of the heading; otherwise, it displays below.	Disabled
Wiki page edit buttons location	Specify the location of the Save, Preview, and Cancel buttons on the wiki edit page. Top   Bottom   Both	Bottom
Wiki navigation bar location	When using the ...page... <i>Wiki page pagination has not been enabled.</i> page break wiki syntax Top   Bottom   Both	Bottom

Option	Description	Default
Wiki top line location	Page description, page actions, icons, backlinks.... Top   Bottom   Both   Neither	Top
Wiki buttons	Specify the location of the wiki-specific options (such as Backlinks, Page Description, and so on) Top   Bottom   Neither	Bottom
Undo		Disabled
Allow minor edits of wiki pages	Minor edits don't flag new content for translation and don't cause watch notifications to be sent (unless "Watch minor edits" is enabled).	Disabled
Allow plugin-specific edits	Add an icon next to each plugin usage to enable editing the plugin in a popup form, without needing to edit the whole page. This feature is unavailable outside wiki pages, whether or not this preference is enabled.	Enabled
Allow section-specific edits	Add an edit icon at the top of each heading-demarcated wiki page section (up to a configurable maximum level) to ease the editing of a single section.	Enabled
Only display focused edit icons (for sections and/or plugins) on request	Focused edit icons will only display after a per-session "Edit icons" preference is enabled. This preference is defined directly from any wiki page.	Enabled
Section-specific edits maximum level	Prevent a proliferation of edit icons for low-level sections. For example, when set to 2, no edit icons will show for third-level (HTML h3) sections. All   1   2   3   4   5   6	0
Allow HTML	Per-page option: HTML tags are used to create elements of the wiki page, instead of being displayed as code. <i>This is potentially dangerous, as it allows raw HTML to be added. Be sure to enable this option only if trusted users can create and edit menus.</i>	Disabled
Mandatory wiki page edit summary	Reject save attempts that do not include an edit summary describing the changes made.	Disabled
Footnotes	Logged-in users can write personal footnotes when editing a page. The footnotes display immediately below the wiki page only to the user who edited it. This is a good way for users to make personal notes about pages..	Disabled
Position of tags selection	Place the tags selection more prominently than under the "Properties" tab. Properties tab   Edit tab   Tags tab	Properties tab
Warn before page lock timeout	Provide a JavaScript alert before the user's lock on a page times out.	Enabled
Warn on edit conflict	When another user is editing a page, spreadsheet or tracker item, you will be warned about a possible conflict. This feature is useful to prevent collisions when editing.	Enabled

Option	Description	Default
Edit idle timeout	Select the amount of time (in minutes) after which a user's edit session will expire. If the user does not save or preview their work, it will be lost. Tiki will display a "countdown time" in the user's browser and display an alert when only a minute remains. 1   2   5   10   15   30	2 minutes
Favorite language for new pages	This favorite language will automatically be used for new wiki pages by default. None   Albanian (Shqip, sq)   Arabic (العربية, ar)   Brazilian Portuguese (Português Brasileiro, pt-br)   Bulgarian (български език, bg)   Catalan (Català, ca)   Croatian (Hrvatski, hr)   Czech (Česky, cs)   Danish (Dansk, da)   Dutch (Nederlands, nl)   English (en)   English British (British English, en-uk)   Farsi (فارسي, fa)   Fijian (fj)   Finnish (Suomi, fi)   F...	None
Support Tiki's "wiki syntax" in HTML pages	This allows a mixture of wiki syntax and HTML in the code of wiki pages where HTML is allowed.	Enabled
<a href="#">Full WYSIWYG editor</a>	WYSIWYG is an acronym for "What You See Is What You Get". <a href="#">CKEditor</a> is used to provide a word-processor-like editing experience.	Enabled
Limit wiki page categories to those under this category	If an error message indicates a mandatory category is required when editing a wiki page, set this option to "None". None   All   Archived   Editorial Board Meeting   Files example   Keywords   Retired   Status   Status::3.In Progress   Templates   Versions   Versions::1.x   Versions::10.x   Versions::11.x   Versions::12.x   Versions::13.x   Versions::14.x   Versions::15.x   Versions::16.x   Versions::17.x   Versions::18.x   Versions::2.x   Versions::3.x   Versions::4.x   Versions::5.x   Versions::6.x   Versi...	None
Log bytes changes (+/-) in action logs	<i>May impact performance</i>	Disabled
<a href="#">Wiki content templates</a>	Prewritten content (probably partial content) for a wiki page	Disabled
Lock Content Templates	Enable users to lock content templates and so prevent others from editing them	Disabled
<a href="#">Wiki auto-toc</a>	Automatic table of contents generation for wiki pages. The generated table of contents will display as a fixed-position aside next to the page contents. This setting can be toggled per page, in the page properties.	Disabled
Inline auto-toc	Change the display of the table of contents for wiki pages to inline.	Disabled
Table of contents position	Position of the table of contents, either top, left, right (right is the default) Right   Left   Top	Right
Table of contents offset	Offset for table of contents. Useful when there is a fixed navigation bar. If used with inline TOC, will behave as a top margin.	10 pixels
Table of contents on every page	Set the default for the table of contents (default "no" and can be overridden per page) No   Yes	No

Option	Description	Default
Tabs	Determine if the table of contents includes the content of Tabs plugin or not. No   Yes	No
<a href="#">Plugin Attachment</a>	Display an attachment or a list of them	Enabled
<a href="#">Plugin Author</a>	Add popups and color coding that identifies authors	Enabled
<a href="#">Plugin Backlinks</a>	List all pages and tracker items that link to a particular page	Disabled
<a href="#">Plugin Include</a>	Include a portion of another wiki page	Enabled
Force link to included page	When only a portion of page is included, create a "See full page" link to the included page. It has the same effect of setting "linkoriginal=y" parameter every time Plugin Include is used.	Disabled
<a href="#">Plugin List Pages</a>	List pages based on various criteria	Disabled
<a href="#">Plugin Random Include</a>	Include a random page's content.	Disabled
<a href="#">Plugin Show Pages</a>	Find pages by searching within page names	Disabled
<a href="#">Plugin Slideshow</a>	Create a slideshow from the content of a wiki page	Disabled
<a href="#">Plugin Title Search</a>	Search page titles	Disabled
<a href="#">Plugin Transclude</a>	Include the content of another page with certain changes	Enabled
<a href="#">Plugin Wanted Pages</a>	Show location of links to pages not yet created	Disabled
<a href="#">Plugin Footnote</a>	Create automatically numbered footnotes (together with PluginFootnoteArea)	Disabled
<a href="#">Plugin Footnote Area</a>	Create automatically numbered footnotes (together with PluginFootnote)	Disabled
Display footnote content in popover	When the mouse is over the footnote reference, show footnote content in a popover window.	Enabled

Option	Description	Default
<a href="#">Wiki</a>	Pages and collaboratively authored documents with edit history.	Enabled
Wiki homepage	The default home page of the wiki when no other page is specified. The page will be created if it does not already exist.	HomePage
Wiki URL scheme	Alter the SEFURL pattern for page names. <i>Use the "View" action to regenerate your URLs after changing this setting.</i> Replace spaces with dashes   Replace spaces with underscores   URL Encode (Tiki Classic)	Replace spaces with dashes
Prevent special characters in page names	Some characters in a wiki page name may prevent the page from being easily accessible via the URL or wiki links. This option prevents the creation of page names with such characters.	Enabled

Option	Description	Default
Wiki link format	Level of special characters acceptable in wiki links for page names. For example: Page éâî <i>"Strict" includes only basic characters such as a-z and 0-9. A site that uses accented or special characters in page names should not use "strict".</i> Complete   Relaxed   Strict	Complete
Page name display stripper	The character(s) to use as a delimiter in the page name. The portion of the name after the character(s) will not be displayed. If the page name display stripper conflicts with the namespace separator, the namespace is used and the page name display is not stripped.	None
Display page name as page title	Display the page name at the top of each page as page title. If not enabled, the page content should contain an h1 heading to function as the page title, or the page description can be used as the title.	Disabled
Display the page name above the page area	Display the page name in small text at the top of each page (above the page's content).	Disabled
Display the page name inside the page content	Display the page name inside the page content.	Disabled
Add an option to hide the page title per wiki page	Enable the page title to not be displayed, on a per-page basis.	Enabled
Anchor links on headings	Cause a link icon to appear on hover over each heading, useful for sharing the URL to an exact location on a page. h1 only   h2 and above   h3 and above   h4 and above   h5 and above   h6 and above   none (disabled)	h6 and above
Show the page description	Display the wiki page description between the page title and the page content.	Disabled
Display input at top of Edit tab	More prominent location than on Properties tab	Disabled
Show the page ID	Each wiki page has a numeric ID and this can be displayed.	Disabled
Show the page version	Display the page version information when viewing the page.	Disabled
Wiki author list style	Change the list format that is used to display the authors of the page. Creator and Author   Business style   Collaborative style   Page last modified on   none (disabled)	none (disabled)
Specify wiki author list style per page	Enable the style in which the author list is displayed to be modified on a per-page basis.	Disabled
Encourage contribution to wiki pages by anonymous	When a page is not editable because the user is anonymous, display the edit buttons anyway. The visitor will be prompted with a log-in screen and will be encouraged to register in order to be able to edit the page.	Disabled
Show/hide icon before headings	For use with the !!- or !!+ syntax. Activating this will display the show/hide icon at the left of the heading; otherwise, it displays below.	Disabled

Option	Description	Default
Wiki page edit buttons location	Specify the location of the Save, Preview, and Cancel buttons on the wiki edit page. Top   Bottom   Both	Bottom
Wiki navigation bar location	When using the ...page... <i>Wiki page pagination has not been enabled.</i> page break wiki syntax Top   Bottom   Both	Bottom
Wiki top line location	Page description, page actions, icons, backlinks.... Top   Bottom   Both   Neither	Top
Wiki buttons	Specify the location of the wiki-specific options (such as Backlinks, Page Description, and so on) Top   Bottom   Neither	Bottom
Undo		Disabled
Allow minor edits of wiki pages	Minor edits don't flag new content for translation and don't cause watch notifications to be sent (unless "Watch minor edits" is enabled).	Disabled
Allow plugin-specific edits	Add an icon next to each plugin usage to enable editing the plugin in a popup form, without needing to edit the whole page. This feature is unavailable outside wiki pages, whether or not this preference is enabled.	Enabled
Allow section-specific edits	Add an edit icon at the top of each heading-demarcated wiki page section (up to a configurable maximum level) to ease the editing of a single section.	Enabled
Only display focused edit icons (for sections and/or plugins) on request	Focused edit icons will only display after a per-session "Edit icons" preference is enabled. This preference is defined directly from any wiki page.	Enabled
Section-specific edits maximum level	Prevent a proliferation of edit icons for low-level sections. For example, when set to 2, no edit icons will show for third-level (HTML h3) sections. All   1   2   3   4   5   6	0
Allow HTML	Per-page option: HTML tags are used to create elements of the wiki page, instead of being displayed as code. <i>This is potentially dangerous, as it allows raw HTML to be added. Be sure to enable this option only if trusted users can create and edit menus.</i>	Disabled
Mandatory wiki page edit summary	Reject save attempts that do not include an edit summary describing the changes made.	Disabled
Footnotes	Logged-in users can write personal footnotes when editing a page. The footnotes display immediately below the wiki page only to the user who edited it. This is a good way for users to make personal notes about pages..	Disabled
Position of tags selection	Place the tags selection more prominently than under the "Properties" tab. Properties tab   Edit tab   Tags tab	Properties tab



Option	Description	Default
Warn before page lock timeout	Provide a JavaScript alert before the user's lock on a page times out.	Enabled
Warn on edit conflict	When another user is editing a page, spreadsheet or tracker item, you will be warned about a possible conflict. This feature is useful to prevent collisions when editing.	Enabled
Edit idle timeout	Select the amount of time (in minutes) after which a user's edit session will expire. If the user does not save or preview their work, it will be lost. Tiki will display a "countdown time" in the user's browser and display an alert when only a minute remains. 1   2   5   10   15   30	2 minutes
Favorite language for new pages	This favorite language will automatically be used for new wiki pages by default. None   Albanian (Shqip, sq)   Arabic (العربية, ar)   Brazilian Portuguese (Português Brasileiro, pt-br)   Bulgarian (български език, bg)   Catalan (Català, ca)   Croatian (Hrvatski, hr)   Czech (Česky, cs)   Danish (Dansk, da)   Dutch (Nederlands, nl)   English (en)   English British (British English, en-uk)   Farsi (فارسي, fa)   Fijian (fj)   Finnish (Suomi, fi)   F...	None
Support Tiki's "wiki syntax" in HTML pages	This allows a mixture of wiki syntax and HTML in the code of wiki pages where HTML is allowed.	Enabled
<a href="#">Full WYSIWYG editor</a>	WYSIWYG is an acronym for "What You See Is What You Get". <a href="#">CKEditor</a> is used to provide a word-processor-like editing experience.	Enabled
Limit wiki page categories to those under this category	If an error message indicates a mandatory category is required when editing a wiki page, set this option to "None". None   All   Archived   Editorial Board Meeting   Files example   Keywords   Retired   Status   Status::3.In Progress   Templates   Versions   Versions::1.x   Versions::10.x   Versions::11.x   Versions::12.x   Versions::13.x   Versions::14.x   Versions::15.x   Versions::16.x   Versions::17.x   Versions::18.x   Versions::2.x   Versions::3.x   Versions::4.x   Versions::5.x   Versions::6.x   Versi...	None
Log bytes changes (+/-) in action logs	<i>May impact performance</i>	Disabled
<a href="#">Wiki content templates</a>	Prewritten content (probably partial content) for a wiki page	Disabled
Lock Content Templates	Enable users to lock content templates and so prevent others from editing them	Disabled
<a href="#">Wiki auto-toc</a>	Automatic table of contents generation for wiki pages. The generated table of contents will display as a fixed-position aside next to the page contents. This setting can be toggled per page, in the page properties.	Disabled
Inline auto-toc	Change the display of the table of contents for wiki pages to inline.	Disabled
Table of contents position	Position of the table of contents, either top, left, right (right is the default) Right   Left   Top	Right

Option	Description	Default
Table of contents offset	Offset for table of contents. Useful when there is a fixed navigation bar. If used with inline TOC, will behave as a top margin.	10 pixels
Table of contents on every page	Set the default for the table of contents (default "no" and can be overridden per page) No   Yes	No
Tabs	Determine if the table of contents includes the content of Tabs plugin or not. No   Yes	No
<a href="#">Plugin Attachment</a>	Display an attachment or a list of them	Enabled
<a href="#">Plugin Author</a>	Add popups and color coding that identifies authors	Enabled
<a href="#">Plugin Backlinks</a>	List all pages and tracker items that link to a particular page	Disabled
<a href="#">Plugin Include</a>	Include a portion of another wiki page	Enabled
Force link to included page	When only a portion of page is included, create a "See full page" link to the included page. It has the same effect of setting "linkoriginal=y" parameter every time Plugin Include is used.	Disabled
<a href="#">Plugin List Pages</a>	List pages based on various criteria	Disabled
<a href="#">Plugin Random Include</a>	Include a random page's content.	Disabled
<a href="#">Plugin Show Pages</a>	Find pages by searching within page names	Disabled
<a href="#">Plugin Slideshow</a>	Create a slideshow from the content of a wiki page	Disabled
<a href="#">Plugin Title Search</a>	Search page titles	Disabled
<a href="#">Plugin Transclude</a>	Include the content of another page with certain changes	Enabled
<a href="#">Plugin Wanted Pages</a>	Show location of links to pages not yet created	Disabled
<a href="#">Plugin Footnote</a>	Create automatically numbered footnotes (together with PluginFootnoteArea)	Disabled
<a href="#">Plugin Footnote Area</a>	Create automatically numbered footnotes (together with PluginFootnote)	Disabled
Display footnote content in popover	When the mouse is over the footnote reference, show footnote content in a popover window.	Enabled
Option	Description	Default
<a href="#">Wiki</a>	Pages and collaboratively authored documents with edit history.	Enabled
Wiki homepage	The default home page of the wiki when no other page is specified. The page will be created if it does not already exist.	HomePage

Option	Description	Default
Wiki URL scheme	Alter the SEFURL pattern for page names. <i>Use the "View" action to regenerate your URLs after changing this setting.</i> Replace spaces with dashes   Replace spaces with underscores   URL Encode (Tiki Classic)	Replace spaces with dashes
Prevent special characters in page names	Some characters in a wiki page name may prevent the page from being easily accessible via the URL or wiki links. This option prevents the creation of page names with such characters.	Enabled
Wiki link format	Level of special characters acceptable in wiki links for page names. For example: Page éâî <i>"Strict" includes only basic characters such as a-z and 0-9. A site that uses accented or special characters in page names should not use "strict".</i> Complete   Relaxed   Strict	Complete
Page name display stripper	The character(s) to use as a delimiter in the page name. The portion of the name after the character(s) will not be displayed. If the page name display stripper conflicts with the namespace separator, the namespace is used and the page name display is not stripped.	None
Display page name as page title	Display the page name at the top of each page as page title. If not enabled, the page content should contain an h1 heading to function as the page title, or the page description can be used as the title.	Enabled
Display the page name above the page area	Display the page name in small text at the top of each page (above the page's content).	Disabled
Display the page name inside the page content	Display the page name inside the page content.	Disabled
Adding the content of the title tag	allows the application to be better referenced with a personalized title tag	Disabled
Add an option to hide the page title per wiki page	Enable the page title to not be displayed, on a per-page basis.	Enabled
Anchor links on headings	Cause a link icon to appear on hover over each heading, useful for sharing the URL to an exact location on a page. h1 only   h2 and above   h3 and above   h4 and above   h5 and above   h6 and above   none (disabled)	h6 and above
Show the page description	Display the wiki page description between the page title and the page content.	Disabled
Show the page ID	Each wiki page has a numeric ID and this can be displayed.	Disabled
Show the page version	Display the page version information when viewing the page.	Disabled
Wiki author list style	Change the list format that is used to display the authors of the page. Creator and Author   Business style   Collaborative style   Page last modified on   none (disabled)	none (disabled)

Option	Description	Default
Specify wiki author list style per page	Enable the style in which the author list is displayed to be modified on a per-page basis.	Disabled
Encourage contribution to wiki pages by anonymous	When a page is not editable because the user is anonymous, display the edit buttons anyway. The visitor will be prompted with a log-in screen and will be encouraged to register in order to be able to edit the page.	Disabled
Show/hide icon before headings	For use with the !!- or !!+ syntax. Activating this will display the show/hide icon at the left of the heading; otherwise, it displays below.	Disabled
Wiki page edit buttons location	Specify the location of the Save, Preview, and Cancel buttons on the wiki edit page. Top   Bottom   Both	Bottom
Wiki navigation bar location	When using the ...page... <i>Wiki page pagination has not been enabled.</i> page break wiki syntax Top   Bottom   Both	Bottom
Wiki top line location	Page description, page actions, icons, backlinks.... Top   Bottom   Both   Neither	Top
Wiki buttons	Specify the location of the wiki-specific options (such as Backlinks, Page Description, and so on) Top   Bottom   Neither	Bottom
Undo		Disabled
Allow minor edits of wiki pages	Minor edits don't flag new content for translation and don't cause watch notifications to be sent (unless "Watch minor edits" is enabled).	Disabled
Allow plugin-specific edits	Add an icon next to each plugin usage to enable editing the plugin in a popup form, without needing to edit the whole page. This feature is unavailable outside wiki pages, whether or not this preference is enabled.	Enabled
Allow section-specific edits	Add an edit icon at the top of each heading-demarcated wiki page section (up to a configurable maximum level) to ease the editing of a single section.	Enabled
Only display focused edit icons (for sections and/or plugins) on request	Focused edit icons will only display after a per-session "Edit icons" preference is enabled. This preference is defined directly from any wiki page.	Enabled
Section-specific edits maximum level	Prevent a proliferation of edit icons for low-level sections. For example, when set to 2, no edit icons will show for third-level (HTML h3) sections. All   1   2   3   4   5   6	0
Allow HTML	Per-page option: HTML tags are used to create elements of the wiki page, instead of being displayed as code. <i>This is potentially dangerous, as it allows raw HTML to be added. Be sure to enable this option only if trusted users can create and edit menus.</i>	Disabled
Mandatory wiki page edit summary	Reject save attempts that do not include an edit summary describing the changes made.	Disabled

Option	Description	Default
Footnotes	Logged-in users can write personal footnotes when editing a page. The footnotes display immediately below the wiki page only to the user who edited it. This is a good way for users to make personal notes about pages..	Disabled
Position of tags selection	Place the tags selection more prominently than under the "Properties" tab. Properties tab   Edit tab   Tags tab	Properties tab
Warn before page lock timeout	Provide a JavaScript alert before the user's lock on a page times out.	Enabled
Warn on edit conflict	When another user is editing a page, spreadsheet or tracker item, you will be warned about a possible conflict. This feature is useful to prevent collisions when editing.	Enabled
Edit idle timeout	Select the amount of time (in minutes) after which a user's edit session will expire. If the user does not save or preview their work, it will be lost. Tiki will display a "countdown time" in the user's browser and display an alert when only a minute remains. 1   2   5   10   15   30	2 minutes
Favorite language for new pages	This favorite language will automatically be used for new wiki pages by default. None   Albanian (Shqip, sq)   Arabic (العربية, ar)   Brazilian Portuguese (Português Brasileiro, pt-br)   Bulgarian (български език, bg)   Catalan (Català, ca)   Croatian (Hrvatski, hr)   Czech (Česky, cs)   Danish (Dansk, da)   Dutch (Nederlands, nl)   English (en)   English British (British English, en-uk)   Farsi (فارسي, fa)   Fijian (fj)   Finnish (Suomi, fi)   F...	None
Support Tiki's "wiki syntax" in HTML pages	This allows a mixture of wiki syntax and HTML in the code of wiki pages where HTML is allowed.	Enabled
<a href="#">Full WYSIWYG editor</a>	WYSIWYG is an acronym for "What You See Is What You Get". <a href="#">CKEditor</a> is used to provide a word-processor-like editing experience.	Disabled
Limit wiki page categories to those under this category	If an error message indicates a mandatory category is required when editing a wiki page, set this option to "None". None   All   Archived   Editorial Board Meeting   Files example   Keywords   Retired   Status   Status::3.In Progress   Templates   Versions   Versions::1.x   Versions::10.x   Versions::11.x   Versions::12.x   Versions::13.x   Versions::14.x   Versions::15.x   Versions::16.x   Versions::17.x   Versions::18.x   Versions::2.x   Versions::3.x   Versions::4.x   Versions::5.x   Versions::6.x   Versi...	None
Log bytes changes (+/-) in action logs	<i>May impact performance</i>	Disabled
<a href="#">Wiki content templates</a>	Prewritten content (probably partial content) for a wiki page	Disabled
Lock Content Templates	Enable users to lock content templates and so prevent others from editing them	Disabled
<a href="#">Wiki auto-toc</a>	Automatic table of contents generation for wiki pages. The generated table of contents will display as a fixed-position aside next to the page contents. This setting can be toggled per page, in the page properties.	Disabled

Option	Description	Default
Inline auto-toc	Change the display of the table of contents for wiki pages to inline.	Disabled
Table of contents position	Position of the table of contents, either top, left, right (right is the default) Right   Left   Top	Right
Table of contents offset	Offset for table of contents. Useful when there is a fixed navigation bar. If used with inline TOC, will behave as a top margin.	10 pixels
Table of contents on every page	Set the default for the table of contents (default "no" and can be overridden per page) No   Yes	No
Tabs	Determine if the table of contents includes the content of Tabs plugin or not. No   Yes	No
<a href="#">Plugin Attachment</a>	Display an attachment or a list of them	Enabled
<a href="#">Plugin Author</a>	Add popups and color coding that identifies authors	Enabled
<a href="#">Plugin Backlinks</a>	List all pages and tracker items that link to a particular page	Disabled
<a href="#">Plugin Include</a>	Include a portion of another wiki page	Enabled
Force link to included page	When only a portion of page is included, create a "See full page" link to the included page. It has the same effect of setting "linkoriginal=y" parameter every time Plugin Include is used.	Disabled
<a href="#">Plugin List Pages</a>	List pages based on various criteria	Disabled
<a href="#">Plugin Random Include</a>	Include a random page's content.	Disabled
<a href="#">Plugin Show Pages</a>	Find pages by searching within page names	Disabled
<a href="#">Plugin Slideshow</a>	Create a slideshow from the content of a wiki page	Disabled
<a href="#">Plugin Title Search</a>	Search page titles	Disabled
<a href="#">Plugin Transclude</a>	Include the content of another page with certain changes	Enabled
<a href="#">Plugin Wanted Pages</a>	Show location of links to pages not yet created	Disabled
<a href="#">Plugin Footnote</a>	Create automatically numbered footnotes (together with PluginFootnoteArea)	Disabled
<a href="#">Plugin Footnote Area</a>	Create automatically numbered footnotes (together with PluginFootnote)	Disabled
Display footnote content in popover	When the mouse is over the footnote reference, show footnote content in a popover window.	Enabled
Option	Description	Default
<a href="#">Wiki</a>	Pages and collaboratively authored documents with edit history.	Enabled

Option	Description	Default
Wiki homepage	The default home page of the wiki when no other page is specified. The page will be created if it does not already exist.	HomePage
Wiki URL scheme	Alter the SEFURL pattern for page names. <i>Use the "View" action to regenerate your URLs after changing this setting.</i> Replace spaces with dashes   Replace spaces with underscores   URL Encode (Tiki Classic)	Replace spaces with dashes
Prevent special characters in page names	Some characters in a wiki page name may prevent the page from being easily accessible via the URL or wiki links. This option prevents the creation of page names with such characters.	Enabled
Wiki link format	Level of special characters acceptable in wiki links for page names. For example: Page éâî <i>"Strict" includes only basic characters such as a-z and 0-9. A site that uses accented or special characters in page names should not use "strict".</i> Complete   Relaxed   Strict	Complete
Page name display stripper	The character(s) to use as a delimiter in the page name. The portion of the name after the character(s) will not be displayed. If the page name display stripper conflicts with the namespace separator, the namespace is used and the page name display is not stripped.	None
Display page name as page title	Display the page name at the top of each page as page title. If not enabled, the page content should contain an h1 heading to function as the page title, or the page description can be used as the title.	Enabled
Display the page name above the page area	Display the page name in small text at the top of each page (above the page's content).	Disabled
Display the page name inside the page content	Display the page name inside the page content.	Disabled
Add an option to hide the page title per wiki page	Enable the page title to not be displayed, on a per-page basis.	Enabled
Anchor links on headings	Cause a link icon to appear on hover over each heading, useful for sharing the URL to an exact location on a page.	Enabled
Show the page description	Display the wiki page description between the page title and the page content.	Disabled
Show the page ID	Each wiki page has a numeric ID and this can be displayed.	Disabled
Show the page version	Display the page version information when viewing the page.	Disabled
Wiki author list style	Change the list format that is used to display the authors of the page. Creator and Author   Business style   Collaborative style   Page last modified on   none (disabled)	none (disabled)
Specify wiki author list style per page	Enable the style in which the author list is displayed to be modified on a per-page basis.	Disabled

Option	Description	Default
Encourage contribution to wiki pages by anonymous	When a page is not editable because the user is anonymous, display the edit buttons anyway. The visitor will be prompted with a log-in screen and will be encouraged to register in order to be able to edit the page.	Disabled
Show/hide icon before headings	For use with the !!- or !!+ syntax. Activating this will display the show/hide icon at the left of the heading; otherwise, it displays below.	Disabled
Wiki page edit buttons location	Specify the location of the Save, Preview, and Cancel buttons on the wiki edit page. Top   Bottom   Both	Bottom
Wiki navigation bar location	When using the ...page... <i>Wiki page pagination has not been enabled.</i> page break wiki syntax Top   Bottom   Both	Bottom
Wiki top line location	Page description, page actions, icons, backlinks.... Top   Bottom   Both   Neither	Top
Wiki buttons	Specify the location of the wiki-specific options (such as Backlinks, Page Description, and so on) Top   Bottom   Neither	Bottom
Undo		Disabled
Allow minor edits of wiki pages	Minor edits don't flag new content for translation and don't cause watch notifications to be sent (unless "Watch minor edits" is enabled).	Disabled
Allow plugin-specific edits	Add an icon next to each plugin usage to enable editing the plugin in a popup form, without needing to edit the whole page. This feature is unavailable outside wiki pages, whether or not this preference is enabled.	Enabled
Allow section-specific edits	Add an edit icon at the top of each heading-demarcated wiki page section (up to a configurable maximum level) to ease the editing of a single section.	Enabled
Only display focused edit icons (for sections and/or plugins) on request	Focused edit icons will only display after a per-session "Edit icons" preference is enabled. This preference is defined directly from any wiki page.	Enabled
Section-specific edits maximum level	Prevent a proliferation of edit icons for low-level sections. For example, when set to 2, no edit icons will show for third-level (HTML h3) sections. All   1   2   3   4   5   6	0
Allow HTML	Per-page option: HTML tags are used to create elements of the wiki page, instead of being displayed as code. <i>This is potentially dangerous, as it allows raw HTML to be added. Be sure to enable this option only if trusted users can create and edit menus.</i>	Disabled
Mandatory wiki page edit summary	Reject save attempts that do not include an edit summary describing the changes made.	Disabled



Option	Description	Default
Footnotes	Logged-in users can write personal footnotes when editing a page. The footnotes display immediately below the wiki page only to the user who edited it. This is a good way for users to make personal notes about pages..	Disabled
Position of tags selection	Place the tags selection more prominently than under the "Properties" tab. Properties tab   Edit tab   Tags tab	Properties tab
Warn before page lock timeout	Provide a JavaScript alert before the user's lock on a page times out.	Enabled
Warn on edit conflict	When another user is editing a page, spreadsheet or tracker item, you will be warned about a possible conflict. This feature is useful to prevent collisions when editing.	Enabled
Edit idle timeout	Select the amount of time (in minutes) after which a user's edit session will expire. If the user does not save or preview their work, it will be lost. Tiki will display a "countdown time" in the user's browser and display an alert when only a minute remains. 1   2   5   10   15   30	2 minutes
Support Tiki's "wiki syntax" in HTML pages	This allows a mixture of wiki syntax and HTML in the code of wiki pages where HTML is allowed.	Enabled
<a href="#">Full WYSIWYG editor</a>	WYSIWYG is an acronym for "What You See Is What You Get". <a href="#">CKEditor</a> is used to provide a word-processor-like editing experience.	Disabled
Limit wiki page categories to those under this category	If an error message indicates a mandatory category is required when editing a wiki page, set this option to "None". None	None
Log bytes changes (+/-) in action logs	<i>May impact performance</i>	Disabled
<a href="#">Wiki content templates</a>	Prewritten content (probably partial content) for a wiki page	Disabled
Lock Content Templates	Enable users to lock content templates and so prevent others from editing them	Disabled
<a href="#">Wiki auto-toc</a>	Automatic table of contents generation for wiki pages. The generated table of contents will display as a fixed-position aside next to the page contents. This setting can be toggled per page, in the page properties.	Disabled
Table of contents default	Set the default for the table of contents (default "on" and can be toggled per page) On   Off	On
Inline auto-toc	Change the display of the table of contents for wiki pages to inline.	Disabled
Table of contents position	Position of the table of contents, either top, left, right (right is the default) Right   Left   Top	Right

Option	Description	Default
Table of contents offset	Offset for table of contents. Useful when there is a fixed navigation bar. If used with inline TOC, will behave as a top margin.	10 pixels
<a href="#">Plugin Attachment</a>	Display an attachment or a list of them	Enabled
<a href="#">Plugin Author</a>	Add popups and color coding that identifies authors	Enabled
<a href="#">Plugin Backlinks</a>	List all pages and tracker items that link to a particular page	Disabled
<a href="#">Plugin Include</a>	Include a portion of another wiki page	Enabled
Force link to included page	When only a portion of page is included, create a "See full page" link to the included page. It has the same effect of setting "linkoriginal=y" parameter every time Plugin Include is used.	Disabled
<a href="#">Plugin List Pages</a>	List pages based on various criteria	Disabled
<a href="#">Plugin Random Include</a>	Include a random page's content.	Disabled
<a href="#">Plugin Show Pages</a>	Find pages by searching within page names	Disabled
<a href="#">Plugin Slideshow</a>	Create a slideshow from the content of a wiki page	Disabled
<a href="#">Plugin Title Search</a>	Search page titles	Disabled
<a href="#">Plugin Transclude</a>	Include the content of another page with certain changes	Enabled
<a href="#">Plugin Wanted Pages</a>	Show location of links to pages not yet created	Disabled
<a href="#">Plugin Footnote</a>	Create automatically numbered footnotes (together with PluginFootnoteArea)	Disabled
<a href="#">Plugin Footnote Area</a>	Create automatically numbered footnotes (together with PluginFootnote)	Disabled
Display footnote content in popover	When the mouse is over the footnote reference, show footnote content in a popover window.	Enabled

Option	Description	Default
<a href="#">Wiki</a>	Pages and collaboratively authored documents with edit history.	Enabled
Wiki homepage	The default home page of the wiki when no other page is specified. The page will be created if it does not already exist.	HomePage
Wiki URL scheme	Alter the SEFURL pattern for page names. <i>Use the "View" action to regenerate your URLs after changing this setting.</i> Replace spaces with dashes   Replace spaces with underscores   URL Encode (Tiki Classic)	Replace spaces with dashes
Prevent special characters in page names	Some characters in a wiki page name may prevent the page from being easily accessible via the URL or wiki links. This option prevents the creation of page names with such characters.	Enabled

Option	Description	Default
Wiki link format	<p>Level of special characters acceptable in wiki links for page names. For example: Page éâî</p> <p><i>"Strict" includes only basic characters such as a-z and 0-9. A site that uses accented or special characters in page names should not use "strict".</i></p> <p>Complete   Relaxed   Strict</p>	Complete
Page name display stripper	<p>The character(s) to use as a delimiter in the page name. The portion of the name after the character(s) will not be displayed. If the page name display stripper conflicts with the namespace separator, the namespace is used and the page name display is not stripped.</p>	None
Display page name as page title	<p>Display the page name at the top of each page as page title. If not enabled, the page content should contain an h1 heading to function as the page title, or the page description can be used as the title.</p>	Enabled
Display the page name above the page area	<p>Display the page name in small text at the top of each page (above the page's content).</p>	Disabled
Display the page name inside the page content	<p>Display the page name inside the page content.</p>	Disabled
Add an option to hide the page title per wiki page	<p>Enable the page title to not be displayed, on a per-page basis.</p>	Enabled
Anchor links on headings	<p>Cause a link icon to appear on hover over each heading, useful for sharing the URL to an exact location on a page.</p>	Enabled
Show the page description	<p>Display the wiki page description between the page title and the page content.</p>	Disabled
Show the page ID	<p>Each wiki page has a numeric ID and this can be displayed.</p>	Disabled
Show the page version	<p>Display the page version information when viewing the page.</p>	Disabled
Wiki author list style	<p>Change the list format that is used to display the authors of the page. Creator and Author   Business style   Collaborative style   Page last modified on   none (disabled)</p>	none (disabled)
Specify wiki author list style per page	<p>Enable the style in which the author list is displayed to be modified on a per-page basis.</p>	Disabled
Encourage contribution to wiki pages by anonymous	<p>When a page is not editable because the user is anonymous, display the edit buttons anyway. The visitor will be prompted with a log-in screen and will be encouraged to register in order to be able to edit the page.</p>	Disabled
Show/hide icon before headings	<p>For use with the !!- or !!+ syntax. Activating this will display the show/hide icon at the left of the heading; otherwise, it displays below.</p>	Disabled
Wiki page edit buttons location	<p>Specify the location of the Save, Preview, and Cancel buttons on the wiki edit page.</p> <p>Top   Bottom   Both</p>	Bottom

Option	Description	Default
Wiki navigation bar location	When using the ...page... <i>Wiki page pagination has not been enabled.</i> page break wiki syntax Top   Bottom   Both	Bottom
Wiki top line location	Page description, page actions, icons, backlinks.... Top   Bottom   Both   Neither	Top
Wiki buttons	Specify the location of the wiki-specific options (such as Backlinks, Page Description, and so on) Top   Bottom   Neither	Bottom
Undo		Disabled
Allow minor edits of wiki pages	Minor edits don't flag new content for translation and don't cause watch notifications to be sent (unless "Watch minor edits" is enabled).	Disabled
Allow plugin-specific edits	Add an icon next to each plugin usage to enable editing the plugin in a popup form, without needing to edit the whole page. This feature is unavailable outside wiki pages, whether or not this preference is enabled.	Enabled
Allow section-specific edits	Add an edit icon at the top of each heading-demarcated wiki page section (up to a configurable maximum level) to ease the editing of a single section.	Enabled
Only display focused edit icons (for sections and/or plugins) on request	Focused edit icons will only display after a per-session "Edit icons" preference is enabled. This preference is defined directly from any wiki page.	Enabled
Section-specific edits maximum level	Prevent a proliferation of edit icons for low-level sections. For example, when set to 2, no edit icons will show for third-level (HTML h3) sections. All   1   2   3   4   5   6	0
Allow HTML	Per-page option: HTML tags are used to create elements of the wiki page, instead of being displayed as code. <i>This is potentially dangerous, as it allows raw HTML to be added. Be sure to enable this option only if trusted users can create and edit menus.</i>	Disabled
Mandatory wiki page edit summary	Reject save attempts that do not include an edit summary describing the changes made.	Disabled
Footnotes	Logged-in users can write personal footnotes when editing a page. The footnotes display immediately below the wiki page only to the user who edited it. This is a good way for users to make personal notes about pages..	Disabled
Position of tags selection	Place the tags selection more prominently than under the "Properties" tab. Properties tab   Edit tab   Tags tab	Properties tab
Warn before page lock timeout	Provide a JavaScript alert before the user's lock on a page times out.	Enabled

Option	Description	Default
Warn on edit conflict	When a user is editing a page, the edit button will be colored red and the name of the user editing the page will be displayed as a tooltip. If the user saves or cancels his or her edit or if the indicated amount of time passes the edit button will be displayed normally. This feature is useful to prevent collisions when editing pages.	Enabled
Edit idle timeout	Select the amount of time (in minutes) after which a user's edit session will expire. If the user does not save or preview their work, it will be lost. Tiki will display a "countdown time" in the user's browser and display an alert when only a minute remains. 1   2   5   10   15   30	2 minutes
Support Tiki's "wiki syntax" in HTML pages	This allows a mixture of wiki syntax and HTML in the code of wiki pages where HTML is allowed.	Enabled
<a href="#">Full WYSIWYG editor</a>	WYSIWYG is an acronym for "What You See Is What You Get". <a href="#">CKEditor</a> is used to provide a word-processor-like editing experience.	Disabled
Limit wiki page categories to those under this category	If an error message indicates a mandatory category is required when editing a wiki page, set this option to "None". None	None
Log bytes changes (+/-) in action logs	<i>May impact performance</i>	Disabled
<a href="#">Wiki content templates</a>	Prewritten content (probably partial content) for a wiki page	Disabled
Lock Content Templates	Enable users to lock content templates and so prevent others from editing them	Disabled
<a href="#">Wiki auto-toc</a>	Automatic table of contents generation for wiki pages. The generated table of contents will display as a fixed-position aside next to the page contents. This setting can be toggled per page, in the page properties.	Disabled
Table of contents default	Set the default for the table of contents (default "on" and can be toggled per page) On   Off	On
Inline auto-toc	Change the display of the table of contents for wiki pages to inline.	Disabled
Table of contents position	Position of the table of contents, either top, left, right (right is the default) Right   Left   Top	Right
Table of contents offset	Offset for table of contents. Useful when there is a fixed navigation bar. If used with inline TOC, will behave as a top margin.	10 pixels
<a href="#">Plugin Attachment</a>	Display an attachment or a list of them	Enabled
<a href="#">Plugin Author</a>	Add popups and color coding that identifies authors	Enabled
<a href="#">Plugin Backlinks</a>	List all pages that link to a particular page	Disabled
<a href="#">Plugin Include</a>	Include a portion of another wiki page	Enabled

Option	Description	Default
Force link to included page	When only a portion of page is included, create a "See full page" link to the included page. It has the same effect of setting "linkoriginal=y" parameter every time Plugin Include is used.	Disabled
<a href="#">Plugin List Pages</a>	List pages based on various criteria	Disabled
<a href="#">Plugin Random Include</a>	Include a random page's content.	Disabled
<a href="#">Plugin Show Pages</a>	Find pages by searching within page names	Disabled
<a href="#">Plugin Slideshow</a>	Create a slideshow from the content of a wiki page	Disabled
<a href="#">Plugin Title Search</a>	Search page titles	Disabled
<a href="#">Plugin Transclude</a>	Include the content of another page with certain changes	Enabled
<a href="#">Plugin Wanted Pages</a>	Show location of links to pages not yet created	Disabled
<a href="#">Plugin Footnote</a>	Create automatically numbered footnotes (together with PluginFootnoteArea)	Disabled
<a href="#">Plugin Footnote Area</a>	Create automatically numbered footnotes (together with PluginFootnote)	Disabled
Display footnote content in popover	When the mouse is over the footnote reference, show footnote content in a popover window.	Enabled

## Wiki Page listings

Option	Description	Default
Latest changes	Enable users (with permission) to see the sortable, searchable list of wiki pages (tiki-lastchanges.php) organized by last-updated date. Use the Configuration area to specify which items to display..	Enabled
List pages	Allow viewing the wiki page list	Enabled
Orphan pages	Allow listing of "orphan pages" (pages not linked to from another page).	Disabled
Pages not in structure	Users (with permission) can see the sortable, searchable list of wiki pages (tiki-listpages.php). Use the Configuration area to specify which items to display.	Disabled
Show map mode buttons in page list		Disabled
<a href="#">Backlinks</a>	Present a list of pages that link to the current page.	Disabled
Categories		Disabled
Categories path		Disabled
Comment of the latest edit		Enabled

Option	Description	Default
Creator		Disabled
Description		Enabled
Description maximum displayed length	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	200 characters
Hits		Enabled
Language		Disabled
Last modification date		Enabled
Last modified by		Enabled
Links		Disabled
Name		Enabled
Page ID		Disabled
Default sort order	Last Modified   Name   Created   Creator   Hits   Last editor   Size	Last Modified
Sort Direction	Descending   Ascending	Descending
Page name maximum displayed length	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	40 characters
Maximum displayed length of the latest edit's comment	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	200 characters
Size		Disabled
Rating		Disabled
Status		Disabled
Version		Disabled
Versions		Enabled

Option	Description	Default
Latest changes	Enable users (with permission) to see the sortable, searchable list of wiki pages (tiki-lastchanges.php) organized by last-updated date. Use the Configuration area to specify which items to display..	Enabled
List pages	Allow viewing the wiki page list	Enabled
Orphan pages	Allow listing of "orphan pages" (pages not linked to from another page).	Disabled

Option	Description	Default
Pages not in structure	Users (with permission) can see the sortable, searchable list of wiki pages (tiki-listpages.php). Use the Configuration area to specify which items to display.	Disabled
Show map mode buttons in page list		Disabled
<a href="#">Backlinks</a>	Present a list of pages that link to the current page.	Disabled
Categories		Disabled
Categories path		Disabled
Comment of the latest edit		Enabled
Creator		Disabled
Description		Enabled
Description maximum displayed length	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	200 characters
Hits		Enabled
Language		Disabled
Last modification date		Enabled
Last modified by		Enabled
Links		Disabled
Name		Enabled
Page ID		Disabled
Default sort order	Last Modified   Name   Created   Creator   Hits   Last editor   Size	Last Modified
Sort Direction	Descending   Ascending	Descending
Page name maximum displayed length	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	40 characters
Maximum displayed length of the latest edit's comment	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	200 characters
Size		Disabled
Rating		Disabled
Status		Disabled
Version		Disabled
Versions		Enabled



Option	Description	Default
Latest changes	Enable users (with permission) to see the sortable, searchable list of wiki pages (tiki-lastchanges.php) organized by last-updated date. Use the Configuration area to specify which items to display..	Enabled
List pages	Allow viewing the wiki page list	Enabled
Orphan pages	Allow listing of "orphan pages" (pages not linked to from another page).	Disabled
Pages not in structure	Users (with permission) can see the sortable, searchable list of wiki pages (tiki-listpages.php). Use the Configuration area to specify which items to display.	Disabled
Show map mode buttons in page list		Disabled
<a href="#">Backlinks</a>	Present a list of pages that link to the current page.	Disabled
Categories		Disabled
Categories path		Disabled
Comment of the latest edit		Enabled
Creator		Disabled
Description		Enabled
Description maximum displayed length	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	200 characters
Hits		Enabled
Language		Disabled
Last modification date		Enabled
Last modified by		Enabled
Links		Disabled
Name		Enabled
Page ID		Disabled
Default sort order	Last Modified   Name   Created   Creator   Hits   Last editor   Size	Last Modified
Sort Direction	Descending   Ascending	Descending
Page name maximum displayed length	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	40 characters
Maximum displayed length of the latest edit's comment	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	200 characters

Option	Description	Default
Size		Disabled
Rating		Disabled
Status		Disabled
Version		Disabled
Versions		Enabled
Option	Description	Default
Latest changes	Enable users (with permission) to see the sortable, searchable list of wiki pages (tiki-lastchanges.php) organized by last-updated date. Use the Configuration area to specify which items to display..	Enabled
List pages	Allow viewing the wiki page list	Enabled
Orphan pages	Allow listing of "orphan pages" (pages not linked to from another page).	Disabled
Pages not in structure	Users (with permission) can see the sortable, searchable list of wiki pages (tiki-listpages.php). Use the Configuration area to specify which items to display.	Disabled
Show map mode buttons in page list		Disabled
<a href="#">Backlinks</a>	Present a list of pages that link to the current page.	Disabled
Categories		Disabled
Categories path		Disabled
Comment of the latest edit		Enabled
Creator		Disabled
Description		Enabled
Description maximum displayed length	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	200 characters
Hits		Enabled
Language		Disabled
Last modification date		Enabled
Last modified by		Enabled
Links		Disabled
Name		Enabled

Option	Description	Default
Page ID		Disabled
Default sort order	Last Modified   Name   Created   Creator   Hits   Last editor   Size	Last Modified
Sort Direction	Descending   Ascending	Descending
Page name maximum displayed length	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	40 characters
Maximum displayed length of the latest edit's comment	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	200 characters
Size		Disabled
Rating		Disabled
Status		Disabled
Version		Disabled
Versions		Enabled

Option	Description	Default
Latest changes	Enable users (with permission) to see the sortable, searchable list of wiki pages (tiki-lastchanges.php) organized by last-updated date. Use the Configuration area to specify which items to display..	Enabled
List pages	Allow viewing the wiki page list	Enabled
Orphan pages	Allow listing of "orphan pages" (pages not linked to from another page).	Disabled
Pages not in structure	Users (with permission) can see the sortable, searchable list of wiki pages (tiki-listpages.php). Use the Configuration area to specify which items to display.	Disabled
Show map mode buttons in page list		Disabled
<a href="#">Backlinks</a>	Present a list of pages that link to the current page.	Disabled
Categories		Disabled
Categories path		Disabled
Comment of the latest edit		Enabled
Creator		Disabled
Description		Enabled
Description maximum displayed length	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	200 characters

Option	Description	Default
Hits		Enabled
Language		Disabled
Last modification date		Enabled
Last modified by		Enabled
Links		Disabled
Name		Enabled
Page ID		Disabled
Default sort order	Last Modified   Name   Created   Creator   Hits   Last editor   Size	Last Modified
Sort Direction	Descending   Ascending	Descending
Page name maximum displayed length	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	40 characters
Maximum displayed length of the latest edit's comment	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	200 characters
Size		Disabled
Rating		Disabled
Status		Disabled
Version		Disabled
Versions		Enabled
Option	Description	Default
Latest changes	Enable users (with permission) to see the sortable, searchable list of wiki pages (tiki-lastchanges.php) organized by last-updated date. Use the Configuration area to specify which items to display..	Enabled
List pages	Allow viewing the wiki page list	Enabled
Orphan pages	Allow listing of \"orphan pages\" (pages not linked to from another page).	Disabled
Pages not in structure	Users (with permission) can see the sortable, searchable list of wiki pages (tiki-listpages.php). Use the Configuration area to specify which items to display.	Disabled
Show map mode buttons in page list		Disabled
<a href="#">Backlinks</a>	Present a list of pages that link to the current page.	Disabled
Categories		Disabled

Option	Description	Default
Categories path		Disabled
Comment of the latest edit		Enabled
Creator		Disabled
Description		Enabled
Description maximum displayed length	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	200 characters
Hits		Enabled
Language		Disabled
Last modification date		Enabled
Last modified by		Enabled
Links		Disabled
Name		Enabled
Page ID		Disabled
Default sort order	Last Modified   Name   Created   Creator   Hits   Last editor   Size	Last Modified
Sort Direction	Descending   Ascending	Descending
Page name maximum displayed length	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	40 characters
Maximum displayed length of the latest edit's comment	<i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	200 characters
Size		Disabled
Rating		Disabled
Status		Disabled
Version		Disabled
Versions		Enabled

## Workspaces

Option	Description	Default
Workspace UI	Combines multiple site features to create a workspace experience for workgroups.	Disabled

Option	Description	Default
<a href="#">Namespace</a>	Enable namespaces feature for wiki pages.	Disabled
Namespace separator	Select the character, symbol, or text to use as the namespace separator.	
Force all non-namespace page links to the same namespace	If the current page is in a namespace, all links without a namespace will have it added automatically	Disabled
<a href="#">Perspectives</a>	Permits overriding of preferences.	Disabled
<a href="#">Category</a>	Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access	Enabled
<a href="#">Wiki</a>	Pages and collaboratively authored documents with edit history.	Enabled
Workspace root category	ID of the root category containing all workspaces. <i>This value is automatically managed and should not need to be modified manually.</i>	0

Option	Description	Default
Workspace UI	Combines multiple site features to create a workspace experience for workgroups.	Disabled
<a href="#">Namespace</a>	Enable namespaces feature for wiki pages.	Disabled
Namespace separator	Select the character, symbol, or text to use as the namespace separator.	
Force all non-namespace page links to the same namespace	If the current page is in a namespace, all links without a namespace will have it added automatically	Disabled
<a href="#">Perspectives</a>	Permits overriding of preferences.	Disabled
<a href="#">Category</a>	Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access	Enabled
<a href="#">Wiki</a>	Pages and collaboratively authored documents with edit history.	Enabled
Workspace root category	ID of the root category containing all workspaces. <i>This value is automatically managed and should not need to be modified manually.</i>	0

Option	Description	Default
Workspace UI	Combines multiple site features to create a workspace experience for workgroups.	Disabled
<a href="#">Namespace</a>	Enable namespaces feature for wiki pages.	Disabled
Namespace separator	Select the character, symbol, or text to use as the namespace separator.	—
Force all non-namespace page links to the same namespace	If the current page is in a namespace, all links without a namespace will have it added automatically	Disabled

Option	Description	Default
<a href="#">Perspectives</a>	Permits overriding of preferences.	Disabled
<a href="#">Category</a>	Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access	Enabled
<a href="#">Wiki</a>	Pages and collaboratively authored documents with edit history.	Enabled
Workspace root category	ID of the root category containing all workspaces. <i>This value is automatically managed and should not need to be modified manually.</i>	0

Option	Description	Default
Workspace UI	Combines multiple site features to create a workspace experience for workgroups.	Disabled
<a href="#">Namespace</a>	Enable namespaces feature for wiki pages.	Disabled
Namespace separator	Select the character, symbol, or text to use as the namespace separator.	:_:
Force all non-namespace page links to the same namespace	If the current page is in a namespace, all links without a namespace will have it added automatically	Disabled
<a href="#">Perspectives</a>	Permits overriding of preferences.	Disabled
<a href="#">Category</a>	Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access	Disabled
<a href="#">Wiki</a>	Pages and collaboratively authored documents with edit history.	Enabled
Workspace root category	ID of the root category containing all workspaces. <i>This value is automatically managed and should not need to be modified manually.</i>	0

Option	Description	Default
Workspace UI	Combines multiple site features to create a workspace experience for workgroups.	Disabled
<a href="#">Namespace</a>	Enable namespaces feature for wiki pages.	Disabled
Namespace separator	Select the character, symbol, or text to use as the namespace separator.	:_:
Force all non-namespace page links to the same namespace	If the current page is in a namespace, all links without a namespace will have it added automatically	Disabled
<a href="#">Perspectives</a>	Permits overriding of preferences.	Disabled
<a href="#">Category</a>	Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access	Disabled

Option	Description	Default
<a href="#">Wiki</a>	Pages and collaboratively authored documents with edit history.	Enabled
Workspace root category	ID of the root category containing all workspaces. <i>This value is automatically managed and should not need to be modified manually.</i>	0
Option	Description	Default
Workspace UI	Combines multiple site features to create a workspace experience for workgroups.	Disabled
<a href="#">Namespace</a>	Enable namespaces feature for wiki pages.	Disabled
Namespace separator	Select the character, symbol, or text to use as the namespace separator.	:_:
Force all non-namespace page links to the same namespace	If the current page is in a namespace, all links without a namespace will have it added automatically	Disabled
<a href="#">Perspectives</a>	Permits overriding of preferences.	Disabled
<a href="#">Category</a>	Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access	Disabled
<a href="#">Wiki</a>	Pages and collaboratively authored documents with edit history.	Enabled
Workspace root category	ID of the root category containing all workspaces. <i>This value is automatically managed and should not need to be modified manually.</i>	0

## Workspaces - Areas

Option	Description	Default
<a href="#">Areas</a>	Binding categories and perspectives to each other	Disabled
<a href="#">Areas root category ID</a>	ID of category whose child categories are bound to a perspective by areas	0
Option	Description	Default
<a href="#">Areas</a>	Binding categories and perspectives to each other	Disabled
<a href="#">Areas root category ID</a>	ID of category whose child categories are bound to a perspective by areas	0
Option	Description	Default
<a href="#">Areas</a>	Binding categories and perspectives to each other	Disabled
<a href="#">Areas root category ID</a>	ID of category whose child categories are bound to a perspective by areas	0



Option	Description	Default
Areas	Binding categories and perspectives to each other	Disabled
Areas root category ID	ID of category whose child categories are bound to a perspective by areas	0

  

Option	Description	Default
Areas	Binding categories and perspectives to each other	Disabled
Areas root category ID	ID of category whose child categories are bound to a perspective by areas	0

  

Option	Description	Default
Areas	Binding categories and perspectives to each other	Disabled
Areas root category ID	ID of category whose child categories are bound to a perspective by areas	0

## Webmail

Error: **Cant find webmail** you may choose from one of the following:

ads  
articles-articleslistingandview  
articles-generalsettings  
blogs-blogslistings  
blogs-generalsettings  
calendar  
category  
comments  
community-communityfeatures  
community-plugins  
community-socialinteraction  
connect-jitsi  
connect-settings  
copyright  
directory  
faqs  
features-globalfeatures  
features-interface  
features-programmer  
fgal-adminlistings  
fgal-enhancements  
fgal-generalsettings  
fgal-listings  
fgal-plugins  
fgal-searchindexing  
forums-forumlisting  
forums-generalsettings  
freetags  
gal-features  
general-dateandtime  
general-generalpreferences  
general-generalsettings  
general-navigation  
i18n  
intertiki-intertikiclient  
intertiki-intertikimasterserver  
login-cas  
login-generalpreferences

login-ldap  
login-ldapexternalgroups  
login-oauthserversettings  
login-pam  
login-passwordblacklist  
login-phpbb  
login-remotetikiiautologin  
login-saml2  
login-shibboleth  
login-websserver  
look-customization  
look-layout  
look-miscellaneous  
look-pagination  
look-shadowlayer  
look-theme  
look-ueffects  
maps  
messages  
metatags-geomatags  
metatags-metatags  
metatags-robots  
module  
payment-advancedshoppingcart  
payment-payment  
payment-plugins  
payment-shipping  
performance-database  
performance-majorslowdown  
performance-memcache  
performance-newsletter  
performance-performance  
performance-plugins  
performance-redis  
performance-sessions  
performance-timeandmemorylimits  
performance-wiki  
polls-polls  
polls-surveys  
print  
profiles-advanced  
rating  
rss-feeds  
rss-generalpreferences  
rss-incomingfeeds  
rtc-bigbluebutton  
rtc-xmpp  
score  
search-federatedsearch  
search-generalsettings  
search-searchresults  
search-storedsearch  
security-generalsecurity  
security-openpgp  
security-searchresults  
security-siteaccess  
security-spamprotection  
security-tokens  
sefurl  
semantic  
share  
socialnetworks-bit  
socialnetworks-facebook  
socialnetworks-general  
socialnetworks-linkedin

socialnetworks-sharethis  
socialnetworks-twitter  
stats-googleanalytics  
stats-piwikanalytics  
stats-tikistatistics  
textarea-generalsettings  
textarea-plugins  
trackers-plugins  
trackers-settings  
user-messagingandnotifications  
user-userfeatures  
user-userfiles  
user-userinfoandpicture  
user-usersettings  
video-kaltura  
webservices  
wiki-features  
wiki-flaggedrevision  
wiki-generalpreferences  
wiki-pagelistings  
wiki-tools  
workspace-areas  
workspace-workspaces  
wysiwyg  
login-openidconnect  
security-api  
socialnetworks-legacyintegrations  
mautic  
security-webhooks  
trackers-systemtrackers  
ads-activatethefeature  
ads-plugins  
ads-siteadsandbanners  
articles-articleslistingandview-articleview  
articles-articleslistingandview-listarticles  
articles-generalsettings-activatethefeature  
articles-generalsettings-features  
articles-generalsettings-plugins  
articles-generalsettings-sharingonsocialnetworks  
blogs-blogslistings-itemstodisplay  
blogs-generalsettings-activatethefeature  
blogs-generalsettings-comments  
blogs-generalsettings-features  
blogs-generalsettings-plugins  
blogs-generalsettings-sharingonsocialnetworks  
calendar-activatethefeature  
calendar-generalsettings  
calendar-plugins  
category-activatethefeature  
category-categoryobjects  
category-features  
category-forum  
category-inlineplugins  
category-performance  
category-plugins  
category-poll  
category-structure  
category-theme  
category-tracker  
category-wiki  
comments-annotations  
comments-displayoptions  
comments-sitewidefeatures  
comments-usingcommentsinvariousfeatures  
community-communityfeatures-additionaloptions

community-communityfeatures-community  
community-socialinteraction-activitystream  
community-socialinteraction-friendshipandfollowers  
community-socialinteraction-goalrecognitionandrewards  
community-socialinteraction-score  
community-socialinteraction-selectwhichitemstodisplaywhenlistingusers  
connect-jitsi-jitsi  
connect-settings-tikiconnect  
copyright-activatethefeature  
copyright-features  
directory-activatethefeature  
directory-directory  
faqs-activatethefeature  
faqs-settings  
features-globalfeatures-3  
features-globalfeatures-4  
features-globalfeatures-additionalfeatures  
features-globalfeatures-administrativefeatures  
features-globalfeatures-interactionwithonlineservicesorothersoftware  
features-globalfeatures-mailandsharing  
features-globalfeatures-mainfeatures  
features-globalfeatures-paymentandaccounting  
features-globalfeatures-progressivewebapp  
features-globalfeatures-secondaryfeatures  
features-interface-ajax  
features-interface-experimental  
features-interface-jquerypluginsandaddons  
features-programmer-customcode  
features-programmer-loggingandreporting  
fgal-adminlistings-0  
fgal-enhancements-access  
fgal-enhancements-draw  
fgal-enhancements-h5p  
fgal-enhancements-scorm  
fgal-enhancements-vimeo  
fgal-generalsettings-activatethefeature  
fgal-generalsettings-features  
fgal-generalsettings-quota  
fgal-generalsettings-settingsfordiagrams  
fgal-generalsettings-settingsformediaalchemyst  
fgal-generalsettings-settingsforrecordrtc  
fgal-generalsettings-uploadregex  
fgal-plugins-plugins  
forums-generalsettings-activatethefeature  
forums-generalsettings-features  
forums-generalsettings-searches  
forums-generalsettings-threads  
freetags-activatethefeature  
freetags-plugins  
freetags-tags  
freetags-tagsearchpage  
general-dateandtime-datetimeselectors  
general-dateandtime-timezoneandformat  
general-generalpreferences-errortracking  
general-generalpreferences-loggingandreporting  
general-generalpreferences-mail  
general-generalpreferences-newsletter  
general-generalpreferences-schedulersettings  
general-generalpreferences-siteidentity  
general-generalpreferences-webcron  
general-generalsettings-contact  
general-generalsettings-help  
general-generalsettings-multidomain  
general-generalsettings-server  
general-generalsettings-sessions

general-generalsettings-siteterminal  
general-generalsettings-stats  
general-generalsettings-termsandconditions  
general-navigation-breadcrumbs  
general-navigation-homepage  
general-navigation-menus  
general-navigation-namespace  
general-navigation-redirects  
general-navigation-siteaccess  
general-navigation-sitemapprotocol  
general-navigation-user  
intertiki-intertikiclient-activatethefeature  
intertiki-intertikiclient-clientserversettings  
intertiki-intertikiclient-currentlylinkedmasterserver  
intertiki-intertikimasterserver-activatethefeature  
intertiki-intertikimasterserver-masterserversettings  
login-cas-cascentralauthenticationservice  
login-cas-casserver  
login-generalpreferences-captcha  
login-generalpreferences-cookies  
login-generalpreferences-password  
login-generalpreferences-registration  
login-generalpreferences-username  
login-ldap-ldapadmin  
login-ldap-ldapbindsettings  
login-ldap-ldapuser  
login-ldap-warning  
login-ldapexternalgroups-ldapadmin  
login-ldapexternalgroups-ldapbindsettings  
login-ldapexternalgroups-ldapexternalgroups  
login-ldapexternalgroups-ldapgroup  
login-ldapexternalgroups-ldapgroupmemberifgroupmembershipcanbefoundingroupattributes  
login-ldapexternalgroups-ldapuser  
login-ldapexternalgroups-ldapusergroupifgroupmembershipcanbefoundinuserattributes  
login-oauthserversettings-0  
login-openidconnect-0  
login-pam-pam  
login-passwordblacklist-password  
login-phpbb-phpbb  
login-remotetikiautologin-warning  
login-saml2-advancedsettings  
login-saml2-attributemapping  
login-saml2-groupmapping  
login-saml2-identityprovidersettings  
login-saml2-options  
login-saml2-saml2  
login-shibboleth-shibboleth  
login-webserver-webserver  
look-customization-customcode  
look-customization-editing  
look-layout-logo  
look-layout-modulezonevisibility  
look-layout-sitereportbar  
look-layout-title  
look-miscellaneous-contextmenus  
look-miscellaneous-favicons  
look-miscellaneous-responsiveimages  
look-miscellaneous-separators  
look-miscellaneous-tabs  
look-ueffects-other  
look-ueffects-standardueffects  
look-ueffects-tabueffects  
maps-defaults  
maps-settings  
mautic-credentials

mautic-mainsettings  
messages-activatethefeature  
messages-settings  
metatags-metatags-facebook  
metatags-metatags-general  
metatags-metatags-twitter  
module-crumbscrumbdescription  
module-modulezonevisibility  
payment-advancedshoppingcart-advancedcarttrackernamesetup  
payment-advancedshoppingcart-cartsettings  
payment-advancedshoppingcart-features  
payment-advancedshoppingcart-productstrackersetup  
payment-payment-0  
payment-plugins-plugins  
polls-polls-activatethefeature  
polls-polls-plugins  
polls-polls-settings  
polls-surveys-1  
polls-surveys-activatethefeature  
print-articles  
print-otherfeatures  
print-pdfsettings  
print-wikiprintversion  
profiles-advanced-repositorystatus  
rating-advanced  
rating-articles  
rating-comments  
rating-defaultoptions  
rating-globalconfiguration  
rating-trackers  
rating-userinterface  
rating-wiki  
score-activatethefeature  
score-causescoresolderthanacertainnumberofdaystoexpire  
search-generalsettings-features  
search-generalsettings-filegalleriessearches  
search-generalsettings-forumsearches  
search-generalsettings-search  
search-searchresults-informationtodisplayforeachresult  
search-searchresults-itemstodisplayinsearchresults  
security-generalsecurity-csrfsecurity  
security-generalsecurity-httpheaders  
security-generalsecurity-smartyandfeaturessecurity  
security-generalsecurity-userencryption  
security-openpgp-openpgpfunctionalityforpgpmimeencryptedemailmessaging  
security-spamprotection-captcha  
sefurl-activatethefeature  
sefurl-settings  
semantic-activatethefeature  
share-activatethefeature  
share-sitewidefeatures  
socialnetworks-legacyintegrations-facebook  
socialnetworks-legacyintegrations-linkedin  
socialnetworks-legacyintegrations-warning  
stats-googleanalytics-0  
stats-piwikanalytics-0  
stats-tikistatistics-0  
textarea-generalsettings-defaultsize  
textarea-generalsettings-externallinksandimages  
textarea-generalsettings-features  
textarea-generalsettings-markdown  
textarea-generalsettings-miscellaneous  
textarea-generalsettings-plugins  
textarea-generalsettings-typography  
textarea-generalsettings-wikisyntax

textarea-plugins-editpluginicons  
textarea-plugins-filter  
textarea-plugins-pluginpreferences  
textarea-plugins-plugins  
trackers-plugins-0  
trackers-settings-activatethefeature  
trackers-settings-fieldsettings  
trackers-settings-linkedwikipages  
trackers-settings-trackerattachmentpreferences  
trackers-settings-trackerforcefillfeature  
trackers-settings-trackersettings  
trackers-systemtrackers-systemtrackers  
user-messagingandnotifications-messages  
user-messagingandnotifications-usernotifications  
user-userfeatures-useraccountfeatures  
user-userfiles-activatethefeature  
user-userfiles-settings  
user-userinfoandpicture-profilepicture  
user-userinfoandpicture-userinformationdisplay  
user-usersettings-adminuserpreferences  
user-usersettings-defaultuserpreferences  
video-kaltura-activatethefeature  
video-kaltura-enablerelatedtrackerfieldtypes  
video-kaltura-kalturadynamicplayer  
video-kaltura-kalturapartnersettings  
video-kaltura-kalturatikiconfig  
video-kaltura-legacysupport  
video-kaltura-plugintoembedinpages  
webservices-activatethefeature  
webservices-options  
wiki-features-attachments  
wiki-features-comments  
wiki-features-generalfeatures  
wiki-features-namespaces  
wiki-features-redirectandsimilar  
wiki-features-structures  
wiki-features-wikiwatch  
wiki-features-wikiwordsfeatures  
wiki-flaggedrevision-0  
wiki-generalpreferences-activatethefeature  
wiki-generalpreferences-automatictableofcontents  
wiki-generalpreferences-editing  
wiki-generalpreferences-pagedisplay  
wiki-generalpreferences-pagename  
wiki-generalpreferences-plugins  
wiki-pagelistings-configuration  
wiki-pagelistings-options  
workspace-areas-activatethefeature  
workspace-workspaces-activatethefeature  
workspace-workspaces-advanced  
workspace-workspaces-dependencies  
wysiwyg-activatethefeature  
wysiwyg-legacyckeditorwysiwyg  
wysiwyg-markdowntoastuiwysiwyg  
wysiwyg-relatedfeatures  
wysiwyg-wysiwygeditorfeatures  
features-interface-elementplus  
performance-monitor  
general-generalpreferences-maintenance

## **WYSIWYG editor**

Option	Description	Default
<a href="#">Full WYSIWYG editor</a>	WYSIWYG is an acronym for "What You See Is What You Get". <a href="#">CKEditor</a> is used to provide a word-processor-like editing experience.	Enabled
<a href="#">Plugin WYSIWYG</a>	Use a WYSIWYG editor to edit a section of content	Disabled
Full WYSIWYG editor is optional	If WYSIWYG is optional, the wiki text editor is also available. Otherwise only the WYSIWYG editor is used. <i>Switching between HTML and wiki formats can cause problems for some pages.</i>	Enabled
Full WYSIWYG editor is displayed by default	If both the WYSIWYG editor and the text editor are available, the WYSIWYG editor is used by default, for example, when creating new pages	Enabled
Reopen with the same editor	Ensures the editor last used to edit a page or item is used for the next edit as the default.	Enabled
WYSIWYG Height	Vertical or tabbed.	300px
WYSIWYG Preview Style	Vertical or tabbed. Vertical   Tab	Vertical
WYSIWYG Initial Edit Mode	WYSIWYG or Markdown. WYSIWYG   Markdown	WYSIWYG
Usage Statistics	Send hostname to Toast UI.	Disabled
Use Wiki syntax in WYSIWYG	Causes parsed text areas based on wiki syntax when not in WYSIWYG mode to keep using Tiki syntax, instead of HTML as the WYSIWYG editor uses by default. Sometimes referred to as a "visual wiki". <i>Using wiki syntax in WYSIWYG mode will limit toolbar to wiki tools Existing wiki pages remain in HTML, unless they are converted to non-WYSIWYG and back to WYSIWYG (one by one). CKeditor offers possibilities which may not be expressible in Tiki syntax. See issue #6518 for example</i>	Enabled
<a href="#">Inline WYSIWYG editor</a>	Seamless inline editing. Uses CKEditor 4. Inline editing enables editing pages without a context switch. The editor is embedded in the wiki page. When used on pages in wiki format, a conversion from HTML to wiki format is required	Disabled
<a href="#">Full WYSIWYG editor skin</a>	Moono (Default)   Kama   Bootstrap CK   Minimalist   Office 2013	Moono (Default)
Typefaces	List of font names separated by semi-colons (";")	sans serif;serif;monospace;...
Extra plugins	In Tiki, CKEditor uses the "standard" package in which some plugins are disabled by default that are available in the "full" package. See <a href="http://ckeditor.com/presets">http://ckeditor.com/presets</a> for a comparison of which plugins are enabled as standard. <i>List of plugin names (separated by,)</i>	bidi,colorbutton,divarea,fi...



Option	Description	Default
Wiki paragraph formatting	When the wiki paragraph formatting feature is on, all groups of non-blank lines are collected into paragraphs. Lines can be of any length, and will be wrapped together with the next line. Paragraphs are separated by blank lines. When the Wiki paragraph formatting feature is off, each line will be presented as you write it. This means that if you want paragraphs to be wrapped properly, a paragraph should be all together on one line.	Enabled
Create line breaks within paragraphs	When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs.	Enabled
<a href="#">Ajax</a>	Allows for efficient retrieval and display of information from the server, thus improving the user experience. This feature is required for the interface for many features to work. <i>This feature is required for the interface for many features to work properly.</i>	Enabled
<a href="#">Ajax auto-save</a>	Save content during editing, enabling work to be recovered after any interruption. Also enable a real-time preview. This option is required for WYSIWYG plugin processing.	Enabled
Option	Description	Default
<a href="#">Full WYSIWYG editor</a>	WYSIWYG is an acronym for "What You See Is What You Get". <a href="#">CKEditor</a> is used to provide a word-processor-like editing experience.	Enabled
<a href="#">Plugin WYSIWYG</a>	Use a WYSIWYG editor to edit a section of content	Disabled
Full WYSIWYG editor is optional	If WYSIWYG is optional, the wiki text editor is also available. Otherwise only the WYSIWYG editor is used. <i>Switching between HTML and wiki formats can cause problems for some pages.</i>	Enabled
Full WYSIWYG editor is displayed by default	If both the WYSIWYG editor and the text editor are available, the WYSIWYG editor is used by default, for example, when creating new pages	Enabled
Reopen with the same editor	Ensures the editor last used to edit a page or item is used for the next edit as the default.	Enabled
WYSIWYG Height	Vertical or tabbed.	300px
WYSIWYG Preview Style	Vertical or tabbed. Vertical   Tab	Vertical
WYSIWYG Initial Edit Mode	WYSIWYG or Markdown. WYSIWYG   Markdown	WYSIWYG
Usage Statistics	Send hostname to Toast UI.	Disabled

Option	Description	Default
Use Wiki syntax in WYSIWYG	Causes parsed text areas based on wiki syntax when not in WYSIWYG mode to keep using Tiki syntax, instead of HTML as the WYSIWYG editor uses by default. Sometimes referred to as a "visual wiki". <i>Using wiki syntax in WYSIWYG mode will limit toolbar to wiki tools</i> <i>Existing wiki pages remain in HTML, unless they are converted to non-WYSIWYG and back to WYSIWYG (one by one). CKeditor offers possibilities which may not be expressible in Tiki syntax. See issue #6518 for example</i>	Enabled
<a href="#">Inline WYSIWYG editor</a>	Seamless inline editing. Uses CKEditor 4. Inline editing enables editing pages without a context switch. The editor is embedded in the wiki page. When used on pages in wiki format, a conversion from HTML to wiki format is required	Disabled
<a href="#">Full WYSIWYG editor skin</a>	Moono (Default)   Kama   Bootstrap CK   Minimalist   Office 2013	Moono (Default)
Typefaces	List of font names separated by semi-colons (";")	sans serif;serif;monospace;...
Extra plugins	In Tiki, CKEditor uses the "standard" package in which some plugins are disabled by default that are available in the "full" package. See <a href="http://ckeditor.com/presets">http://ckeditor.com/presets</a> for a comparison of which plugins are enabled as standard. <i>List of plugin names (separated by,)</i>	bidi,colorbutton,divarea,fi...
Wiki paragraph formatting	When the wiki paragraph formatting feature is on, all groups of non-blank lines are collected into paragraphs. Lines can be of any length, and will be wrapped together with the next line. Paragraphs are separated by blank lines. When the Wiki paragraph formatting feature is off, each line will be presented as you write it. This means that if you want paragraphs to be wrapped properly, a paragraph should be all together on one line.	Enabled
Create line breaks within paragraphs	When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs.	Enabled
<a href="#">Ajax</a>	Allows for efficient retrieval and display of information from the server, thus improving the user experience. This feature is required for the interface for many features to work. <i>This feature is required for the interface for many features to work properly.</i>	Enabled
<a href="#">Ajax auto-save</a>	Save content during editing, enabling work to be recovered after any interruption. Also enable a real-time preview. This option is required for WYSIWYG plugin processing.	Enabled
Option	Description	Default
<a href="#">Full WYSIWYG editor</a>	WYSIWYG is an acronym for "What You See Is What You Get". <a href="#">CKEditor</a> is used to provide a word-processor-like editing experience.	Enabled
<a href="#">Plugin WYSIWYG</a>	Use a WYSIWYG editor to edit a section of content	Disabled

Option	Description	Default
Full WYSIWYG editor is optional	If WYSIWYG is optional, the wiki text editor is also available. Otherwise only the WYSIWYG editor is used. <i>Switching between HTML and wiki formats can cause problems for some pages.</i>	Enabled
Full WYSIWYG editor is displayed by default	If both the WYSIWYG editor and the text editor are available, the WYSIWYG editor is used by default, for example, when creating new pages	Enabled
Reopen with the same editor	Ensures the editor last used to edit a page or item is used for the next edit as the default.	Enabled
WYSIWYG Height	Vertical or tabbed.	300px
WYSIWYG Preview Style	Vertical or tabbed. Vertical   Tab	Vertical
WYSIWYG Initial Edit Mode	WYSIWYG or Markdown. WYSIWYG   Markdown	WYSIWYG
Usage Statistics	Send hostname to Toast UI.	Disabled
Use Wiki syntax in WYSIWYG	Causes parsed text areas based on wiki syntax when not in WYSIWYG mode to keep using Tiki syntax, instead of HTML as the WYSIWYG editor uses by default. Sometimes referred to as a "visual wiki". <i>Using wiki syntax in WYSIWYG mode will limit toolbar to wiki tools Existing wiki pages remain in HTML, unless they are converted to non-WYSIWYG and back to WYSIWYG (one by one). CKeditor offers possibilities which may not be expressible in Tiki syntax. See issue #6518 for example</i>	Enabled
<a href="#">Inline WYSIWYG editor</a>	Seamless inline editing. Uses CKEditor 4. Inline editing enables editing pages without a context switch. The editor is embedded in the wiki page. When used on pages in wiki format, a conversion from HTML to wiki format is required	Disabled
<a href="#">Full WYSIWYG editor skin</a>	Moono (Default)   Kama   Bootstrap CK   Minimalist   Office 2013	Moono (Default)
Typefaces	List of font names separated by semi-colons (";")	sans serif;serif;monospace;...
Extra plugins	In Tiki, CKEditor uses the "standard" package in which some plugins are disabled by default that are available in the "full" package. See <a href="http://ckeditor.com/presets">http://ckeditor.com/presets</a> for a comparison of which plugins are enabled as standard. <i>List of plugin names (separated by,)</i>	bidi,colorbutton,divarea,fi...
Wiki paragraph formatting	When the wiki paragraph formatting feature is on, all groups of non-blank lines are collected into paragraphs. Lines can be of any length, and will be wrapped together with the next line. Paragraphs are separated by blank lines. When the Wiki paragraph formatting feature is off, each line will be presented as you write it. This means that if you want paragraphs to be wrapped properly, a paragraph should be all together on one line.	Enabled

Option	Description	Default
Create line breaks within paragraphs	When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs.	Enabled
<a href="#">Ajax</a>	Allows for efficient retrieval and display of information from the server, thus improving the user experience. This feature is required for the interface for many features to work. <i>This feature is required for the interface for many features to work properly.</i>	Enabled
<a href="#">Ajax auto-save</a>	Save content during editing, enabling work to be recovered after any interruption. Also enable a real-time preview. This option is required for WYSIWYG plugin processing.	Enabled

Option	Description	Default
<a href="#">Full WYSIWYG editor</a>	WYSIWYG is an acronym for "What You See Is What You Get". <a href="#">CKEditor</a> is used to provide a word-processor-like editing experience.	Disabled
<a href="#">Plugin WYSIWYG</a>	Use a WYSIWYG editor to edit a section of content	Disabled
Full WYSIWYG editor is optional	If WYSIWYG is optional, the wiki text editor is also available. Otherwise only the WYSIWYG editor is used. <i>Switching between HTML and wiki formats can cause problems for some pages.</i>	Enabled
Full WYSIWYG editor is displayed by default	If both the WYSIWYG editor and the text editor are available, the WYSIWYG editor is used by default, for example, when creating new pages	Enabled
Reopen with the same editor	Ensures the editor last used to edit a page or item is used for the next edit as the default.	Enabled
WYSIWYG Height	Vertical or tabbed.	300px
WYSIWYG Preview Style	Vertical or tabbed. Vertical   Tab	Vertical
WYSIWYG Initial Edit Mode	WYSIWYG or Markdown. WYSIWYG   Markdown	WYSIWYG
Usage Statistics	Send hostname to Toast UI.	Disabled
Use Wiki syntax in WYSIWYG	Causes parsed text areas based on wiki syntax when not in WYSIWYG mode to keep using Tiki syntax, instead of HTML as the WYSIWYG editor uses by default. Sometimes referred to as a "visual wiki". <i>Using wiki syntax in WYSIWYG mode will limit toolbar to wiki tools Existing wiki pages remain in HTML, unless they are converted to non-WYSIWYG and back to WYSIWYG (one by one). CKeditor offers possibilities which may not be expressible in Tiki syntax. See issue #6518 for example</i>	Enabled
<a href="#">Inline WYSIWYG editor</a>	Seamless inline editing. Uses CKEditor 4. Inline editing enables editing pages without a context switch. The editor is embedded in the wiki page. When used on pages in wiki format, a conversion from HTML to wiki format is required	Disabled

Option	Description	Default
<a href="#">Full WYSIWYG editor skin</a>	Moono (Default)   Kama   Bootstrap CK   Minimalist   Office 2013	Moono (Default)
Typefaces	List of font names separated by semi-colons (";")	sans serif;serif;monospace;...
Extra plugins	In Tiki, CKEditor uses the "standard" package in which some plugins are disabled by default that are available in the "full" package. See <a href="http://ckeditor.com/presets">http://ckeditor.com/presets</a> for a comparison of which plugins are enabled as standard. <i>List of plugin names (separated by,)</i>	bidi,colorbutton,divarea,fi...
Wiki paragraph formatting	When the wiki paragraph formatting feature is on, all groups of non-blank lines are collected into paragraphs. Lines can be of any length, and will be wrapped together with the next line. Paragraphs are separated by blank lines. When the Wiki paragraph formatting feature is off, each line will be presented as you write it. This means that if you want paragraphs to be wrapped properly, a paragraph should be all together on one line.	Enabled
Create line breaks within paragraphs	When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs.	Enabled
<a href="#">Ajax</a>	Allows for efficient retrieval and display of information from the server, thus improving the user experience. This feature is required for the interface for many features to work. <i>This feature is required for the interface for many features to work properly.</i>	Enabled
<a href="#">Ajax auto-save</a>	Save content during editing, enabling work to be recovered after any interruption. Also enable a real-time preview. This option is required for WYSIWYG plugin processing.	Enabled
Option	Description	Default
<a href="#">Full WYSIWYG editor</a>	WYSIWYG is an acronym for "What You See Is What You Get". <a href="#">CKEditor</a> is used to provide a word-processor-like editing experience.	Disabled
<a href="#">Plugin WYSIWYG</a>	Use a WYSIWYG editor to edit a section of content	Disabled
Full WYSIWYG editor is optional	If WYSIWYG is optional, the wiki text editor is also available. Otherwise only the WYSIWYG editor is used. <i>Switching between HTML and wiki formats can cause problems for some pages.</i>	Enabled
Full WYSIWYG editor is displayed by default	If both the WYSIWYG editor and the text editor are available, the WYSIWYG editor is used by default, for example, when creating new pages	Enabled
Reopen with the same editor	Ensures the editor last used to edit a page or item is used for the next edit as the default.	Enabled

Option	Description	Default
Use Wiki syntax in WYSIWYG	Causes parsed text areas based on wiki syntax when not in WYSIWYG mode to keep using Tiki syntax, instead of HTML as the WYSIWYG editor uses by default. Sometimes referred to as a "visual wiki". <i>Using wiki syntax in WYSIWYG mode will limit toolbar to wiki tools</i> <i>Existing wiki pages remain in HTML, unless they are converted to non-WYSIWYG and back to WYSIWYG (one by one). CKeditor offers possibilities which may not be expressible in Tiki syntax. See issue #6518 for example</i>	Enabled
<a href="#">Inline WYSIWYG editor</a>	Seamless inline editing. Uses CKEditor 4. Inline editing enables editing pages without a context switch. The editor is embedded in the wiki page. When used on pages in wiki format, a conversion from HTML to wiki format is required	Disabled
<a href="#">Full WYSIWYG editor skin</a>	Moono (Default)   Kama   Bootstrap CK   Minimalist   Office 2013	Moono (Default)
Typefaces	List of font names separated by semi-colons (";")	sans serif;serif;monospace;...
Extra plugins	In Tiki, CKEditor uses the "standard" package in which some plugins are disabled by default that are available in the "full" package. See <a href="http://ckeditor.com/presets">http://ckeditor.com/presets</a> for a comparison of which plugins are enabled as standard. <i>List of plugin names (separated by,)</i>	bidi,colorbutton,divarea,fi...
Wiki paragraph formatting	When the wiki paragraph formatting feature is on, all groups of non-blank lines are collected into paragraphs. Lines can be of any length, and will be wrapped together with the next line. Paragraphs are separated by blank lines. When the Wiki paragraph formatting feature is off, each line will be presented as you write it. This means that if you want paragraphs to be wrapped properly, a paragraph should be all together on one line.	Enabled
Create line breaks within paragraphs	When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs.	Enabled
<a href="#">Ajax</a>	Allows for efficient retrieval and display of information from the server, thus improving the user experience. This feature is required for the interface for many features to work. <i>This feature is required for the interface for many features to work properly.</i>	Enabled
<a href="#">Ajax auto-save</a>	Save content during editing, enabling work to be recovered after any interruption. Also enable a real-time preview. This option is required for WYSIWYG plugin processing.	Enabled
Option	Description	Default
<a href="#">Full WYSIWYG editor</a>	WYSIWYG is an acronym for "What You See Is What You Get". <a href="#">CKEditor</a> is used to provide a word-processor-like editing experience.	Disabled
<a href="#">Plugin WYSIWYG</a>	Use a WYSIWYG editor to edit a section of content	Disabled

Option	Description	Default
Full WYSIWYG editor is optional	If WYSIWYG is optional, the wiki text editor is also available. Otherwise only the WYSIWYG editor is used. <i>Switching between HTML and wiki formats can cause problems for some pages.</i>	Enabled
Full WYSIWYG editor is displayed by default	If both the WYSIWYG editor and the text editor are available, the WYSIWYG editor is used by default, for example, when creating new pages	Enabled
Reopen with the same editor	Ensures the editor last used to edit a page or item is used for the next edit as the default.	Enabled
Use Wiki syntax in WYSIWYG	Causes parsed text areas based on wiki syntax when not in WYSIWYG mode to keep using Tiki syntax, instead of HTML as the WYSIWYG editor uses by default. Sometimes referred to as a "visual wiki". <i>Using wiki syntax in WYSIWYG mode will limit toolbar to wiki tools Existing wiki pages remain in HTML, unless they are converted to non-WYSIWYG and back to WYSIWYG (one by one). CKeditor offers possibilities which may not be expressible in Tiki syntax. See issue #6518 for example</i>	Enabled
<a href="#">Inline WYSIWYG editor</a>	Seamless inline editing. Uses CKEditor 4. Inline editing enables editing pages without a context switch. The editor is embedded in the wiki page. When used on pages in wiki format, a conversion from HTML to wiki format is required	Disabled
<a href="#">Full WYSIWYG editor skin</a>	Moono (Default)   Kama   Bootstrap CK   Minimalist   Office 2013	Moono (Default)
Typefaces	List of font names separated by semi-colons (";")	sans serif;serif;monospace;...
Extra plugins	In Tiki, CKEditor uses the "standard" package in which some plugins are disabled by default that are available in the "full" package. See <a href="http://ckeditor.com/presets">http://ckeditor.com/presets</a> for a comparison of which plugins are enabled as standard. <i>List of plugin names (separated by,)</i>	bidi,colorbutton,divarea,fi...
Wiki paragraph formatting	When the wiki paragraph formatting feature is on, all groups of non-blank lines are collected into paragraphs. Lines can be of any length, and will be wrapped together with the next line. Paragraphs are separated by blank lines. When the Wiki paragraph formatting feature is off, each line will be presented as you write it. This means that if you want paragraphs to be wrapped properly, a paragraph should be all together on one line.	Enabled
Create line breaks within paragraphs	When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs.	Enabled
<a href="#">Ajax</a>	Allows for efficient retrieval and display of information from the server, thus improving the user experience. This feature is required for the interface for many features to work. <i>This feature is required for the interface for many features to work properly.</i>	Enabled

Option	Description	Default
<a href="#">Ajax auto-save</a>	Save content during editing, enabling work to be recovered after any interruption. Also enable a real-time preview. This option is required for WYSIWYG plugin processing.	Enabled