

wikistructure 모듈

이 모듈은 다른 모듈들처럼 사전에 정의된 모듈이 아니지만, 사용자 정의 모듈에 의하여 손쉽게 생성될 수 있으며 사용자 모듈로 동봉된 유틸리티에서 구조체의 목차를 추가할 수 있습니다. 주의할 점은 이 모듈이 티키 7 이후 메뉴 모듈에 의하여 대체되었을 수 있으며, 대체된 모듈은 메뉴에서 구조체의 목록을 가로 혹은 세로로 표기하는 것을 지원할 수도 있다는 점입니다.

Example

EDIT THIS USER MODULE: 2009A_SPRING_TOC

Tip
Create your new custom module below. Make sure to preview first and make sure all is OK before [assigning it](#). Using html, you will be fine. However, if you improperly use wiki syntax or Smarty code, you could lock yourself out of the site.

Create new user module

Name	<input type="text" value="2009a_spring_toc"/>	
Title	<input type="text" value="2009 Spring TOC"/>	3
Data	<input type="text" value="{wikistructure id=172 maxdepth=1}"/>	

Objects that can be included

Random image from:	<input type="text" value="All galleries"/>	<input type="button" value="+"/>	<input type="button" value="ⓘ"/>		
Menus:	<input type="text" value="Application menu"/>	1	<input type="button" value="+"/>	<input type="button" value="ⓘ"/>	
phpLayersMenus:	<input type="text" value="Application menu"/>		<input type="button" value="+"/>	<input type="button" value="ⓘ"/>	
Wiki Structures:	<input type="text" value="2008 Fall - Final Paper"/>		2	<input type="button" value="+"/>	<input type="button" value="ⓘ"/>

The image shows a screenshot of a user module editing interface. The 'Data' field contains the code `{wikistructure id=172 maxdepth=1}`, which is circled in red. The 'Objects that can be included' section has a dropdown menu for 'Wiki Structures' set to '2008 Fall - Final Paper', also circled in red. A red circle highlights the '+' button next to the 'Wiki Structures' dropdown. Red numbers 1, 2, and 3 are placed near the 'Menus', 'Wiki Structures', and 'Title' fields respectively.

사용법

"관리 > 모듈 > 사용자 모듈(탭 혹은 섹션) > 새 사용자 모듈 생성" 을 통해서 추가할 수 있습니다(아래 참조) (**tiki-admin_modules.php?#theme**).

그리고 일반적과 동일하게 진행하면 됩니다: 생성을 하고 (위의 그림에서 1단계와 2단계), 사용하고 싶은 추가 변수를 추가함으로써 편집을 하고 (3단계와 그 아래의 다른 가능한 변수를 살펴보십시오), 저장을 하고, 할당을 하면 됩니다. 모듈 사용법의 이러한 일반적인 단계에 대한 추가 정보는 관리 모듈 을 참고하십시오.

변수

변수	허용되는 값들	효과	필수조건?	버전
<i>d</i>	구조체 홈페이지의 id 번호	목차를 보여줄 구조체를 설정	y	2.0
<i>maxdepth</i>	숫자 (기본값: 0)	만들어질 트리의 최대 깊이, 0 위의 어떤 숫자, 0 은 제한 없음을 의미	n	3.0

(*toc* 에 사용되는 다른 변수도 작동할 가능성 있음)

Related Pages

See these pages for information that applies for all modules:

- [Module](#) — Overall introduction and overview
- [Module Admin](#) — Introduction to the module admin pages for site-wide and individual module settings
 - [Assigning Modules](#) — How to select a module to configure it
 - [Module Settings Interface](#) — Interface for configuring individual module settings
 - [Module Settings Parameters](#) — Explanation of standard parameter settings for modules
 - [Creating Custom Modules](#) — How to create user modules
- [Index of Modules](#) — Links to the documentation of individual modules
- [User Modules](#) — How (if the feature is active) users can choose and place their modules
- [Mods Type Modules](#) — Links to modules that are installed as components