


트래커 가져오기

This is a stub.

트래커 가져오기를 하려면 다음을 살펴보십시오:


방법 1:



The screenshot shows the 'Trackers' application interface. At the top, there's a 'Trackers' header with a blue icon. Below it, a tab bar shows 'Trackers' and 'Duplicate/Import Tracker'. The main content area is divided into two sections: 'Duplicate Tracker' and 'Import'. The 'Duplicate Tracker' section has a 'Name' input field, a 'Tracker' dropdown menu (currently showing 'Dynamic tracker example'), and two checkboxes: 'Duplicate categories' and 'Duplicate permissions'. Below these is a 'Duplicate' button. The 'Import' section has a 'Import Structure' dropdown menu (currently showing 'Raw data'), a 'Raw data' input field, and a 'Preserve tracker ID' checkbox. Below this is a 'Note' box with the text 'Use "Tracker -> Export -> Structure" to produce this data.' and an 'Import' button.

확대하려면 클릭하십시오


방법 2:



The screenshot shows the 'Import' section of the application. It features a 'New Feature' badge and a note: 'Please note: Experimental - work in progress'. Below this is a 'YAML' input field. At the bottom, there is an 'Import' button and a 'Toggle Highlighter' button.

확대하려면 클릭하십시오

데이터 가져오기를 하려면, 다른 인터페이스를 통하여 데이터를 가져올 수 있습니다:



확대하려면 클릭하십시오

트래커 필드의 내보내기과 가져오기

필드 편집 페이지에서 (/tiki-admin_tracker_fields.php?trackerId=) 체크상자로 내보내기를 원하는 모든 필드들을 선택해야 합니다.
그리고 하단을 살펴보면, 선택된 것을 내보내기를 할 수 있는 드롭다운 메뉴가 있습니다.

Tracker fields									
Import Tracker Fields									
☒	ID	Name	Type	List	Title	Search	Public	Mandatory	A
☒	20	Area	Drop Down	☒	☒	☐	☒	☒	☒
☒	21	Equipment	Text Field	☒	☐	☐	☒	☒	☒
☒	22	Description	Text Area	☒	☐	☐	☒	☐	☒
☒	23	Estimated Costs	Computed Field	☒	☐	☐	☒	☐	☒
☒	24	2013	Numeric Field	☒	☐	☐	☒	☐	☒
☒	25	2014	Numeric Field	☒	☐	☐	☒	☐	☒
☒	26	2015	Numeric Field	☒	☐	☐	☒	☐	☒
☒	27	2016	Numeric Field	☒	☐	☐	☒	☐	☒
☒	28	2017	Numeric Field	☒	☐	☐	☒	☐	☒

이는 코드가 담긴 창을 열 것이며 이 코드는 복사해 두었다가 **트래커 필드 가져오기** 탭으로 붙여넣기를 해야합니다.

Export

Export

```

isPublic = y
isHidden = n
isMandatory = n
description =
descriptionIsParsed = n
(FIELD03)
fieldid = 23
name = 2017
permName = 2017
position = 90
type = n
options = 0,0,$,0,d,c
isMain = n
isTblVisible = y
isSearchable = n
isPublic = y
isHidden = n
isMandatory = n
description =
descriptionIsParsed = n

```

OK Cancel

Export Selected

Go

Add Field

Edit This TrackerEdit FieldsTrackersView Items

Tracker fieldsImport Tracker Fields

Raw Fields

[FIELD27]

fieldId = 27

name = 2016

permName = 2016

position = 80

type = n

options = 1,0,0,0,d,c

isMain = n

isVisible = y

isSearchable = n

isPublic = y

isHidden = n

mandatory = n

description =

descriptionIsParsed = n

[FIELD28]

fieldId = 28

name = 2017

permName = 2017

position = 90

type = n

options = 0,0,0,0,d,c

isMain = n

isVisible = y

isSearchable = n

isPublic = y

isHidden = n

mandatory = n

description =

descriptionIsParsed = n

☐ Preserve Field IDs

Import

관련

- 트래커
- 다국어 트래커
- 트래커 내보내기