

Date and Time tab

Overview

Configure how Tiki displays date and time information.

To Access

From the General Admin page, click the **Date and Time** tab.

Notes

See the Date and Time Formats table and PHP Manual for detailed information on date and time settings.

Related Topics

- [Date and Time Features](#)

| Option | Description | Default |
|------------------------------|---|---------|
| Time zone | Indicates the default time zone to use for the server. | |
| Displayed time zone | Use time zone set from user preferences, or the automatically detected time zone for anonymous (if browser allows). Site default is used as fallback. | |
| Long date format | Specify how Tiki displays the date (longer version) | |
| Short date format | Specify how Tiki displays the date (shorter version) | |
| Long time format | Specify how Tiki displays the time (longer version) | |
| Short time format | Specify how Tiki displays the time (shorter version) | |
| Short JavaScript date format | Used in the date picker fields | |
| Short JavaScript time format | Used in the datetime picker fields | |
| Fields display order | The order date field inputs should be listed in. | |
| Start year | Year to show first in dropdown lists. For example, use "-2" for the current year minus two, or "2010" for a specific year | |
| End year | Year to show last on dropdown lists. For example, use "+2" for the current year plus two, or "2016" for a specific year | |
| Select month in Date Picker | Users can select month in the Date Picker instead of seeing month as text. | |
| Select year in Date Picker | Users can select year in the Date Picker instead of seeing year as text. | |

| Option | Description | Default |
|--------------------------------------|---|---------|
| Use 12-hour clock for time selectors | Use the 12-hour clock (with AM and PM) in some edit screens to set the time for publishing new or edited blog posts, articles, etc. | |
| Skip date for same day | When displaying short date and time, skip date for today. Only time will be displayed. | |
| Query Timeago | jQuery plugin for fuzzy timestamps. | |
| Plugin Now | Show the current date and time | |
| Plugin Countdown | Display the time until or after a date and time | |
| Plugin Convene | Suggest meeting dates and times and vote to select one | |

| Option | Description | Default |
|--------------------------------------|---|---------|
| Time zone | Indicates the default time zone to use for the server. | |
| Displayed time zone | Use time zone set from user preferences, or the automatically detected time zone for anonymous (if browser allows). Site default is used as fallback. | |
| Long date format | Specify how Tiki displays the date (longer version) | |
| Short date format | Specify how Tiki displays the date (shorter version) | |
| Long time format | Specify how Tiki displays the time (longer version) | |
| Short time format | Specify how Tiki displays the time (shorter version) | |
| Short JavaScript date format | Used in jQuery-UI date picker fields | |
| Short JavaScript time format | Used in jQuery-UI datetime picker fields | |
| Fields display order | The order date field inputs should be listed in. | |
| Start year | Year to show first in dropdown lists. For example, use "-2" for the current year minus two, or "2010" for a specific year | |
| End year | Year to show last on dropdown lists. For example, use "+2" for the current year plus two, or "2016" for a specific year | |
| Select month in Date Picker | Users can select month in the Date Picker instead of seeing month as text. | |
| Select year in Date Picker | Users can select year in the Date Picker instead of seeing year as text. | |
| Use 12-hour clock for time selectors | Use the 12-hour clock (with AM and PM) in some edit screens to set the time for publishing new or edited blog posts, articles, etc. | |
| Skip date for same day | When displaying short date and time, skip date for today. Only time will be displayed. | |
| Query Timeago | jQuery plugin for fuzzy timestamps. | |
| Plugin Now | Show the current date and time | |


| Option | Description | Default |
|--------------------------------------|---|---------|
| Plugin Countdown | Display the time until or after a date and time | |
| Plugin Convene | Suggest meeting dates and times and vote to select one | |
| Option | Description | Default |
| Time zone | Indicates the default time zone to use for the server. | |
| Displayed time zone | Use time zone set from user preferences, or the automatically detected time zone for anonymous (if browser allows). Site default is used as fallback. | |
| Long date format | Specify how Tiki displays the date (longer version) | |
| Short date format | Specify how Tiki displays the date (shorter version) | |
| Long time format | Specify how Tiki displays the time (longer version) | |
| Short time format | Specify how Tiki displays the time (shorter version) | |
| Short JavaScript date format | Used in jQuery-UI date picker fields | |
| Short JavaScript time format | Used in jQuery-UI datetime picker fields | |
| Fields display order | The order date field inputs should be listed in. | |
| Start year | Year to show first in dropdown lists. For example, use "-2" for the current year minus two, or "2010" for a specific year | |
| End year | Year to show last on dropdown lists. For example, use "+2" for the current year plus two, or "2016" for a specific year | |
| Select month in Date Picker | Users can select month in the Date Picker instead of seeing month as text. | |
| Select year in Date Picker | Users can select year in the Date Picker instead of seeing year as text. | |
| Use 12-hour clock for time selectors | Use the 12-hour clock (with AM and PM) in some edit screens to set the time for publishing new or edited blog posts, articles, etc. | |
| Skip date for same day | When displaying short date and time, skip date for today. Only time will be displayed. | |
| Query Timeago | jQuery plugin for fuzzy timestamps. | |
| Plugin Now | Show the current date and time | |
| Plugin Countdown | Display the time until or after a date and time | |
| Plugin Convene | Suggest meeting dates and times and vote to select one | |
| Option | Description | Default |
| Time zone | Indicates the default time zone to use for the server. | |

| Option | Description | Default |
|--------------------------------------|---|---------|
| Displayed time zone | Use time zone set from user preferences, or the automatically detected time zone for anonymous (if browser allows). Site default is used as fallback. | |
| Long date format | Specify how Tiki displays the date (longer version) | |
| Short date format | Specify how Tiki displays the date (shorter version) | |
| Long time format | Specify how Tiki displays the time (longer version) | |
| Short time format | Specify how Tiki displays the time (shorter version) | |
| Short JavaScript date format | Used in jQuery-UI date picker fields | |
| Short JavaScript time format | Used in jQuery-UI datetime picker fields | |
| Fields display order | The order date field inputs should be listed in. | |
| Start year | Year to show first in dropdown lists. For example, use "-2" for the current year minus two, or "2010" for a specific year | |
| End year | Year to show last on dropdown lists. For example, use "+2" for the current year plus two, or "2016" for a specific year | |
| Select month in Date Picker | Users can select month in the Date Picker instead of seeing month as text. | |
| Select year in Date Picker | Users can select year in the Date Picker instead of seeing year as text. | |
| Use 12-hour clock for time selectors | Use the 12-hour clock (with AM and PM) in some edit screens to set the time for publishing new or edited blog posts, articles, etc. | |
| Skip date for same day | When displaying short date and time, skip date for today. Only time will be displayed. | |
| Query Timeago | jQuery plugin for fuzzy timestamps. | |
| Plugin Now | Show the current date and time | |
| Plugin Countdown | Display the time until or after a date and time | |
| Plugin Convene | Suggest meeting dates and times and vote to select one | |
| Option | Description | Default |
| Time zone | Indicates the default time zone to use for the server. | |
| Displayed time zone | Use time zone set from user preferences, or the automatically detected time zone for anonymous (if browser allows). Site default is used as fallback. | |
| Long date format | Specify how Tiki displays the date (longer version) | |
| Short date format | Specify how Tiki displays the date (shorter version) | |
| Long time format | Specify how Tiki displays the time (longer version) | |

| Option | Description | Default |
|--------------------------------------|---|---------|
| Short time format | Specify how Tiki displays the time (shorter version) | |
| Short JavaScript date format | Used in jQuery-UI date picker fields | |
| Short JavaScript time format | Used in jQuery-UI datetime picker fields | |
| Fields display order | The order date field inputs should be listed in. | |
| Start year | Year to show first in dropdown lists. For example, use "-2" for the current year minus two, or "2010" for a specific year | |
| End year | Year to show last on dropdown lists. For example, use "+2" for the current year plus two, or "2016" for a specific year | |
| Select month in Date Picker | Users can select month in the Date Picker instead of seeing month as text. | |
| Select year in Date Picker | Users can select year in the Date Picker instead of seeing year as text. | |
| Use 12-hour clock for time selectors | Use the 12-hour clock (with AM and PM) in some edit screens to set the time for publishing new or edited blog posts, articles, etc. | |
| Skip date for same day | When displaying short date and time, skip date for today. Only time will be displayed. | |
| Query Timeago | jQuery plugin for fuzzy timestamps. | |
| Plugin Now | Show the current date and time. | |
| Plugin Countdown | Display the time until or after a date and time | |
| Plugin Convene | Suggest meeting dates and times and vote to select one. | |

| Option | Description | Default |
|------------------------------|---|---------|
| Time zone | Indicates the default time zone to use for the server. | |
| Displayed time zone | Use time zone set from user preferences, or the automatically detected time zone for anonymous (if browser allows). Site default is used as fallback. | |
| Long date format | Specify how Tiki displays the date (longer version) | |
| Short date format | Specify how Tiki displays the date (shorter version) | |
| Long time format | Specify how Tiki displays the time (longer version) | |
| Short time format | Specify how Tiki displays the time (shorter version) | |
| Short JavaScript date format | Used in jQuery-UI date picker fields | |
| Short JavaScript time format | Used in jQuery-UI datetime picker fields | |
| Fields display order | The order date field inputs should be listed in. | |

| Option | Description | Default |
|--------------------------------------|---|---------|
| Start year | Year to show first in dropdown lists. For example, use "-2" for the current year minus two, or "2010" for a specific year | |
| End year | Year to show last on dropdown lists. For example, use "+2" for the current year plus two, or "2016" for a specific year | |
| Use 12-hour clock for time selectors | Use the 12-hour clock (with AM and PM) in some edit screens to set the time for publishing new or edited blog posts, articles, etc. | |
| Skip date for same day | When displaying short date and time, skip date for today. Only time will be displayed. | |
| Query Timeago | jQuery plugin for fuzzy timestamps. | |
| Plugin Now | Show the current date and time. | |
| Plugin Countdown | Display the time until or after a date and time | |
| Plugin TimeSheet | Embed a timesheet into a page | |
| Plugin Convene | Suggest meeting dates and times and vote to select one. | |

 **Tip:** When you save your changes, Tiki will display a sample of the selected date and time formats.

Date and Time Formats

See <http://php.net/manual/en/function.date.php> for more information on PHP date and time formats.

Day

| Format Character | Description |
|------------------|---|
| %a | Abbreviated weekday name according to the current locale |
| %A | Full weekday name according to the current locale |
| %d | Day of the month as a decimal number (range 01 to 31) |
| %e | Day of the month as a decimal number, a single digit is preceded by a space (range 1 to 31) |
| %u | Day of the week as a decimal, with 1 representing Monday (range 1 to 7) |
| %w | Day of the week as a decimal, with 0 being Sunday (range 0 to 6) |
| %j | Day of the year as a decimal number (range 001 to 366) |

Week

| Format Character | Description |
|------------------|--|
| %U | Week number of the current year as a decimal number, starting with the first Sunday as the first day of the first week |
| %W | Week number of the current year as a decimal number, starting with the first Monday as the first day of the first week |
| %V | The ISO 8601:1988 week number of the current year as a decimal number, range 01 to 53, where week 1 is the first week that has at least 4 days in the current year, and with Monday as the first day of the week. (Use %G or %g for the year component that corresponds to the week number for the specified timestamp.) |

Month

| Format Character | Description |
|------------------|--|
| %b | Abbreviated month name according to the current locale |
| %B | Full month name according to the current locale |
| %m | Month as a decimal number (range 01 to 12) |

Year

| Format Character | Description |
|------------------|---|
| %C | Century number (the year divided by 100 and truncated to an integer, range 00 to 99) |
| %G | The 4-digit year corresponding to the ISO week number (see %V). This has the same format and value as %Y, except that if the ISO week number belongs to the previous or next year, that year is used instead. |
| %g | Like %G, but without the century. |
| %y | Year as a decimal number without a century (range 00 to 99) |
| %Y | Year as a decimal number including the century |

Time

| Format Character | Description |
|------------------|--|
| %H | Hour as a decimal number using a 24-hour clock (range 00 to 23) |
| %I | Hour as a decimal number using a 12-hour clock (range 01 to 12) |
| %M | Minute as a decimal number |
| %p | Either am or pm according to the given time value, or the corresponding strings for the current locale |
| %r | Time in a.m. and p.m. notation |
| %R | Time in 24 hour notation |
| %S | Second as a decimal number |
| %T | Current time, equal to %H:%M:%S |

Notes

| Format Character | Description |
|------------------|---|
| %c | Preferred date and time representation for the current locale |
| %x | Preferred date representation for the current locale without the time |
| %X | Preferred time representation for the current locale without the date |
| %D | Same as %m/%d/%y |
| %h | Same as %b |
| %n | Newline character |
| %t | Tab character |
| %Z or %z | Time zone or name or abbreviation |
| %% | A literal % character |