General Settings tab

Overview

Use this tab to select the home file gallery, the comment settings for file galleries and if rankings/comments are used or not for file galleries.

• File
Gallery

To Access

From the File Gallery Admin page, click the **General Settings** tab.

| Option | Description | Default |
|---|---|-----------------------|
| File gallery | Storage of files of various formats to display or download, etc. With check-in and check-out (lock) capability | Enabled |
| Home file gallery (main file gallery) | Select the default file gallery | Images for slideshows |
| Description | \ Hide Show as a column Show in popup box Both | Show in popup box |
| Storage | Specify if uploaded files should be stored in the database or file directory. ■ Store in database Store in directory | Store in database |
| Preserve ïlenames | Preserve original filename instead assigning a hash as name | Disabled |
| Path to the directory to store file gallery files | Specify a directory on this server, for example: /var/www/ It's recommended that this directory not be web-accessible. PHP must be able to read/write to the directory. | storage/fgal/ |
| Podcast directory | File system directory for storing podcast files the server must be able to read/write the directory. Required for podcasts. | files/ |
| Rankings | Users can view the "top" or "most" downloaded files. | Disabled |
| File gallery comments | Users with permission may post threaded comments. The comments will appear at the bottom of the page. | Disabled |

| Option | Description | Default |
|---|--|-------------------------------|
| Display ZIP option in gallery | Users can upload a .zip (archive file). Tiki will automatically un-zip the archive and add each file to the gallery | Disabled |
| Allow download imit per file | | Disabled |
| Prevent download f score becomes negative | If using Tiki Score system, users with a negative score cannot download files. | Disabled |
| Allow file duplicates | Allow the same file to be uploaded more than once. | Yes, even in the same gallery |
| Batch uploading | Direct import of local files into a file gallery. This method can handle large files. The user can upload files via FTP to the target folder. It is highly recommended to use a file directory as the file gallery storage when using this feature. | Disabled |
| Path | ♣ To enable and use directory batch loading, set up a web-readable directory (preferably outside the web space). Then upload files to that directory, such as with SCP, FTP, etc The server must be able to read the directory. The directory can be outside the web space. | None |
| Require file creator's name for anonymous uploads | | Disabled |
| Automatic deletion of old ïles | The user will have an option when uploading a file to specify the time after which the file is deleted A cron job must be set up in order to delete the files. | Disabled |
| Deletion emails notification | Email addresses (comma-separated) to receive a copy of each deleted file | None |
| Keep the same ileld for the atest version of a ile | If the checkbox is checked, the file ID of the latest version of a file stays the same. A link to the file will always link to the latest version. If not checked, each version of the file is assigned its own file ID, so a link to the file will be to a specific version of the file | Enabled |
| Store user files in a file gallery | Use the file gallery admin and the individual file gallery settings to manage file storage preferences. ■ | Disabled |
| Jse file galleries for wiki attachments | Wiki attachments will be stored in the file gallery. This is the preferred way to store attachments starting Tiki 26+. | Enabled |

| Option | Description | Default |
|---|--|--------------|
| Save files as drafts | Allow saving of files as drafts | Disabled |
| File gallery configuration cemplates | | Disabled |
| Allow searching for existing files n the tracker files field | Search files using the search index. | Enabled |
| Set MIME type pased on file suffix | Sets the MIME type of an image file according to the file suffix when it is incorrectly detected as application/octet-stream \blacksquare | Disabled |
| Clean XML Always | Sanitize XML based files such as SVG for all users. | Enabled |
| Allow SVG file upload | Because SVG files may contain malicious code and compromise system security, specifically grant permission to upload SVG files | Disabled |
| Jpload files from remote source | Enable copying files to file galleries from a URL that will be polled for new revisions. | Disabled |
| Domains | Allowed domains • One domain per line | None |
| Remote source refresh frequency imit | Minimum number of seconds to elapse between remote source checks to prevent flooding the server with requests. • Set to zero to disable refresh | 3600 seconds |
| Display controls to attempt a file refresh | Let users trigger a refresh attempt from the remote host. | Disabled |
| Validate uploaded file content | Do not trust user input and open the files to verify their content. | Enabled |
| Redirect to file gallery | If enabled, redirect all requests to images that were migrated from the image gallery to the corresponding file in the file gallery | Disabled |
| | | |

| Option | Description | Default |
|---|--|------------------|
| View or export office documents as PDF | If enabled allows to view documents without download or to export documents as PDF files | Disabled |
| Maximum width of file preview in pixels | The maximum value of width in pixels for the files preview in the popover. | 250 |
| Quota for all files and archives | The total size of files uploaded to all the file galleries or to a specific file gallery can be limited. The quota for a file gallery applies to that file gallery and all the file galleries under it. When the limit is reached, no more files can be uploaded. The user will see an explanatory error message. An email can be sent via the Mail notifications feature.) • 0 for unlimited | 0 megabytes |
| Quota for each ile gallery | A different quota can be defined for each file gallery. | Disabled |
| Default quota for each new gallery | ♠ 0 for unlimited | 0 megabytes |
| Must match | A regular expression that must be matched to accept the file example A-Za-z* (filename can only have a-z letters) For example, if you want to require that uploads must have a wordprocessing file extension, you could enter .*.(odt sxw doc dot rtf wpt frm wpd txt ODT SXW DOC DOT RTF WPT FRM WPD TXT) | None |
| Cannot match | A regular expression that, if matched, causes the file to be rejected. For example, .gif rejects gif images. Note that the period must be escaped since a regular expression is being used. If you don't know anything about regular expressions just leave the fields blank and all the files will be accepted. | None |
| fmpeg path | Path to the location of the ffmpeg binary | /usr/bin/ffmpeg |
| fprobe path | Path to the location of the ffprobe binary | /usr/bin/ffprobe |
| unoconv path | Path to the location of the unoconv binary. | /usr/bin/unoconv |
| unoconv timeout | The maximum amount of time for unoconv to execute. | 60 seconds |
| unoconv port | unoconv running port. | 2002 |
| ghostscript path | Path to the location of the ghostscript binary. | /usr/bin/gs |
| Alchemy Image ibrary | Select either Image Magick or GD Graphics Library. i≡ Imagemagick GD | Imagemagick |
| Export diagram mage on save | If enabled, diagrams will be cached in PNG format when saved or edited. | Enabled |

| Option | Description | Default |
|--|--|-----------------------------|
| Jse locally CasperJS to export images | If enabled, diagrams can be exported using CasperJS. | Disabled |
| Jse draw.io oublic services to export images | When exporting PDFs, if this setting is enabled, diagram images will be fetched using Drawio's services if not in cache. This basically works like a fallback. | Disabled |
| Draw.io service endpoint | Configure the draw.io service endpoint to export the diagram images. | https://convert.diagrams.ne |
| Jse diagram compression by default | if this setting is enabled, diagram will use compression by default. | Enabled |
| Jse RecordRTC to screen record | if this setting is enabled, will use RecordRTC to record the screen activity. \blacksquare | Disabled |
| Gallery default for RecordRTC recordings | Select gallery to be used as the default target for RecordRTC recordings | None |
| Option | Description | Default |
| File gallery | Storage of files of various formats to display or download, etc. With check-in and check-out (lock) capability | Enabled |
| Home file gallery (main file gallery) | Select the default file gallery E File Galleries Branding Graphics colorbox Documentation temporarily in P Drawings Example EPSG:4326 geoJSON boun Example EPSG:4326 geoJSON path Example map object images Example POI icons exportet- structures-francais,c Fonctionnalité Articles Gérer les Utilisateurs H5P Content Images for plugin Diagram Images for slideshows Images for the Documentation p Images | Images for slideshows |
| Description | ≒ Hide Show as a column Show in popup box Both | Show in popup box |
| Storage | Specify if uploaded files should be stored in the database or file directory. ☐ Store in database Store in directory | Store in database |
| Preserve filenames | Preserve original filename instead assigning a hash as name | Disabled |
| | | |

| Option | Description | Default |
|--|---|-------------------------------|
| Path to the directory to store file gallery files | Specify a directory on this server, for example: /var/www/ It's recommended that this directory not be web-accessible. PHP must be able to read/write to the directory. | storage/fgal/ |
| - | File system directory for storing podcast files The server must be able to read/write the directory. Required for podcasts. | files/ |
| Rankings | Users can view the "top" or "most" downloaded files. | Disabled |
| File gallery comments | Users with permission may post threaded comments. The comments will appear at the bottom of the page. | Disabled |
| | Users can upload a .zip (archive file). Tiki will automatically un-zip the archive and add each file to the gallery | Disabled |
| Allow download imit per file | | Disabled |
| Prevent download f score becomes negative | If using Tiki Score system, users with a negative score cannot download files. | Disabled |
| | Allow the same file to be uploaded more than once. ■ Never Yes, even in the same gallery Only in different galleries | Yes, even in the same gallery |
| Jse jQuery upload | Use the improved Tiki 15+ upload page | Enabled |
| | Direct import of local files into a file gallery. This method can handle large files. The user can upload files via FTP to the target folder. It is highly recommended to use a file directory as the file gallery storage when using this feature. | Disabled |
| | ♣ To enable and use directory batch loading, set up a web-readable directory (preferably outside the web space). Then upload files to that directory, such as with SCP, FTP, etc The server must be able to read the directory. The directory can be outside the web space. | None |
| Require file creator's name for anonymous uploads | | Disabled |
| | The user will have an option when uploading a file to specify the time after which the file is deleted A cron job must be set up in order to delete the files. | Disabled |

| Option | Description | Default |
|---|--|----------|
| Deletion emails notification | Email addresses (comma-separated) to receive a copy of each deleted file | None |
| ileld for the | If the checkbox is checked, the file ID of the latest version of a file stays the same. A link to the file will always link to the latest version. If not checked, each version of the file is assigned its own file ID, so a link to the file will be to a specific version of the file | Enabled |
| | \clubsuit Use the file gallery admin and the individual file gallery settings to manage file storage preferences. \blacksquare | Disabled |
| _ | Wiki attachments will be stored in the file gallery. This is the preferred way to store attachments starting Tiki 26+. | Enabled |
| Save files as drafts | Allow saving of files as drafts | Disabled |
| File gallery configuration cemplates | | Disabled |
| Allow searching for existing files n the tracker files field | Search files using the search index. | Enabled |
| | Sets the MIME type of an image file according to the file suffix when it is incorrectly detected as application/octet-stream \creat{L} | Disabled |
| Clean XML Always | Sanitize XML based files such as SVG for all users. | Enabled |
| Allow SVG file upload | Because SVG files may contain malicious code and compromise system security, specifically grant permission to upload SVG files | Disabled |
| Jpload files from remote source | Enable copying files to file galleries from a URL that will be polled for new revisions. | Disabled |
| | Allowed domains ♠ One domain per line | None |

| Option | Description | Default |
|--|--|--------------|
| Remote source refresh frequency imit | Minimum number of seconds to elapse between remote source checks to prevent flooding the server with requests. § Set to zero to disable refresh | 3600 seconds |
| Display controls to attempt a file refresh | Let users trigger a refresh attempt from the remote host. | Disabled |
| Validate uploaded file content | Do not trust user input and open the files to verify their content. | Enabled |
| Redirect to file gallery | If enabled, redirect all requests to images that were migrated from the image gallery to the corresponding file in the file gallery | Disabled |
| View or export office documents as PDF | If enabled allows to view documents without download or to export documents as PDF files | Disabled |
| Maximum width of file preview in oixels | The maximum value of width in pixels for the files preview in the popover. | 250 |
| Quota for all files and archives | The total size of files uploaded to all the file galleries or to a specific file gallery can be limited. The quota for a file gallery applies to that file gallery and all the file galleries under it. When the limit is reached, no more files can be uploaded. The user will see an explanatory error message. An email can be sent via the Mail notifications feature.) • 0 for unlimited | 0 megabytes |
| Quota for each ile gallery | A different quota can be defined for each file gallery. | Disabled |
| Default quota for each new gallery | ♠ 0 for unlimited | 0 megabytes |
| Must match | A regular expression that must be matched to accept the file example A-Za-z* (filename can only have a-z letters) For example, if you want to require that uploads must have a wordprocessing file extension, you could enter .*.(odt sxw doc dot rtf wpt frm wpd txt ODT SXW DOC DOT RTF WPT FRM WPD TXT) | None |
| Cannot match | A regular expression that, if matched, causes the file to be rejected. For example, .gif rejects gif images. Note that the period must be escaped since a regular expression is being used. If you don't know anything about regular expressions just leave the fields blank and all the files will be accepted. | None |

| Option | Description | Default |
|---|--|-----------------------------|
| fmpeg path | Path to the location of the ffmpeg binary | /usr/bin/ffmpeg |
| fprobe path | Path to the location of the ffprobe binary | /usr/bin/ffprobe |
| unoconv path | Path to the location of the unoconv binary. | /usr/bin/unoconv |
| unoconv timeout | The maximum amount of time for unoconv to execute. | 60 seconds |
| unoconv port | unoconv running port. | 2002 |
| phostscript path | Path to the location of the ghostscript binary. | /usr/bin/gs |
| Alchemy Image ibrary | Select either Image Magick or GD Graphics Library. ∷ Imagemagick GD | Imagemagick |
| Export diagram mage on save | If enabled, diagrams will be cached in PNG format when saved or edited. | Enabled |
| Jse locally CasperJS to export images | If enabled, diagrams can be exported using CasperJS. | Disabled |
| | When exporting PDFs, if this setting is enabled, diagram images will be fetched using Drawio's services if not in cache. This basically works like a fallback. | Disabled |
| Draw.io service endpoint | Configure the draw.io service endpoint to export the diagram images. | https://convert.diagrams.ne |
| Jse diagram compression by default | if this setting is enabled, diagram will use compression by default. | Enabled |
| Use RecordRTC to screen record | if this setting is enabled, will use RecordRTC to record the screen activity. \blacksquare | Disabled |
| recordings | Select gallery to be used as the default target for RecordRTC recordings ☐ File Galleries Branding Graphics colorbox Documentation temporarily in P Drawings Example EPSG:4326 geoJSON boun Example EPSG:4326 geoJSON path Example map object images Example POI icons exportet- structures-francais,c Fonctionnalité Articles Gérer les Utilisateurs H5P Content Images for plugin Diagram Images for slideshows Images for the Documentation p Images ☐ | None |
| Option | Description | Default |
| File gallery | Storage of files of various formats to display or download, etc. With check-in and check-out (lock) capability | Enabled |

| Option | Description | Default |
|--|---|-------------------------------|
| Home file gallery main file gallery) | Select the default file gallery | Images for slideshows |
| Description | ∷ Hide Show as a column Show in popup box Both | Show in popup box |
| Storage | Specify if uploaded files should be stored in the database or file directory. ☐ Store in database Store in directory | Store in database |
| Preserve ïlenames | Preserve original filename instead assigning a hash as name | Disabled |
| Path to the directory to store ile gallery files | Specify a directory on this server, for example: /var/www/ It's recommended that this directory not be web-accessible. PHP must be able to read/write to the directory. | storage/fgal/ |
| Podcast directory | File system directory for storing podcast files The server must be able to read/write the directory. Required for podcasts. | files/ |
| Rankings | Users can view the "top" or "most" downloaded files. | Disabled |
| File gallery comments | Users with permission may post threaded comments. The comments will appear at the bottom of the page. | Disabled |
| Display ZIP option n gallery | Users can upload a .zip (archive file). Tiki will automatically un-zip the archive and add each file to the gallery | Disabled |
| Allow download imit per file | | Disabled |
| Prevent download f score becomes negative | If using Tiki Score system, users with a negative score cannot download files. | Disabled |
| Allow file duplicates | Allow the same file to be uploaded more than once. ■ Never Yes, even in the same gallery Only in different galleries | Yes, even in the same gallery |
| Jse jQuery upload | Use the improved Tiki 15+ upload page | Enabled |
| Batch uploading | Direct import of local files into a file gallery. This method can handle large files. The user can upload files via FTP to the target folder. It is highly recommended to use a file directory as the file gallery storage when using this feature. | Disabled |

| Option | Description | Default |
|---|--|----------|
| Path | ♣ To enable and use directory batch loading, set up a web-readable directory (preferably outside the web space). Then upload files to that directory, such as with SCP, FTP, etc The server must be able to read the directory. The directory can be outside the web space. | None |
| Require file creator's name for anonymous uploads | | Disabled |
| Automatic deletion of old files | The user will have an option when uploading a file to specify the time after which the file is deleted A cron job must be set up in order to delete the files. | Disabled |
| Deletion emails notification | Email addresses (comma-separated) to receive a copy of each deleted file | None |
| Keep the same fileld for the atest version of a | If the checkbox is checked, the file ID of the latest version of a file stays the same. A link to the file will always link to the latest version. If not checked, each version of the file is assigned its own file ID, so a link to the file will be to a specific version of the file | Enabled |
| Store user files in a file gallery | \clubsuit Use the file gallery admin and the individual file gallery settings to manage file storage preferences. \blacksquare | Disabled |
| Jse file galleries for wiki attachments | Wiki attachments will be stored in the file gallery. This is the preferred way to store attachments starting Tiki 26+. | Enabled |
| Save files as drafts | Allow saving of files as drafts | Disabled |
| File gallery configuration cemplates | | Disabled |
| Allow searching for existing files n the tracker files field | Search files using the search index. | Enabled |
| Set MIME type pased on file suffix | Sets the MIME type of an image file according to the file suffix when it is incorrectly detected as application/octet-stream \blacksquare | Disabled |

| Option | Description | Default |
|--|--|--------------|
| Clean XML Always | Sanitize XML based files such as SVG for all users. | Enabled |
| Allow SVG file upload | Because SVG files may contain malicious code and compromise system security, specifically grant permission to upload SVG files | Disabled |
| Jpload files from remote source | Enable copying files to file galleries from a URL that will be polled for new revisions. | Disabled |
| Domains | Allowed domains 6 One domain per line | None |
| Remote source refresh frequency imit | Minimum number of seconds to elapse between remote source checks to prevent flooding the server with requests. • Set to zero to disable refresh | 3600 seconds |
| Display controls to attempt a file refresh | Let users trigger a refresh attempt from the remote host. | Disabled |
| Validate uploaded ile content | Do not trust user input and open the files to verify their content. | Enabled |
| Redirect to file gallery | If enabled, redirect all requests to images that were migrated from the image gallery to the corresponding file in the file gallery | Disabled |
| View or export office documents as PDF | If enabled allows to view documents without download or to export documents as PDF files | Disabled |
| Maximum width of file preview in pixels | The maximum value of width in pixels for the files preview in the popover. | 250 |
| Quota for all files and archives | The total size of files uploaded to all the file galleries or to a specific file gallery can be limited. The quota for a file gallery applies to that file gallery and all the file galleries under it. When the limit is reached, no more files can be uploaded. The user will see an explanatory error message. An email can be sent via the Mail notifications feature.) 6 of or unlimited | 0 megabytes |
| Quota for each ile gallery | A different quota can be defined for each file gallery. | Disabled |
| Default quota for each new gallery | ♠ 0 for unlimited | 0 megabytes |

| Option | Description | Default |
|--|--|-----------------------------|
| Must match | A regular expression that must be matched to accept the file example A-Za-z* (filename can only have a-z letters) For example, if you want to require that uploads must have a wordprocessing file extension, you could enter .*.(odt sxw doc dot rtf wpt frm wpd txt ODT SXW DOC DOT RTF WPT FRM WPD TXT) | None |
| Cannot match | A regular expression that, if matched, causes the file to be rejected. For example, .gif rejects gif images. Note that the period must be escaped since a regular expression is being used. If you don't know anything about regular expressions just leave the fields blank and all the files will be accepted. | None |
| fmpeg path | Path to the location of the ffmpeg binary | /usr/bin/ffmpeg |
| fprobe path | Path to the location of the ffprobe binary | /usr/bin/ffprobe |
| unoconv path | Path to the location of the unoconv binary. | /usr/bin/unoconv |
| unoconv timeout | The maximum amount of time for unoconv to execute. | 60 seconds |
| unoconv port | unoconv running port. | 2002 |
| ghostscript path | Path to the location of the ghostscript binary. | /usr/bin/gs |
| Alchemy Image ibrary | Select either Image Magick or GD Graphics Library. ∷ Imagemagick GD | Imagemagick |
| Export diagram mage on save | If enabled, diagrams will be cached in PNG format when saved or edited. | Enabled |
| Jse locally CasperJS to export images | If enabled, diagrams can be exported using CasperJS. | Disabled |
| Jse draw.io oublic services to export images | When exporting PDFs, if this setting is enabled, diagram images will be fetched using Drawio's services if not in cache. This basically works like a fallback. | Disabled |
| Draw.io service endpoint | Configure the draw.io service endpoint to export the diagram images. | https://convert.diagrams.ne |
| Jse diagram compression by default | if this setting is enabled, diagram will use compression by default. | Enabled |
| Jse RecordRTC to screen record | if this setting is enabled, will use RecordRTC to record the screen activity. \blacksquare | Disabled |

| Option | Description | Default |
|---|--|-------------------------------|
| File gallery | Storage of files of various formats to display or download, etc. With check-in and check-out (lock) capability | Enabled |
| Home file gallery (main file gallery) | Select the default file gallery E File Galleries Branding Graphics colorbox Documentation temporarily in P Drawings Example EPSG:4326 geoJSON boun Example EPSG:4326 geoJSON path Example map object images Example POI icons exportet- structures-francais,c Fonctionnalité Articles Gérer les Utilisateurs H5P Content Images for plugin Diagram Images for slideshows Images for the Documentation p Images | Images for slideshows |
| Description | | Show in popup box |
| Storage | Specify if uploaded files should be stored in the database or file directory. | Store in database |
| Preserve filenames | Preserve original filename instead assigning a hash as name | Disabled |
| Path to the directory to store file gallery files | Specify a directory on this server, for example: /var/www/ It's recommended that this directory not be web-accessible. PHP must be able to read/write to the directory. | storage/fgal/ |
| Podcast directory | File system directory for storing podcast files The server must be able to read/write the directory. Required for podcasts. | files/ |
| Rankings | Users can view the "top" or "most" downloaded files. | Disabled |
| File gallery comments | Users with permission may post threaded comments. The comments will appear at the bottom of the page. | Disabled |
| Display ZIP option n gallery | Users can upload a .zip (archive file). Tiki will automatically un-zip the archive and add each file to the gallery | Disabled |
| Allow download imit per file | | Disabled |
| Prevent download f score becomes negative | If using Tiki Score system, users with a negative score cannot download files. | Disabled |
| Allow file duplicates | Allow the same file to be uploaded more than once. | Yes, even in the same gallery |
| Jse jQuery upload | Use the improved Tiki 15+ upload page | Enabled |
| | | |

| Option | Description | Default |
|---|--|----------|
| | Direct import of local files into a file gallery. This method can handle large files. The user can upload files via FTP to the target folder. It is highly recommended to use a file directory as the file gallery storage when using this feature. | Disabled |
| Path | ♣ To enable and use directory batch loading, set up a web-readable directory (preferably outside the web space). Then upload files to that directory, such as with SCP, FTP, etc The server must be able to read the directory. The directory can be outside the web space. | None |
| Require file creator's name for anonymous uploads | | Disabled |
| Automatic deletion of old files | The user will have an option when uploading a file to specify the time after which the file is deleted A cron job must be set up in order to delete the files. | Disabled |
| Deletion emails notification | Email addresses (comma-separated) to receive a copy of each deleted file | None |
| Keep the same fileld for the atest version of a file | If the checkbox is checked, the file ID of the latest version of a file stays the same. A link to the file will always link to the latest version. If not checked, each version of the file is assigned its own file ID, so a link to the file will be to a specific version of the file | Enabled |
| | \clubsuit Use the file gallery admin and the individual file gallery settings to manage file storage preferences. \blacksquare | Disabled |
| Jse file galleries or wiki attachments | Wiki attachments will be stored in the file gallery. This is the preferred way to store attachments starting Tiki 26+. | Enabled |
| Save files as drafts | Allow saving of files as drafts | Disabled |
| File gallery configuration cemplates | | Disabled |
| Allow searching for existing files n the tracker files field | Search files using the search index. | Enabled |

| Option | Description | Default |
|--|--|--------------|
| Set MIME type based on file suffix | Sets the MIME type of an image file according to the file suffix when it is incorrectly detected as application/octet-stream \blacksquare | Disabled |
| Clean XML Always | Sanitize XML based files such as SVG for all users. | Enabled |
| Allow SVG file upload | Because SVG files may contain malicious code and compromise system security, specifically grant permission to upload SVG files | Disabled |
| Jpload files from remote source | Enable copying files to file galleries from a URL that will be polled for new revisions. | Disabled |
| Domains | Allowed domains • One domain per line | None |
| Remote source refresh frequency imit | Minimum number of seconds to elapse between remote source checks to prevent flooding the server with requests. § Set to zero to disable refresh | 3600 seconds |
| Display controls to attempt a file refresh | Let users trigger a refresh attempt from the remote host. | Disabled |
| Validate uploaded ile content | Do not trust user input and open the files to verify their content. | Enabled |
| Redirect to file gallery | If enabled, redirect all requests to images that were migrated from the image gallery to the corresponding file in the file gallery | Disabled |
| View or export office documents as PDF | If enabled allows to view documents without download or to export documents as PDF files | Disabled |
| Maximum width of file preview in oixels | The maximum value of width in pixels for the files preview in the popover. | 250 |
| Quota for all files and archives | The total size of files uploaded to all the file galleries or to a specific file gallery can be limited. The quota for a file gallery applies to that file gallery and all the file galleries under it. When the limit is reached, no more files can be uploaded. The user will see an explanatory error message. An email can be sent via the Mail notifications feature.) 6 0 for unlimited | 0 megabytes |

| Option | Description | Default |
|--|--|-----------------------------|
| Quota for each ïle gallery | A different quota can be defined for each file gallery. | Disabled |
| Default quota for each new gallery | ♠ 0 for unlimited | 0 megabytes |
| Must match | A regular expression that must be matched to accept the file example A-Za-z* (filename can only have a-z letters) For example, if you want to require that uploads must have a wordprocessing file extension, you could enter .*.(odt sxw doc dot rtf wpt frm wpd txt ODT SXW DOC DOT RTF WPT FRM WPD TXT) | None |
| Cannot match | A regular expression that, if matched, causes the file to be rejected. For example, .gif rejects gif images. Note that the period must be escaped since a regular expression is being used. If you don't know anything about regular expressions just leave the fields blank and all the files will be accepted. | None |
| fmpeg path | Path to the location of the ffmpeg binary | /usr/bin/ffmpeg |
| fprobe path | Path to the location of the ffprobe binary | /usr/bin/ffprobe |
| unoconv path | Path to the location of the unoconv binary. | /usr/bin/unoconv |
| unoconv timeout | The maximum amount of time for unoconv to execute. | 60 seconds |
| unoconv port | unoconv running port. | 2002 |
| ghostscript path | Path to the location of the ghostscript binary. | /usr/bin/gs |
| Alchemy Image ibrary | Select either Image Magick or GD Graphics Library. □ Imagemagick GD | Imagemagick |
| Export diagram mage on save | If enabled, diagrams will be cached in PNG format when saved or edited. | Enabled |
| Jse locally CasperJS to export images | If enabled, diagrams can be exported using CasperJS. | Disabled |
| Use draw.io oublic services to export images | When exporting PDFs, if this setting is enabled, diagram images will be fetched using Drawio's services if not in cache. This basically works like a fallback. | Disabled |
| Draw.io service endpoint | Configure the draw.io service endpoint to export the diagram images. | https://convert.diagrams.ne |
| Use diagram compression by default | if this setting is enabled, diagram will use compression by default. | Enabled |

| Option | Description | Default |
|---|---|-------------------------------|
| Jse RecordRTC to screen record | if this setting is enabled, will use RecordRTC to record the screen activity. \blacksquare | Disabled |
| Option | Description | Default |
| File gallery | Storage of files of various formats to display or download, etc. With check-in and check-out (lock) capability | Enabled |
| Home file gallery (main file gallery) | Select the default file gallery | 1 |
| Description | ⊞ Hide Show as a column Show in popup box Both | Show in popup box |
| Storage | Specify if uploaded files should be stored in the database or file directory. ■ Store in database Store in directory | Store in database |
| Preserve ilenames | Preserve original filename instead assigning a hash as name | Disabled |
| Path to the directory to store file gallery files | Specify a directory on this server, for example: /var/www/ It's recommended that this directory not be web-accessible. PHP must be able to read/write to the directory. | storage/fgal/ |
| Podcast directory | File system directory for storing podcast files The server must be able to read/write the directory. Required for podcasts. | files/ |
| Rankings | Users can view the "top" or "most" downloaded files. | Disabled |
| File gallery comments | Users with permission may post threaded comments. The comments will appear at the bottom of the page. | Disabled |
| | Users can upload a .zip (archive file). Tiki will automatically un-zip the archive and add each file to the gallery | Disabled |
| Allow download imit per file | | Disabled |
| Prevent download f score becomes negative | If using Tiki Score system, users with a negative score cannot download files. | Disabled |
| Allow file duplicates | Allow the same file to be uploaded more than once. | Yes, even in the same gallery |
| Jse jQuery Jpload | Use the improved Tiki 15+ upload page | Enabled |

| Option | Description | Default |
|---|--|----------|
| Batch uploading | Direct import of local files into a file gallery. This method can handle large files. The user can upload files via FTP to the target folder. It is highly recommended to use a file directory as the file gallery storage when using this feature. | Disabled |
| Path | ♣ To enable and use directory batch loading, set up a web-readable directory (preferably outside the web space). Then upload files to that directory, such as with SCP, FTP, etc The server must be able to read the directory. The directory can be outside the web space. | None |
| Require file creator's name for anonymous uploads | | Disabled |
| Automatic deletion of old files | The user will have an option when uploading a file to specify the time after which the file is deleted A cron job must be set up in order to delete the files. | Disabled |
| Deletion emails notification | Email addresses (comma-separated) to receive a copy of each deleted file | None |
| Keep the same fileld for the atest version of a file | If the checkbox is checked, the file ID of the latest version of a file stays the same. A link to the file will always link to the latest version. If not checked, each version of the file is assigned its own file ID, so a link to the file will be to a specific version of the file | Enabled |
| Store user files in a file gallery | \clubsuit Use the file gallery admin and the individual file gallery settings to manage file storage preferences. \blacksquare | Disabled |
| Jse file galleries for wiki attachments | Wiki attachments will be stored in the file gallery. \blacksquare | Disabled |
| Save files as drafts | Allow saving of files as drafts | Disabled |
| File gallery configuration cemplates | | Disabled |
| Allow searching for existing files n the tracker files field | Search files using the search index. | Enabled |

| Option | Description | Default |
|--|--|--------------|
| Set MIME type pased on file suffix | Sets the MIME type of an image file according to the file suffix when it is incorrectly detected as application/octet-stream \blacksquare | Disabled |
| Clean XML Always | Sanitize XML based files such as SVG for all users. | Enabled |
| Allow SVG file upload | Because SVG files may contain malicious code and compromise system security, specifically grant permission to upload SVG files | Disabled |
| Jpload files from remote source | Enable copying files to file galleries from a URL that will be polled for new revisions. | Disabled |
| Remote source refresh frequency imit | Minimum number of seconds to elapse between remote source checks to prevent flooding the server with requests. • Set to zero to disable refresh | 3600 seconds |
| Display controls to attempt a file refresh | Let users trigger a refresh attempt from the remote host. | Disabled |
| Validate uploaded ile content | Do not trust user input and open the files to verify their content. | Enabled |
| Redirect to file gallery | If enabled, redirect all requests to images that were migrated from the image gallery to the corresponding file in the file gallery | Disabled |
| View or export office documents as PDF | If enabled allows to view documents without download or to export documents as PDF files | Disabled |
| Maximum width of file preview in oixels | The maximum value of width in pixels for the files preview in the popover. | 250 |
| Quota for all files and archives | The total size of files uploaded to all the file galleries or to a specific file gallery can be limited. The quota for a file gallery applies to that file gallery and all the file galleries under it. When the limit is reached, no more files can be uploaded. The user will see an explanatory error message. An email can be sent via the Mail notifications feature.) 6 of or unlimited | 0 megabytes |
| Quota for each file gallery | A different quota can be defined for each file gallery. | Disabled |

| Option | Description | Default |
|--|--|-----------------------------|
| Default quota for each new gallery | 6 0 for unlimited | 0 megabytes |
| Must match | A regular expression that must be matched to accept the file example A-Za-z* (filename can only have a-z letters) For example, if you want to require that uploads must have a wordprocessing file extension, you could enter .*.(odt sxw doc dot rtf wpt frm wpd txt ODT SXW DOC DOT RTF WPT FRM WPD TXT) | None |
| Cannot match | A regular expression that, if matched, causes the file to be rejected. For example, .gif rejects gif images. Note that the period must be escaped since a regular expression is being used. If you don't know anything about regular expressions just leave the fields blank and all the files will be accepted. | None |
| fmpeg path | Path to the location of the ffmpeg binary | /usr/bin/ffmpeg |
| fprobe path | Path to the location of the ffprobe binary | /usr/bin/ffprobe |
| unoconv path | Path to the location of the unoconv binary. | /usr/bin/unoconv |
| unoconv timeout | The maximum amount of time for unoconv to execute. | 60 seconds |
| unoconv port | unoconv running port. | 2002 |
| ghostscript path | Path to the location of the ghostscript binary. | /usr/bin/gs |
| Alchemy Image ibrary | Select either Image Magick or GD Graphics Library. i≡ Imagemagick (Extension not loaded) GD | Imagemagick (Extension not |
| Export diagram mage on save | If enabled, diagrams will be cached in PNG format when saved or edited. | Enabled |
| Jse locally CasperJS to export images | If enabled, diagrams can be exported using CasperJS. | Disabled |
| Jse draw.io oublic services to export images | When exporting PDFs, if this setting is enabled, diagram images will be fetched using Drawio's services if not in cache. This basically works like a fallback. | Disabled |
| Draw.io service endpoint | Configure the draw.io service endpoint to export the diagram images. | https://convert.diagrams.ne |
| Use diagram compression by default | if this setting is enabled, diagram will use compression by default. | Enabled |

| | Comment of the commen | | | |
|--------------------|--|----------------|-------------------|--|
| | August Physician Physican Physician Physician Physician Physician Physician | | | |
| | © Prografia y ② Program y □ Program y □ Program y □ Program y | | | |
| | You want to discover their crosses | | | |
| | Displacement of the control of the c | | | |
| | Opportune by Company C | | | |
| | Secretary Supremotes a galactic The College Co | | | |
| | Process of the large of the lar | | | |
| | Tandomy Benego Dischart Comments | | | |
| | □ Despite de seriories qu'abres qu'alle l'activité de l'a | | | |
| | □ Dem STO-MS ∨ | | | |
| | Does MACCOT w Advocated late at the y | | | |
| | The rest of contract of contra | | | |
| | □ Bibble speciality ∪ □ Bibble special from the framework of passion ∪ | | | |
| | | | | |
| | Yourselfor at the Text ☐ Use the paleons to relocations or ☐ | | | |
| | Numerical and discounts Beef Box or data | | | |
| | ☐ The Collection configuration from Collection Understanding France France State S | | | |
| | ☐ Digital files to the constructor () The control of the control | | | |
| | Option V - Goods of V - Control V - Contro | | | |
| | Connectments Connectments Connectments Connectments | | | |
| | Tiki 18 Preferences Image | | | |
| Option | Description | | Default | |
| File gallery | Storage of files of various formats to display or download, etc. With check-in and check-capability | <-out (lock) | Enabled | |
| Home file gallery | Select the default file gallery | | 1 | |
| | | | 1 | |
| main file gallery) | = No file gallery available (create offe first) | | | |
| Description | ∷ Hide Show as a column Show in popup box Both | | Show in popup box | |
| Storage | Specify if uploaded files should be stored in the database or file directory. | | Store in database | |
| Path to the | | directory not | storago/fgal/ | |
| | Specify a directory on this server, for example: /var/www/ It's recommended that this of | in ectory 110t | storage/fgal/ | |
| directory to store | be web-accessible. PHP must be able to read/write to the directory. | | | |
| ile gallery files | | | | |
| | | | | |
| | | | | |

File Galleries @

Osseni Sebage Ossen Lettings

South Indiana SCOTES

Default

Disabled

Option

screen record

Description

Jse RecordRTC to $\,$ if this setting is enabled, will use RecordRTC to record the screen activity. $extstyle{ t L}$

| Option | Description | Default |
|--|---|-------------------------------|
| _ | File system directory for storing podcast files The server must be able to read/write the directory. Required for podcasts. | files/ |
| Rankings | Users can view the "top" or "most" downloaded files. | Disabled |
| | Users with permission may post threaded comments. The comments will appear at the bottom of the page. | Disabled |
| | Users can upload a .zip (archive file). Tiki will automatically un-zip the archive and add each file to the gallery | Disabled |
| Allow download imit per file | | Disabled |
| Prevent download f score becomes negative | If using Tiki Score system, users with a negative score cannot download files. | Disabled |
| | Allow the same file to be uploaded more than once. ■ Never Yes, even in the same gallery Only in different galleries | Yes, even in the same gallery |
| Jse jQuery upload | Use the improved Tiki 15+ upload page | Enabled |
| | Direct import of local files into a file gallery. This method can handle large files. The user can upload files via FTP to the target folder. It is highly recommended to use a file directory as the file gallery storage when using this feature. | Disabled |
| | ♣ To enable and use directory batch loading, set up a web-readable directory (preferably outside the web space). Then upload files to that directory, such as with SCP, FTP, etc The server must be able to read the directory. The directory can be outside the web space. | None |
| Require file creator's name for anonymous uploads | | Disabled |
| | The user will have an option when uploading a file to specify the time after which the file is deleted A cron job must be set up in order to delete the files. | Disabled |
| Deletion emails notification | Email addresses (comma-separated) to receive a copy of each deleted file | None |
| | | |

| Option | Description | Default |
|---|--|--------------|
| Keep the same fileld for the atest version of a file | If the checkbox is checked, the file ID of the latest version of a file stays the same. A link to the file will always link to the latest version. If not checked, each version of the file is assigned its own file ID, so a link to the file will be to a specific version of the file | Enabled |
| Store user files in a file gallery | \clubsuit Use the file gallery admin and the individual file gallery settings to manage file storage preferences. \blacksquare | Disabled |
| Jse file galleries for wiki attachments | Wiki attachments will be stored in the file gallery. \blacksquare | Disabled |
| Save files as drafts | Allow saving of files as drafts | Disabled |
| File gallery configuration cemplates | | Disabled |
| Allow searching for existing files n the tracker files field | Search files using the search index. | Enabled |
| Set MIME type based on file suffix | Sets the MIME type of an image file according to the file suffix when it is incorrectly detected as application/octet-stream \blacksquare | Disabled |
| Clean XML Always | Sanitize XML based files such as SVG for all users. | Enabled |
| Allow SVG file upload | Because SVG files may contain malicious code and compromise system security, specifically grant permission to upload SVG files | Disabled |
| Jpload files from remote source | Enable copying files to file galleries from a URL that will be polled for new revisions. | Disabled |
| Domains | Allowed domains • One domain per line | None |
| Remote source refresh frequency imit | Minimum number of seconds to elapse between remote source checks to prevent flooding the server with requests. § Set to zero to disable refresh | 3600 seconds |

| Option | Description | Default |
|--|---|------------------|
| Display controls to attempt a file refresh | Let users trigger a refresh attempt from the remote host. | Disabled |
| Validate uploaded file content | Do not trust user input and open the files to verify their content. | Enabled |
| Redirect to file gallery | If enabled, redirect all requests to images that were migrated from the image gallery to the corresponding file in the file gallery | Disabled |
| View or export office documents as PDF | If enabled allows to view documents without download or to export documents as PDF files | Disabled |
| Maximum width of file preview in oixels | The maximum value of width in pixels for the files preview in the popover. | 250 |
| Quota for all files and archives | The total size of files uploaded to all the file galleries or to a specific file gallery can be limited. The quota for a file gallery applies to that file gallery and all the file galleries under it. When the limit is reached, no more files can be uploaded. The user will see an explanatory error message. An email can be sent via the Mail notifications feature.) •• 0 for unlimited | 0 megabytes |
| Quota for each ïle gallery | A different quota can be defined for each file gallery. | Disabled |
| Default quota for each new gallery | ♣ 0 for unlimited | 0 megabytes |
| Must match | A regular expression that must be matched to accept the file example A-Za-z* (filename can only have a-z letters) For example, if you want to require that uploads must have a wordprocessing file extension, you could enter .*.(odt sxw doc dot rtf wpt frm wpd txt ODT SXW DOC DOT RTF WPT FRM WPD TXT) | None |
| Cannot match | A regular expression that, if matched, causes the file to be rejected. For example, .gif rejects gif images. Note that the period must be escaped since a regular expression is being used. If you don't know anything about regular expressions just leave the fields blank and all the files will be accepted. | None |
| fmpeg path | Path to the location of the ffmpeg binary | /usr/bin/ffmpeg |
| fprobe path | Path to the location of the ffprobe binary | /usr/bin/ffprobe |

| unoconv path | Path to the location of the unoconv binary. | /usr/bin/unoconv |
|--|--|-----------------------------|
| unoconv timeout | The maximum amount of time for unoconv to execute. | 60 seconds |
| unoconv port | unoconv running port. | 2002 |
| ghostscript path | Path to the location of the ghostscript binary. | /usr/bin/gs |
| Alchemy Image ibrary | Select either Image Magick or GD Graphics Library. ∷ Imagemagick (Extension not loaded) GD | Imagemagick (Extension not |
| Export diagram mage on save | If enabled, diagrams will be cached in PNG format when saved or edited. | Enabled |
| Jse locally CasperJS to export images | If enabled, diagrams can be exported using CasperJS. | Disabled |
| Jse draw.io oublic services to export images | When exporting PDFs, if this setting is enabled, diagram images will be fetched using Drawio's services if not in cache. This basically works like a fallback. | Disabled |
| Draw.io service endpoint | Configure the draw.io service endpoint to export the diagram images. | https://convert.diagrams.ne |
| | | |

Default

Description

Option

See also File Storage