#### Items List and Item Link Tracker Fields

This is one of the tracker *field types* in Trackers. See also Relations Tracker Field

The *item link* field provides a selection list with all the unique values in a particular field of another tracker. This allows the use of trackers for simple relational database applications. Using an *items list* field instead of a text field or text area guarantees that always the same text/phrase is used to describe something, which helps in searching etc.

Especially powerful is the combination with the *filter field* and *filter value* options of the TrackerList plugin, which allows the display of only those tracker fields on a particular topic. To use this, the same exact phrase in every record of the tracker is required, which the items list field makes possible.

#### Example

You want to display the list of products of a company

- tracker Company (id 6)
  - id 14: Company name text field
  - id 16: Product list **items list** = 5,15,leave localFieldId blank since remote field is a itemlink back to this tracker,12
  - id 17: Address text field

Note: prior to Tiki 9, you have to specify the localFieldId even of the remote field is an itemLink field. From Tiki 9, the localFieldId is used only when you are trying to match values and not simply looking for items that are linked back here.

- tracker Products (id 5)
  - id 12: Product name text field
  - id 15: Company name item link 6,14

The view of the tracker Company will look like



The view of the tracker Products will look like



The insert of a Product item will look like



Company name will be drop down with Macromedia, Apple, Microsoft

## Item link parameters

the tracker you want to display fields

rackerId

	and tradition you make to anophaly metals
Field ID	the fieldId of the tracker you want to display
inkToltem	1 or 0 to create a link to the item in view mode and listing
Multiple Fields	A list of Fields which will be displayed instead of the <i>Field ID</i> parameter. It is also possible to select one single field here, for instance if you want one item per value without the (itemId:XXX) part
Format for Customising Multiple Fields	This only shows up if one of Multiple Fields is selected. It gives control on how the multiple fields are displayed
status	limit the choice of values to the items with a specific status (values:o,c,p,op,oc,pc or opc)
pageLink (Tiki 6+)	the item to the name of the wiki page to link to. If this is set, and when linkToltem is set to 0, the link will go to the wiki page where a PluginTrackerlist is present, instead of to tiki-view_tracker_item.php
One item per value (Tiki 9+)	The default value is to display absolutely the value/items for the same label with a notation value (itemID) - ie: name (itemId:1), name (itemId:2), name (itemId:3), etc. The other option is to display only one random item for each label/value - ie: name (single display for all the same item). Be aware that if this is good for a usage where you need a display of the value it will give <u>unpredictable</u> result where the value is to be manipulate as data. Selecting any field in <i>Multiple Fields</i> will ignore displaying the itemId value

In the above example, Company name in Products tracker is a item link

If you add the option 1 to the item link parameter, you will create a link to the company when displaying a product If you use the parameters 6,14,0,14|17, instead of seeing the company name, you will see the company name concatenated to the address.

S: If the Company tracker is not know before you enter the products, you will have not to use the itemlink type for th field 15 but a simple text field.

PPS: Since Tiki8, the new interface to edit tracker fields and their options does not allow to modify the type of a field once it is created.

## Items list parameters

rackerId	the other tracker you want to display fields	
ïeldIdThere	the fieldId in the other tracker you want to match with the fieldId of your tracker	This can be a list of fieldIds separated with colons (see below)
ieldIdHere	the fiedId in your tracker you want to match	
displayFieldIdThere	the fieldId in the other tracker that is displayed.	In tw>2.0 FieldIds separated with vertical bar to display this list of fields
inkToltems	1 or 0 to create a link to items in view mode and listing	
status	filter the status of the items. Value: o, c, p, op, oc, pc or opc.	tw>=5.0

#### Do not forget the result can be a list


FieldIdThere can be a list of fieldId - so that you cross as many trackers you want. For instance imagine your product tracker has a field contact(fieldId=50) that is an item link to a person tracker, and imagine the person tracker has 2 fields: a name (fieldId=51) and a phone number (fieldId:52)

If you want to display the phone numbers of all your product contact in the company tracker, you will have a field 5,15:50:51,14,52

#### To visualize you can use this kind of table

tem0 in company	fieldId 14	Apple
tem1 in product	fieldId 15	Apple
tem1	fieldId 50	sg
tem2 in person	fieldId 51	sg
tem2	fieldId 52	800 200 4000

Since Tiki8, there is a new interface to edit tracker fields and their options, and thus, this tracker field looks like:



# Displaying Multiple Fields


In the case below, both 29 and 30 are "text" fields.

```
ristidden = n
```

### New options added in Tiki 9

In Tiki9 some new options were added to "item link", which include:

- allow selecting more than one item from Tracker B as linked with that item in Tracker A,
- you can use a "static text" tracker item field as a separator for the fields displayed from each item in tracker B (for instance, a " dash " ( - ) can be used )
- · and many other improvements (see some in the image below).




# New options added in Tiki 17


# Table display with optional TrackerList parameters

New options have been added in Tiki17 to the tracker field "**item link**", which allow to display the linked items as a table with the UI and potential features of PluginTrackerList, which opens the door to have custom inline editable fields, sortable tables, etc.

In addition, you can get sums of values of the linked tracker items in a mathematical calculation field in the same source tracker. See an example in the profile Work\_Custom\_Pricing




When editing that field, you can select through checkboxes which items you want to be really linked (from all the one matching the pre-selection method defined in the tracker field definition.



Those ones selected (two out of three in the previous screenshot) are the ones taken into account later on as linked and shown in the table display, and used in the mathematical calculation formula in the corresponding tracker fields on the corre

As previously indicated, you can indicate which fields you want displayed, which format, the options you want to be used in the table display, the pre-selection match criteria, and a few other options:

Options for Item Link Link to another Item, similar to a foreign key.  Tracker ID  Bid/Completion Notes (Work Order Line Items)  Tracker to link to  Field ID  — Default field to display  Display  Value How the link to the item should be rendered  Multiple Fields  WO (Tracker-4) Work description (Tracker-4) Oby (Bid) (Tracker-4) Units	General			
Tracker ID  Bid/Completion Notes (Work Order Line Items)  Tracker to link to  Field ID  —  Default field to display  Display  Value  How the link to the item should be rendered  Multiple Fields  WO (Tracker-4) Work description (Tracker-4-0) Oly (Bid) (Tracker-4) Units (Tracker-4) Units (Tracker-4)  Would describe from multiple fields instead of a single one.  Format for Customising Multiple Fields  Uses the translate function to replace %0 etc with the field values. E.g. "%0 ar text %1"  Multiple Fields display type  Table  Display multiple fields as concatenated list in a dropdown or as a table.	Options for Item Link	<u>k</u>		
Bid/Completion Notes (Work Order Line Items)  Tracker to link to  Field ID  Default field to display  Display  Value  How the link to the item should be rendered  Multiple Fields  Wo (Tracker-4)  Old (Bid) (Tracker-4)  Old (Bid) (Tracker-4)  Display the values from multiple fields instead of a single one.  Format for Customising Multiple Fields  Uses the translate function to replace %0 etc with the field values. E.g. "%0 ar text %1"  Multiple Fields display type  Table  Display multiple fields as concatenated list in a dropdown or as a table.	ink to another item, s	similar to a foreign k	ey.	
Tracker to link to  Field ID  Default field to display  Display  Value  How the link to the item should be rendered  Multiple Fields  WO (Tracker-4) Work description (Tracker-4) Oty (Bid) (Tracker-4) Units (Tracker-4) Units (Tracker-4)  Units (Tracker-4)  Work description (Tracker-4) Units (Tracker-4)  Units (Tracker-4)  Work (Bid) (Tracker-4)  Units (Tracker-4)  White (Tracker-4)  White (Tracker-4)  Uses the translate function to replace %0 etc with the field values. E.g. "%0 are text %1"  Multiple Fields display type  Table  Display multiple fields as concatenated list in a dropdown or as a table.	racker ID			
Field ID  — Default field to display  Display  Value  How the link to the item should be rendered  Multiple Fields  WO (Tracker-4) Work description (Tracker-4) Otyl (Bd) (Tracker-4) Units (Tracker-4) Display the values from multiple fields instead of a single one.  Format for Customising Multiple Fields  Uses the translate function to replace %0 etc with the field values. E.g. "%0 ar text %1"  Multiple Fields display type  Table  Display multiple fields as concatenated list in a dropdown or as a table.	Bid/Completion Not	tes (Work Order Lin	e Items)	
Default field to display  Display  Value  How the link to the item should be rendered  Multiple Fields  W0 (Tracker-4) Work description (Tracker-4) Oby (Bid) (Tracker-4) Units (Tracker-4) Display the values from multiple fields instead of a single one.  Format for Customising Multiple Fields  Uses the translate function to replace %0 etc with the field values. E.g. "%0 ar text %1"  Multiple Fields display type  Table  Display multiple fields as concatenated list in a dropdown or as a table.	racker to link to			
Display  Value  How the link to the item should be rendered  Multiple Fields  WO (Tracker-4) Work description (Tracker-4) Obly (bid) (Tracker-4) Units (Tracker-4) Display the values from multiple fields instead of a single one.  Format for Customising Multiple Fields  Uses the translate function to replace %0 etc with the field values. E.g. "%0 ar text %1"  Multiple Fields display type  Table  Display multiple fields as concatenated list in a dropdown or as a table.	ield ID			
Display  Value  How the link to the item should be rendered  Multiple Fields  WO (Tracker-4) Work description (Tracker-4) Obly (bid) (Tracker-4) Units (Tracker-4) Display the values from multiple fields instead of a single one.  Format for Customising Multiple Fields  Uses the translate function to replace %0 etc with the field values. E.g. "%0 ar text %1"  Multiple Fields display type  Table  Display multiple fields as concatenated list in a dropdown or as a table.	_			
Value How the link to the item should be rendered  Multiple Fields  WO (Tracker-4) Work description (Tracker-4) Obly (Bid) (Tracker-4) Units (Tracker-4) Distplay the values from multiple fields instead of a single one.  Format for Customising Multiple Fields  Uses the translate function to replace %0 etc with the field values, E.g. "%0 ar text %1"  Multiple Fields display type  Table  Display multiple fields as concatenated list in a dropdown or as a table.	Default field to display			
Multiple Fields  W0 (Tracker-4) Work description (Tracker-4) Oby (Bid) (Tracker-4) Units (Tracker-4) U	Display			
Multiple Fields  Wo (Tracker-4) Work description (Tracker-4) Oly (Bid) (Tracker-4) Units (Tracker-4) Display the values from multiple fields instead of a single one.  Format for Customising Multiple Fields  Uses the translate function to replace %0 etc with the field values. E.g. "%0 artext %1"  Multiple Fields display type  Table  Display multiple fields as concatenated list in a dropdown or as a table.	Value			
Format for Customising Multiple Fields  Uses the translate function to replace %0 etc with the field values. E.g. "%0 ar text %1"  Multiple Fields display type  Table  Display multiple fields as concatenated list in a dropdown or as a table.	Work description (T Qty (Bid) (Tracker-4			
Uses the translate function to replace %0 etc with the field values. E.g. "%0 ar text %1"  Multiple Fields display type  Table  Display multiple fields as concatenated list in a dropdown or as a table.	Display the values from	m multiple fields ins	tead of a single one	в.
text %1"  Multiple Fields display type  Table  Display multiple fields as concatenated list in a dropdown or as a table.	ormat for Customis	ing Multiple Fields	1	
Table Display multiple fields as concatenated list in a dropdown or as a table.		ction to replace %0	etc with the field va	alues. E.g. "%0 any
Display multiple fields as concatenated list in a dropdown or as a table.		ay type		
	Multiple Fields displa			
			t in a dropdown or	as a table.
	Table Display multiple fields			



Yes				
Allow the user to s	select multiple valu	es		
Index remote fiel	ds			
Client Side (T Contractor Side Photos (Track Assigned to (Co	de (Tracker-4)	4)		
	ple fields from the	master tracker a	along with the	child, separa
by				
Cascade actions				
No				
Elements to casca conflict if multiple	nde when the mast item links are used Same for status.			_
Elements to casca conflict if multiple same categories.	item links are used			_
Elements to casca conflict if multiple same categories.  Validation	item links are used			_
Elements to casca conflict if multiple same categories.  Validation  Permissions	item links are used			_
Elements to casca conflict if multiple same categories.  Validation	item links are used			_
Elements to casca conflict if multiple same categories.  Validation  Permissions	item links are used			_

As indicated above, see more details in your own tiki instance after applying profile Work Custom Pricing

#### Wildcard items


Since Tiki17 (backported to Tiki 16.2), you can use wildcard items in the remote tracker:

- 1. the tracker field can display items from the remote tracker which match the value of the common field between the two tracker **plus those with a wildcard (asterisk, \*)** in that field.
  - An **Update** button is shown then below the table, which will proceed as follows:
    - all selected wildcard items are cloned and become linked items
    - all selected normal items stay the same

all unselected normal items are deleted

This allows users to make some selections, update, then edit as necessary. Cloned items are safe to edit (they no longer edit the wildcard item but the cloned one), and then save the whole form.

The **Update** button makes sure this works for new items when we still don't have the itemId to clone to, etc.



## New options added in Tiki 18

temsList field can now use an already present DynamicItemList link to another tracker to list fields in addition to ones lisplayed in DynamicItemsList. For this purpose, Link Field ID must be left empty and Value Field ID must be set to the DynamicItemList field.

## New options added in Tiki 21

ItemsList fields Editable: In edit and view mode, ItemsList fields now offer these options: add item, edit item, delete item.

(See: https://dev.tiki.org/item7206-Make-ItemsList-Tracker-Fields-Editable)

#### Related

See also Dynamic items list.

Items list | item link | item list | items link | tracker field items list | tracker field item link | tracker field item list | tracker field items link | itemslist | itemslink | foreign key | Wildcard items | Wildcard | Wildcard items | Wildcard items | Wildcard items