

PluginJS

Use the JS wiki plugin, introduced in Tiki3, to include JavaScript files or JavaScript code in a wiki page.
Alternatives: PluginHTML or PluginJQ

Parameters

Add JavaScript code or files

Introduced in Tiki 3.

Go to the source code

Preferences required: wikiplugin_js

Parameters	Accepted Values	Description	Default	Since
(body of plugin)		JavaScript code		
file	url	JavaScript filename		3.0
lateload	(blank)	Late load, use headerlib		9.1
	y			
	n			

Examples

Basic syntax

Insert a javascript file or/and some javascript code. `{JS(file='file.js')}javascript code{JS}`

The file.js file is in this case in the Tikiroot.

This will produce the following code for your Tiki site:

Note that it has to be surrounded by quotes.

```
{JS(file="http://example.org/tiki.js")} {JS}
```

`[REMARKSBOX(title="Tip" type="tip")]` Literal strings will have `<`, `>`, and `&` converted into HTML entities (and possibly other characters as well), so if your javascript is dealing with HTML (e.g. via `document.write()`), you probably need to convert them back.

Example 1

To include JavaScript code, use:

```
{JS()} var.... function ... ... {JS}
```

This will produce the following code for your Tiki:

```
var....  
function ...  
...
```

Tip

The file is inserted before the param, if you need the reverse order use 2 calls to the JS plugin.

Example 2

This code:

```
{JS()}alert('coucou'){JS}
```

Would produce a pop up window that the user would have to click on "Accept" button ("D'accord" in this localized example) to make it disappear:



Aliases

- Mod js