

Plugin Jabber

Use this wiki plugin to chat using Jabber. The plugin runs a Java applet that connects to a local (same machine as the webserver running Tiki) Jabber service, which is a open protocol for chat, using the Extensible Messaging and Presence Protocol (XMPP), which is an open, XML-based protocol for near-real-time, extensible instant messaging (IM) and presence information (a.k.a. buddy lists).

Requirements

- A Jabber server on your web host (same PC)
- JAVA enabled browsers

You can only use this plugin to connect to a jabber server that is running on the same server as the http server for tiki.

This is a constraint of the applet for security reasons.

Installation

To make this plugin work:

1. get the JabberApplet from here: <http://jabberapplet.sf.net>
 - Direct link: <http://jabberapplet.sourceforge.net/JabberApplet.jar> (2002-11-15)
2. put it in a directory called jabber under \$TIKI_BASE/lib, the path must resolve to:
lib/jabber/JabberApplet.jar
3. make sure your **local** jabber server is started and you know it's name
4. substitute the name of your local jabber server for 'jabber.org' in the example above and put it into a wiki page.

Parameters

Plugin PluginTikiDocFromCode failed : Either the module, plugin, preferences, tracker field or prefsexport parameter must be set, but not two or more.

Example

Basic syntax

```
{jabber height="200" width="200" xmlhostname="jabber.org" defaultColor="255,255,255"}
```

Related pages

- <http://jabber.org>
- <http://jabberapplet.sourceforge.net>