Semantic links

Option	Description	Default
Semantic links	Going beyond Backlinks functionality, this allows some semantic relationships to be defined between wiki pages.	Disabled
Backlinks	Present a list of pages that link to the current page.	Disabled
Option	Description	Default
Semantic links	Going beyond Backlinks functionality, this allows some semantic relationships to be defined between wiki pages.	Disabled
Backlinks	Present a list of pages that link to the current page.	Disabled
Option	Description	Default
Semantic links	Going beyond Backlinks functionality, this allows some semantic relationships to be defined between wiki pages.	Disabled
Backlinks	Present a list of pages that link to the current page.	Disabled
Option	Description	Default
Semantic links	Going beyond Backlinks functionality, this allows some semantic relationships to be defined between wiki pages.	Disabled
Backlinks	Present a list of pages that link to the current page.	Disabled
Option	Description	Default
Semantic links	Going beyond Backlinks functionality, this allows some semantic relationships to be defined between wiki pages.	Disabled
Backlinks	Present a list of pages that link to the current page.	Disabled
Option	Description	Default
Semantic links	Going beyond Backlinks functionality, this allows some semantic relationships to be defined between wiki pages.	Disabled
Backlinks	Present a list of pages that link to the current page.	Disabled

Share

Option	Description	Default
Share	Add a "Share" link in all pages to send it via email, Twitter, Facebook, message or forums A Be careful when allowing anonymous users to activate the antibot feature.	Disabled
Display links on the share page		Enabled
Foken notification	Users can subscribe to the notifications of consultation of the token.	Enabled
Add contact	If not already in the list, recipients are added to the list of contacts.	Disabled
Display name and email	If the user is connected, the name and email will display in the page.	Enabled
Number of times accessed	User can choose how many times the share page can be consulted.	Disabled
Maximum number of times accessed	Maximum number of times that the shared page can be consulted	-1 page hits
Option	Description	Default
Share	Add a "Share" link in all pages to send it via email, Twitter, Facebook, message or forums A Be careful when allowing anonymous users to activate the antibot feature.	Disabled
Display links on the share page		Enabled
Foken notification	Users can subscribe to the notifications of consultation of the token.	Enabled
Add contact	If not already in the list, recipients are added to the list of contacts.	Disabled
Display name and email	If the user is connected, the name and email will display in the page.	Enabled
Number of times accessed	User can choose how many times the share page can be consulted.	Disabled
Maximum number of times accessed	Maximum number of times that the shared page can be consulted	-1 page hits
Option	Description	Default
Share	Add a "Share" link in all pages to send it via email, Twitter, Facebook, message or forums A Be careful when allowing anonymous users to activate the antibot feature.	Disabled
Display links on the share page		Enabled
Foken notification	Users can subscribe to the notifications of consultation of the token.	Enabled
Add contact	If not already in the list, recipients are added to the list of contacts.	Disabled
Display name and email	If the user is connected, the name and email will display in the page.	Enabled
Number of times accessed	User can choose how many times the share page can be consulted.	Disabled
Maximum number of times accessed	Maximum number of times that the shared page can be consulted	-1 page hits

Option	Description	Default
Share	Add a "Share" link in all pages to send it via email, Twitter, Facebook, message or forums A Be careful when allowing anonymous users to activate the antibot feature.	Disabled
Display links on the share page		Enabled
Foken notification	Users can subscribe to the notifications of consultation of the token.	Enabled
Add contact	If not already in the list, recipients are added to the list of contacts.	Disabled
Display name and email	If the user is connected, the name and email will display in the page.	Enabled
Number of times accessed	User can choose how many times the share page can be consulted.	Disabled
Maximum number of times accessed	Maximum number of times that the shared page can be consulted	-1 page hits
Option	Description	Default
Share	Add a "Share" link in all pages to send it via email, Twitter, Facebook, message or forums A Be careful when allowing anonymous users to activate the antibot feature.	Disabled
Display links on the share page		Enabled
Foken notification	Users can subscribe to the notifications of consultation of the token.	Enabled
Add contact	If not already in the list, recipients are added to the list of contacts.	Disabled
Display name and email	If the user is connected, the name and email will display in the page.	Enabled
Number of times accessed	User can choose how many times the share page can be consulted.	Disabled
Maximum number of times accessed	Maximum number of times that the shared page can be consulted	-1 page hits
Option	Description	Default
Share	Add a "Share" link in all pages to send it via email, Twitter, Facebook, message or forums A Be careful when allowing anonymous users to activate the antibot feature.	Disabled
Display links on the share page		Enabled
Foken notification	Users can subscribe to the notifications of consultation of the token.	Enabled
Add contact	If not already in the list, recipients are added to the list of contacts.	Disabled
Display name and email	If the user is connected, the name and email will display in the page.	Enabled
Number of times accessed	User can choose how many times the share page can be consulted.	Disabled
Maximum number of times accessed	Maximum number of times that the shared page can be consulted	-1 page hits

Social networks - Bit.ly

Option	Description	Default
pit.ly login	Site-wide log-in name (username) for bit.ly	None
pit.ly key	Site-wide API key for bit.ly	None
Jse site-wide account	When set to "yes", only the site-wide account will be used for all users.	Disabled
Option	Description	Default
oit.ly login	Site-wide log-in name (username) for bit.ly	None
bit.ly key	Site-wide API key for bit.ly	None
Jse site-wide account	When set to "yes", only the site-wide account will be used for all users.	Disabled
Option	Description	Default
bit.ly login	Site-wide log-in name (username) for bit.ly	None
bit.ly key	Site-wide API key for bit.ly	None
Jse site-wide account	When set to "yes", only the site-wide account will be used for all users.	Disabled
Option	Description	Default
bit.ly login	Site-wide log-in name (username) for bit.ly	None
bit.ly key	Site-wide API key for bit.ly	None
Jse site-wide account	When set to "yes", only the site-wide account will be used for all users.	Disabled
Option	Description	Default
bit.ly login	Site-wide log-in name (username) for bit.ly	None
bit.ly key	Site-wide API key for bit.ly	None
Jse site-wide account	When set to "yes", only the site-wide account will be used for all users.	Disabled
Option	Description	Default
bit.ly login	Site-wide log-in name (username) for bit.ly	None
bit.ly key	Site-wide API key for bit.ly	None
Jse site-wide account	When set to "yes", only the site-wide account will be used for all users.	Disabled

Social networks - Facebook

Option	Description	Default
Facebook site name	The default website name that will be used by Facebook (og:site_name) for every webpage. This parameter will be used instead of the browser title.	None
⁻ acebook site image	The default image (logo, picture, etc.) that will be used by Facebook (og:image) for every webpage. It must be specified as a URL. The minimum valid image size is 200x200px. However, Facebook recommends 1200x630px or larger for the best display on high resolution devices.	None
Application ID	Application ID generated by registering this Tiki site as an application at Facebook	None
Application secret	Application secret generated by registering this Tiki site as an application at Facebook	None
_ogin using Facebook	Allow users to log in using Facebook	Disabled
Auto-create Tiki user	Automatically create a Tiki user by the username of fb_xxxxxxxx for users logging in using Facebook if they do not yet have a Tiki account. If not, they will be asked to link or register a Tiki account	Disabled
Require Facebook users to enter local account info on creation	Require Facebook users to enter local account info, specifically email and local log-in name	Disabled
Set user email from Facebook on creation.	Tiki will set the user's email from Facebook on creation.	Disabled
Create a user tracker item on registration	Sets whether a tracker item should be created for the user upon registration	Disabled
First and last name tracker field IDs to set on creation	Comma-separated, with first name field followed by last name field; for example, '2,3'	Disabled
Fiki can post to the Facebook wall	Tiki may post status messages, notes, photos, and videos to the Facebook Wall.	Disabled
Fiki can manage events	Tiki may create and RSVP to Facebook events.	Disabled
Fiki can manage pages	Tiki can manage user pages.	Disabled
Fiki can SMS	Tiki can use SMS functions via Facebook.	Disabled

Social networks - General

Option	Description	Default
Social networks	Integration with social applications and networks like Twitter and Facebook	Disabled
Option	Description	Default
Social networks	Integration with social applications and networks like Twitter and Facebook	Disabled
Option	Description	Default
Social networks	Integration with social applications and networks like Twitter and Facebook	Disabled
Option	Description	Default
Social networks	Integration with social applications and networks like Twitter and Facebook	Disabled
Option	Description	Default
		Derudit
Social networks	Integration with social applications and networks like Twitter and Facebook	Disabled
Social networks Option Social networks	Integration with social applications and networks like Twitter and Facebook	Disabled

Social networks - LinkedIn

Option	Description	Default
Client ID	Client ID generated by registering this site as an application at LinkedIn	None
Client secret	Client Secret generated by registering this site as an application at LinkedIn	None
_og in using LinkedIn	Allow users to log in using LinkedIn.	Disabled
Auto-create Tiki user from LinkedIn	Automatically create a Tiki user by the username of li_xxxxxxx for users logging in using LinkedIn if they do not yet have a Tiki account. If not, they will be asked to link or register a Tiki account	Disabled
Set user email from LinkedIn on creation.	Tiki will set the user's email from LinkedIn on creation.	Disabled
Create a user tracker item on registration	Sets whether a tracker item should be created for the user upon registration	Disabled
First and last name tracker field IDs to set on creation	Comma-separated, with first name field followed by last name field; for example, '2,3'	None

Social networks - ShareThis

Option	Description	Default
ShareThis buttons	Enable sharing site content via ShareThis Insert a ShareThis button from http://www.sharethis.com.	Disabled
Your ShareThis publisher identifier optional)	Set to define your ShareThis publisher identifier	None
Display ShareThis icon prominently	Encourage sharing by displaying the ShareThis icon (the default is placing the icon in a drop- down list that requires a click to view).	Disabled
Option	Description	Default
ShareThis buttons	Enable sharing site content via ShareThis Insert a ShareThis button from http://www.sharethis.com.	Disabled
Your ShareThis publisher identifier optional)	Set to define your ShareThis publisher identifier	None
Display ShareThis icon prominently	Encourage sharing by displaying the ShareThis icon (the default is placing the icon in a drop- down list that requires a click to view).	Disabled
Option	Description	Default
ShareThis buttons	Enable sharing site content via ShareThis lnsert a ShareThis button from http://www.sharethis.com.	Disabled
Your ShareThis publisher identifier [optional)	Set to define your ShareThis publisher identifier	None
Display ShareThis icon prominently	Encourage sharing by displaying the ShareThis icon (the default is placing the icon in a drop- down list that requires a click to view).	Disabled
Option	Description	Default
ShareThis buttons	Enable sharing site content via ShareThis lnsert a ShareThis button from http://www.sharethis.com.	Disabled
Your ShareThis publisher identifier [optional)	Set to define your ShareThis publisher identifier	None
Display ShareThis icon prominently	Encourage sharing by displaying the ShareThis icon (the default is placing the icon in a drop- down list that requires a click to view).	Disable

Option	Description	Default
ShareThis buttons	Enable sharing site content via ShareThis Insert a ShareThis button from http://www.sharethis.com.	Disabled
Your ShareThis publisher identifier optional)	Set to define your ShareThis publisher identifier	None
Display ShareThis icon prominently	Encourage sharing by displaying the ShareThis icon (the default is placing the icon in a drop- down list that requires a click to view).	Disabled
Option	Description	Default
Option ShareThis buttons	Description Enable sharing site content via ShareThis Insert a ShareThis button from http://www.sharethis.com.	Default Disabled
•	Enable sharing site content via ShareThis	

Social networks - Twitter

Option	Description	Defaul
	The default website name that will be used by Twitter (twitter:site) for every web page. This parameter will be used instead of the browser title.	None
-	The default image (logo, picture, etc) that will be used by Twitter (twitter:image) for every web page. The image must be specified as a URL.	None
Consumer key	Consumer key generated by registering this Tiki site as an application at Twitter	None
Consumer secret	Consumer secret generated by registering this Tiki site as an application at Twitter.	None

Stats - Google Analytics

Option	Description	Default
Google Analytics account number	The account number for the site. The account number from Google is something like UA-XXXXXXYY or G-XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	None
	b Enter the account number with prefix (prefix eg: "G-" or "UA-")	
Google Global Site Tag Mode	Use the newer Google Global Site Tag (gtag.js) as opposed to the previous ga.js.	Enabled
Google authentication credentials file	Path to the Google Service Account credentials JSON file. A Must be kept private and not accessible on the internet directly	None
Google Analytics Groups Option	Define option for Google Analytics groups ≔ None Included Excluded	None
Google Analytics Available Groups	User groups for which Google Analytics will be available Ħ All Admins DocContributors DocTwoAdmins DocTwoEditors Registered Team Developers	None
Option	Description	Default
Google Analytics account number	The account number for the site. The account number from Google is something like UA-XXXXXXYY or G-XXXXXXXXXXXXXX.	None
	b Enter the account number with prefix (prefix eg: "G-" or "UA-")	
Google Global Site Tag Mode	Use the newer Google Global Site Tag (gtag.js) as opposed to the previous ga.js.	Enabled
Google authentication credentials file	Path to the Google Service Account credentials JSON file. A Must be kept private and not accessible on the internet directly	None
Google Analytics Groups Option	Define option for Google Analytics groups ≔ None Included Excluded	None
Google Analytics Available Groups	User groups for which Google Analytics will be available Ħ All Admins DocContributors DocTwoAdmins DocTwoEditors Registered Team Developers	None
Option	Description	Default
Google Analytics account number	The account number for the site. The account number from Google is something like UA-XXXXXXYY or G-XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	None
Google Global Site Tag Mode	Use the newer Google Global Site Tag (gtag.js) as opposed to the previous ga.js.	Enabled
Google authentication credentials file		None
	A Must be kept private and not accessible on the internet directly	NOTE

Option	Description	Default
Google Analytics Groups Option	Define option for Google Analytics groups ☷ None Included Excluded	None
Google Analytics Available Groups	User groups for which Google Analytics will be available ☷ All Admins DocContributors DocTwoAdmins DocTwoEditors Registered Team Developers	None
Option	Description	Default
Google Analytics account number	The account number for the site. The account number from Google is something like UA-XXXXXXXYY. <i>Enter only XXXXXXYY (without the UA)</i>	None
Google Global Site Tag Mode	Use the newer Google Global Site Tag (gtag.js) as opposed to the previous ga.js.	Enabled
Google authentication credentials file	Path to the Google Service Account credentials JSON file. <u>A</u> Must be kept private and not accessible on the internet directly	None
Google Analytics Groups Option	Define option for Google Analytics groups ☷ None Included Excluded	None
Google Analytics Available Groups	User groups for which Google Analytics will be available ☵ All Admins DocContributors DocTwoAdmins DocTwoEditors Registered Team Developers	None
Option	Description	Default
Google Analytics account number	The account number for the site. The account number from Google is something like UA-XXXXXXXYY. <i>Enter only XXXXXXX-YY (without the UA)</i>	None
Google Global Site Tag Mode	Use the newer Google Global Site Tag (gtag.js) as opposed to the previous ga.js.	Enabled
Google authentication credentials file	Path to the Google Service Account credentials JSON file. A Must be kept private and not accessible on the internet directly	None
Google Analytics Groups Option	Define option for Google Analytics groups ☷ None Included Excluded	None
Google Analytics Available Groups	User groups for which Google Analytics will be available ☷ All Admins Registered	None
Option	Description	Default
Google Analytics account number	The account number for the site. The account number from Google is something like UA-XXXXXXYY. <i>Enter only XXXXXXYY (without the UA)</i>	None
Google Global Site Tag Mode	Use the newer Google Global Site Tag (gtag.js) as opposed to the previous ga.js.	Enabled
Google authentication credentials file	Path to the Google Service Account credentials JSON file. A Must be kept private and not accessible on the internet directly	None

Option	Description	Default
Google Analytics Groups Option	Define option for Google Analytics groups ≔ None Included Excluded	None
Google Analytics Available Groups	User groups for which Google Analytics will be available ☷ All Admins Registered	None

Stats - Piwik Analytics

Option	Description	Default
Piwik server URL	The URL to the Piwik server of this site In Piwik, the selected site (Site Id) must have view permission set for anonymous, or a token authentication parameter can be inserted in the Piwik server URL. http(s)://yourpiwik.tld/index.php(?token_auth=yourtokencode)	
Site Id	The ID of this website in Piwik	None
Piwik JavaScript rracking code	Code to be placed on every page of this website just before the	

ag		
Option	Description	Default
Piwik server URL	The URL to the Piwik server of this site In Piwik, the selected site (Site Id) must have view permission set for anonymous, or a token authentication parameter can be inserted in the Piwik server URL. http(s)://yourpiwik.tld/index.php(?token_auth=yourtokencode)	None
Site Id	The ID of this website in Piwik	None
Piwik JavaScript tracking	Code to be placed on every page of this website just before the tag	None
Piwik Groups Option	Define option for Piwik groups ≔ None Included Excluded	None
Piwik Available Groups	User groups for which piwik will be available ≔ All Admins DocContributors DocTwoAdmins DocTwoEditors Registered Team Developers	None
Option	Description	Default
Piwik server URL	The URL to the Piwik server of this site In Piwik, the selected site (Site Id) must have view permission set for anonymous, or a token authentication parameter can be inserted in the Piwik server URL. http(s)://yourpiwik.tld/index.php(?token_auth=yourtokencode)	None
Site Id	The ID of this website in Piwik	None
Piwik JavaScript tracking code	Code to be placed on every page of this website just before the tag	None
Piwik Groups Option	Define option for Piwik groups ≔ None Included Excluded	None
Piwik Available Groups	User groups for which piwik will be available ☵ All Admins DocContributors DocTwoAdmins DocTwoEditors Registered Team Developers	None
Option	Description	Default
Piwik server URL	The URL to the Piwik server of this site In Piwik, the selected site (Site Id) must have view permission set for anonymous, or a token authentication parameter can be inserted in the Piwik server URL. http(s)://yourpiwik.tld/index.php(?token_auth=yourtokencode)	None
Site Id	The ID of this website in Piwik	None
Piwik JavaScript tracking code	Code to be placed on every page of this website just before the tag	None

Option	Description	Defaul
Piwik Groups Option	Define option for Piwik groups ≔ None Included Excluded	None
Piwik Available Groups	User groups for which piwik will be available ☵ All Admins DocContributors DocTwoAdmins DocTwoEditors Registered Team Developers	None
Option	Description	Default
Piwik server URL	The URL to the Piwik server of this site In Piwik, the selected site (Site Id) must have view permission set for anonymous, or a token authentication parameter can be inserted in the Piwik server URL. http(s)://yourpiwik.tld/index.php(?token_auth=yourtokencode)	None
Site Id	The ID of this website in Piwik	None
Piwik JavaScript tracking	Code to be placed on every page of this website just before the tag	None
Piwik Groups Option	Define option for Piwik groups ≔ None Included Excluded	None
Piwik Available Groups	User groups for which piwik will be available ☷ All Admins Registered	None
Option	Description	Default
Piwik server URL	The URL to the Piwik server of this site In Piwik, the selected site (Site Id) must have view permission set for anonymous, or a token authentication parameter can be inserted in the Piwik server URL. http(s)://yourpiwik.tld/index.php(?token_auth=yourtokencode)	None
Site Id	The ID of this website in Piwik	None
Piwik JavaScript tracking	Code to be placed on every page of this website just before the tag	None
Piwik Groups Option	Define option for Piwik groups ☷ None Included Excluded	None
Piwik Available Groups	User groups for which piwik will be available ☷ All Admins Registered	None

Stats - Tiki statistics

Option	Description		Default
Stats	Record basic statistics about major Tiki features (number of wiki pages, size of file galleries, etc.)		Disable
Referrer stats	Record domain name of sites that send visitors to this Tiki.		Disable
Count admin pageviews	Include pageviews by Admin when reporting stats.		Disable
Option	Description		Default
Stats	Record basic statistics about major Tiki features (number of wiki pages, size of file galleries, etc.)		Disable
Referrer stats	Record domain name of sites that send visitors to this Tiki.		Disable
Count admin pageviews	Include pageviews by Admin when reporting stats.		Disable
Option	Description		Default
Stats	Record basic statistics about major Tiki features (number of wiki pages, size of file galleries, etc.)		Disable
Referrer stats	Record domain name of sites that send visitors to this Tiki.		Disable
Count admin pageviews	Include pageviews by Admin when reporting stats.		Disable
Option	Description		Default
Stats	Record basic statistics about major Tiki features (number of wiki pages, size of file galleries, etc.)		Disable
Referrer stats	Record domain name of sites that send visitors to this Tiki.		Disable
Count admin pageviews	Include pageviews by Admin when reporting stats.		Disable
Option	Description		Default
Stats	Record basic statistics about major Tiki features (number of wiki pages, size of file galleries, etc.)		Disable
Referrer stats	Record domain name of sites that send visitors to this Tiki.		Disable
Count admin pageviews	Include pageviews by Admin when reporting stats.		Disable
Option	Description		Default
Stats	Record basic statistics about major Tiki features (number of wiki pages, size of file galleries, etc.)		Disable
Referrer stats	Record domain name of sites that send visitors to this Tiki.		Disable
Count admin pageviews	Include pageviews by Admin when reporting stats.		Disable
None			
Piwik Gı	roups Option Define option for Piwik groups	None	

Piwik Groups Option ≣ None | Included | Excluded

Piwik Available Groups
User groups for which piwik will be available

Image: Second state of the second st