

Show.t.o Tracker Field

This is a stub

This field is initially for creating show.tiki.org instances in our bug tracker at <https://dev.tiki.org/tracker5>. It can be useful in other scenarios where Tiki instances need to be created on the fly upon user request, for training, or other purposes.

A more generic field type is Tiki Manager Tracker Field

Requirements

SSH2 extension for PHP needs to be installed for show.tiki.org feature to work

```
sudo apt-get install libssh2-php
```

or with newer distributions like ubuntu 20.04 it is:

```
sudo apt-get install php-ssh
```

How to set it up

dev.t.o/ -> 2 pages about show. Concept is described.


1. <https://dev.tiki.org/show.tiki.org>+Overview
2. <https://dev.tiki.org/show.tiki.org>

doc/devtools/tim
Tiki Instance Manager
user "control" ("ctrl")
scripts usually located in:

/usr/local/sbin/

Tracker field type show.t.o:
open that and set it up to use localhost

How to use it



The screenshot shows a dialog box titled "Edit Field" with a close button (X) in the top right corner. Inside the dialog, there is a tab labeled "General" and a section titled "Options for Show.tiki.org" which is expanded. Below this section, there is a description: "Create, display or manage show.tiki.org instances." followed by several input fields and a dropdown menu. The fields are: "Domain name of show server" with the value "training.example.com" and a hint "For example, show.tiki.org"; "Shell user name on remote server" with the value "control" and a hint "The shell user name on the show server"; "Public key file path" with an empty field and a hint "System path to public key on local server"; "Private key file path" with an empty field and a hint "System path to private key on local server"; "Show debugging information" with a dropdown menu set to "Yes" and a hint "Show debugging info during testing"; and "Fixed user id" with the value "0" and a hint "Set fixed user id instead of using user id of creator of tracker item". At the bottom right of the dialog are "OK" and "Cancel" buttons.

Edit Field

General

Options for Show.tiki.org

Create, display or manage show.tiki.org instances.

Domain name of show server
training.example.com
For example, show.tiki.org

Shell user name on remote server
control
The shell user name on the show server

Public key file path

System path to public key on local server

Private key file path

System path to private key on local server

Show debugging information
Yes
Show debugging info during testing

Fixed user id
0
Set fixed user id instead of using user id of creator of tracker item

OK Cancel

Click to expand

Alias names for this page

show.t.o | show.tiki.org | show.tikiwiki.org