User Encryption

Jser encryption aims to a provide secure, personal storage of sensitive data, e.g. external usernames and passwords

About User Encryption

When linking multiple systems together, it is often required to have a username and a password for the target system available, in order to login. The other system can be an external database, a web service, etc.

User Encryption enables secure storage of such external log-in credentials. <u>The decryption key is **not** stored by Tiki</u>, and it is only available when the user is logged in.

Notes:

- This is a new an experimental feature in Tiki 13 and has been backported for Tiki 12.2, so it is available (as experimental) in the LTS version
- $\boldsymbol{\cdot}$ Use the Domain Password module to allow the user to specify username and password
- CryptLib must be integrated by coding to access the domain. CryptLib provides the decrypted domain credentials

See also User Encryption.

Password Domains

Each linked system makes up a "password domain". Multiple users can log in to a domain. A password domain has a name. The name must be unique.

The interface to a linked system, uses the password domain name to look-up a user's credentials for the system. The module "Domain Password", prompts the user for a password.

The password is encrypted and saved associated with the domain specified in the module.

Configuring Password domains

Configure in the Admin / Security panel.

A Make sure OpenSSL (Tiki18+) / Mcrypt (Tiki pre-18) is available

Before you enable "User Encryption", make sure that the OpenSSL (Tiki18+) / Mcrypt (Tiki pre-18) PHP extension is available. It is required to encrypt the passwords securely.

👿 User Encryption 🕢 🖄 Enable personal, secure stora	ge of sensitive data, e.g. passwords
	P extension for cryptation. Check Now add the "Domain Password" module somewhere.
•	of password domains, e.g.: Company ABC,Company XYZ words for a registered password domain.
Password Domains:	Database X, Web service Y, System Z 🛛 🛈 🥥

Click to expand

The names of the password domains must be unique.

Specifying domain credentials

The module "Domain Password" allows users to specify a password (and possibly a username) for a domain. Only defined password domains can be specified.

Module Name	Domain Password (domain_password)	
	Store personal passwords for other domains securely in Tiki.	
Domain	Database X	
	System the credentials apply for. The name must match a defined Password Domain.	
Use current user		
	Use the currently logged in user. The username is not editable. (y/n) Default: y	
Can Update	У	
	If "y" the user can update the values, otherwise the display is read-only (y/n). Default: n	

By default the currently logged in Tiki username will be used. By setting "Use current user" = "n", the user must also specify a username.

The view mode is displayed initially. The user can choose to edit the credentials, if the module configuration allows it.

	Dom	ain Password		
	Domain Username Edit	Database X test		
If the password domain is	misconf	igured, an er	ror message	is displayed.
	Doma	in Password		
	Domain is no	t defined		
	Domain	Database XYZ		
	Username	arild		
	Edit			

If the user click edit, the credentials can be edited.

If the current Tiki user is being used, only the password can be edited.

Do	main Password
Domain	Database X
Username	e test
Password	
Save	Cancel

Code integration

See User Encryption @ dev.tiki.org