

Messaggi tra gli utenti

Gli utenti possono inviarsi messaggi tra di loro e rispondere/reinviare/cancellare messaggi nella proprie caselle di posta. I messaggi hanno una priorità e l'utente può scegliere di avere una notifica per email quando messaggi importanti sono ricevuti sul tiki.

L'utente può chiudere la propria casella di messaggi, modificando il pannello delle preferenze utente, e non riceverà più messaggi.


I messaggi possono essere marcati per essere seguiti.

Gli amministratori o gruppi abilitati possono inviare messaggi a gruppi di persone.

Messages can be flagged for follow up. Admins can send broadcast messages to all the users in a Tiki site. A module to display the number of unread messages is also included. User with permission can send messages to all the members of a group.

The user messages screen can be used to access the Tiki internal messaging system between users (like email but internal to your tiki site).

Mailbox



The messages section is divided in four screens: Mailbox, compose, broadcast (if permissions are ok) and archive. The mailbox is shown on the left of this text, it displays the list of messages ordered by date. The user can sort messages as he wants, he can filter messages by different flags or priority or find messages containing some text. Messages can be mark as read, unread or flagged/unflagged. There s a filter to see only flagged messages or unflagged. The checkboxes on the left are used to mark or remove some messages. Unread messages are displayed in bold font to make the user notice them. If the user clicks on any message subject a screen to read messages is displayed:



he user can read the message, reply it, move to the next message or flag the message for follow up if he wants. Since

1.9 the user can move messages to the archive, thus speeding up the regular mail check process, because the mail archive is a separate table. The size of the mailbox and the size of the archive can be defined by the admin in admin , login (where most of the general user settings are). If the maximum number is set to 0 (zero), the number is 'unlimited'. If the number is bigger than zero, the user cannot receive any more mails if the number of mails in the users mailbox exceeds this limit. He can archive some mails then or delete some. If the archiving limit is reached, no more mails can get archived by the user.


Composing messages



The screenshot shows a web-based email composition interface. At the top, there are three tabs: "Mailbox", "Compose", and "Broadcast". Below the tabs, there are several input fields and a "send" button. The fields are labeled "To:", "CC:", "BCC:", "Priority:", and "Subject:". The "Priority:" field has a dropdown menu showing "3 -Normal-". The "Subject:" field is empty. Below the input fields is a large, empty text area for composing the message body.

On this screen the user can compose a message the to, cc and bcc are similar to the fields used to send emails but Tik user names should be entered instead of mail addresses. If any of the users has a full mailbox, you receive an error that the mail could not get delivered to that user.

Broadcasting



A screenshot of a web form for broadcasting a message. The form has a light beige background and a thin border. At the top, there are three rows of input fields. The first row is labeled 'Group:' and contains a dropdown menu with 'Anonymous' selected. The second row is labeled 'Priority:' and contains a dropdown menu with '3 -Normal-' selected, followed by a blue 'send' button. The third row is labeled 'Subject:' and contains an empty text input field. Below these fields is a large, empty rectangular area for the message content.

A broadcast is a message sent to many users, the message can be sent to a Tiki group or to all users (if permissions are ok).

Tips

The function to send messages is messu-compose.php (it is useful to put this function in a menu for a contact page for example)

You can force Subject or cc or to record by using

`messu-compose.php?subject=foo&to=admin&cc:otheruser`

How to Enable as this Feature Admin

As administrator of a Tiki site, you can enable this feature in order to allow users send messages to other users provided they know their usernames.

Those are the needed steps:

1. Under "Admin home > Features", "User Features" section, enable "**User messages**"
2. Grant permission **tiki_p_messages** ("Can use the messaging system") to the group you need (you may probably want to grant it to "Registered" users)

Note: *An admin might consider granting to editors or admin group the permissions "tiki_p_broadcast" (Can broadcast messages to groups) or "tiki_p_broadcast_all" (Can broadcast messages to all users)*

3. Under "Admin home > Login", you may want to modify these preferences:
 1. Checkbox "**Users can opt-out internal messages:**"
 2. Checkbox "**Users accept internal messages by default:**"