Semantic links

Option	Description	Default
Semantic links	Going beyond Backlinks functionality, this allows some semantic relationships to be defined between wiki pages.	Disabled
Backlinks	Present a list of pages that link to the current page.	Disabled
Option	Description	Default
Semantic links	Going beyond Backlinks functionality, this allows some semantic relationships to be defined between wiki pages.	Disabled
Backlinks	Present a list of pages that link to the current page.	Disabled
Option	Description	Default
Semantic links	Going beyond Backlinks functionality, this allows some semantic relationships to be defined between wiki pages.	Disabled
Backlinks	Present a list of pages that link to the current page.	Disabled
Option	Description	Default
Semantic links	Going beyond Backlinks functionality, this allows some semantic relationships to be defined between wiki pages.	Disabled
Backlinks	Present a list of pages that link to the current page.	Disabled
Option	Description	Default
Semantic links	Going beyond Backlinks functionality, this allows some semantic relationships to be defined between wiki pages.	Disabled
Backlinks	Present a list of pages that link to the current page.	Disabled
Option	Description	Default
Semantic links	Going beyond Backlinks functionality, this allows some semantic relationships to be defined between wiki pages.	Disabled

Share

Option	Description	Default
Share	Add a "Share" link in all pages to send it via email, Twitter, Facebook, message or forums Be careful when allowing anonymous users to activate the antibot feature.	Disabled
Display links on the share page		Enabled
Token notification	Users can subscribe to the notifications of consultation of the token.	Enabled
Add contact	If not already in the list, recipients are added to the list of contacts.	Disabled
Display name and email	If the user is connected, the name and email will display in the page.	Enabled
Number of times accessed	User can choose how many times the share page can be consulted.	Disabled
Maximum number of times accessed	Maximum number of times that the shared page can be consulted	-1 page hits
Option	Description	Default
Share	Add a "Share" link in all pages to send it via email, Twitter, Facebook, message or forums Be careful when allowing anonymous users to activate the antibot feature.	Disabled
Display links on the share page		Enabled
Token notification	Users can subscribe to the notifications of consultation of the token.	Enabled
Add contact	If not already in the list, recipients are added to the list of contacts.	Disabled
Display name and email	If the user is connected, the name and email will display in the page.	Enabled
Number of times accessed	User can choose how many times the share page can be consulted.	Disabled
Maximum number of times accessed	Maximum number of times that the shared page can be consulted	-1 page hits
Option	Description	Default
Share	Add a "Share" link in all pages to send it via email, Twitter, Facebook, message or forums Be careful when allowing anonymous users to activate the antibot feature.	Disabled
Display links on the share page		Enabled
Token notification	Users can subscribe to the notifications of consultation of the token.	Enabled
Add contact	If not already in the list, recipients are added to the list of contacts.	Disabled

Option	Description	Default
Display name and email	If the user is connected, the name and email will display in the page.	Enabled
Number of times accessed	User can choose how many times the share page can be consulted.	Disabled
Maximum number of times accessed	Maximum number of times that the shared page can be consulted	-1 page hits
Option	Description	Default
Share	Add a "Share" link in all pages to send it via email, Twitter, Facebook, message or forums Be careful when allowing anonymous users to activate the antibot feature.	Disabled
Display links on the share page		Enabled
Token notification	Users can subscribe to the notifications of consultation of the token.	Enabled
Add contact	If not already in the list, recipients are added to the list of contacts.	Disabled
Display name and email	If the user is connected, the name and email will display in the page.	Enabled
Number of times accessed	User can choose how many times the share page can be consulted.	Disabled
Maximum number of times accessed	Maximum number of times that the shared page can be consulted	-1 page hits
Option	Description	Default
Option	Description Add a "Share" link in all pages to send it via email, Twitter, Facebook, message or forums Be careful when allowing anonymous users to activate the antibot feature.	Default Disabled
	Add a "Share" link in all pages to send it via email, Twitter, Facebook, message or forums Be careful when allowing anonymous users to activate the antibot	
Share	Add a "Share" link in all pages to send it via email, Twitter, Facebook, message or forums Be careful when allowing anonymous users to activate the antibot	Disabled
Share Display links on the share page	Add a "Share" link in all pages to send it via email, Twitter, Facebook, message or forums Be careful when allowing anonymous users to activate the antibot feature.	Disabled Enabled
Share Display links on the share page Token notification	Add a "Share" link in all pages to send it via email, Twitter, Facebook, message or forums Be careful when allowing anonymous users to activate the antibot feature. Users can subscribe to the notifications of consultation of the token.	Disabled Enabled Enabled
Share Display links on the share page Token notification Add contact	Add a "Share" link in all pages to send it via email, Twitter, Facebook, message or forums Be careful when allowing anonymous users to activate the antibot feature. Users can subscribe to the notifications of consultation of the token. If not already in the list, recipients are added to the list of contacts.	Disabled Enabled Enabled Disabled
Share Display links on the share page Token notification Add contact Display name and email	Add a "Share" link in all pages to send it via email, Twitter, Facebook, message or forums Be careful when allowing anonymous users to activate the antibot feature. Users can subscribe to the notifications of consultation of the token. If not already in the list, recipients are added to the list of contacts. If the user is connected, the name and email will display in the page.	Disabled Enabled Enabled Disabled Enabled
Share Display links on the share page Token notification Add contact Display name and email Number of times accessed Maximum number of times	Add a "Share" link in all pages to send it via email, Twitter, Facebook, message or forums Be careful when allowing anonymous users to activate the antibot feature. Users can subscribe to the notifications of consultation of the token. If not already in the list, recipients are added to the list of contacts. If the user is connected, the name and email will display in the page. User can choose how many times the share page can be consulted.	Disabled Enabled Enabled Disabled Enabled Disabled

Option	Description	Default
Display links on the share page		Enabled
Token notification	Users can subscribe to the notifications of consultation of the token.	Enabled
Add contact	If not already in the list, recipients are added to the list of contacts.	Disabled
Display name and email	If the user is connected, the name and email will display in the page.	Enabled
Number of times accessed	User can choose how many times the share page can be consulted.	Disabled
Maximum number of times accessed	Maximum number of times that the shared page can be consulted	-1 page hits

Social networks - Bit.ly

Option	Description	Default
bit.ly login	Site-wide log-in name (username) for bit.ly	None
bit.ly key	Site-wide API key for bit.ly	None
Use site-wide account	When set to "yes", only the site-wide account will be used for all users.	Disabled
Option	Description	Default
bit.ly login	Site-wide log-in name (username) for bit.ly	None
bit.ly key	Site-wide API key for bit.ly	None
Use site-wide account	When set to "yes", only the site-wide account will be used for all users.	Disabled
Option	Description	Default
Option bit.ly login	Description Site-wide log-in name (username) for bit.ly	Default None
bit.ly login	Site-wide log-in name (username) for bit.ly	None
bit.ly login bit.ly key	Site-wide log-in name (username) for bit.ly Site-wide API key for bit.ly	None None
bit.ly login bit.ly key Use site-wide account	Site-wide log-in name (username) for bit.ly Site-wide API key for bit.ly When set to "yes", only the site-wide account will be used for all users.	None None Disabled
bit.ly login bit.ly key Use site-wide account Option	Site-wide log-in name (username) for bit.ly Site-wide API key for bit.ly When set to "yes", only the site-wide account will be used for all users. Description	None None Disabled Default

unt will be used for all users. D	one isabled
unt will be used for all users. D	
	isabled
7	
D	Default
y	one
N	one
unt will be used for all users. D	isabled
	N

Social networks - Facebook

Option	Description	Default
Facebook site name	The default website name that will be used by Facebook (og:site_name) for every webpage. This parameter will be used instead of the browser title.	None
Facebook site image	The default image (logo, picture, etc.) that will be used by Facebook (og:image) for every webpage. It must be specified as a URL. The minimum valid image size is 200x200px. However, Facebook recommends 1200x630px or larger for the best display on high resolution devices.	None
Application ID	Application ID generated by registering this Tiki site as an application at Facebook	None
Application secret	Application secret generated by registering this Tiki site as an application at Facebook	None
Login using Facebook	Allow users to log in using Facebook	Disabled
Auto-create Tiki user	Automatically create a Tiki user by the username of fb_xxxxxxxx for users logging in using Facebook if they do not yet have a Tiki account. If not, they will be asked to link or register a Tiki account	Disabled
Require Facebook users to enter local account info on creation	Require Facebook users to enter local account info, specifically email and local log-in name	Disabled
Set user email from Facebook on creation.	Tiki will set the user's email from Facebook on creation.	Disabled
Create a user tracker item on registration	Sets whether a tracker item should be created for the user upon registration	Disabled
First and last name tracker field IDs to set on creation	Comma-separated, with first name field followed by last name field; for example, '2,3'	Disabled

Description	Default
Tiki may post status messages, notes, photos, and videos to the Facebook Wall.	Disabled
Tiki may create and RSVP to Facebook events.	Disabled
Tiki can manage user pages.	Disabled
Tiki can use SMS functions via Facebook.	Disabled
	Tiki may post status messages, notes, photos, and videos to the Facebook Wall. Tiki may create and RSVP to Facebook events. Tiki can manage user pages.

Social networks - General

Option	Description	Default
Social networks	Integration with social applications and networks like Twitter and Facebook	Disabled
Option	Description	Default
Social networks	Integration with social applications and networks like Twitter and Facebook	Disabled
Option	Description	Default
Social networks	Integration with social applications and networks like Twitter and Facebook	Disabled
Option	Description	Default
Option Social networks	Description Integration with social applications and networks like Twitter and Facebook	Default Disabled
-		
Social networks	Integration with social applications and networks like Twitter and Facebook	Disabled
Social networks Option	Integration with social applications and networks like Twitter and Facebook Description	Disabled Default

Social networks - LinkedIn

Option	Description	Default
Client ID	Client ID generated by registering this site as an application at LinkedIn	None
Client secret	Client Secret generated by registering this site as an application at LinkedIn	None
Log in using LinkedIn	Allow users to log in using LinkedIn.	Disabled
Auto-create Tiki user from LinkedIn	Automatically create a Tiki user by the username of li_xxxxxxxx for users logging in using LinkedIn if they do not yet have a Tiki account. If not, they will be asked to link or register a Tiki account	Disabled
Set user email from LinkedIn on creation.	Tiki will set the user's email from LinkedIn on creation.	Disabled
Create a user tracker item on registration	Sets whether a tracker item should be created for the user upon registration	Disabled
First and last name tracker field IDs to set on creation	Comma-separated, with first name field followed by last name field; for example, '2,3'	None

Social networks - ShareThis

Option	Description	Default
ShareThis buttons	Enable sharing site content via ShareThis Insert a ShareThis button from http://www.sharethis.com.	Disabled
Your ShareThis publisher identifier (optional)	Set to define your ShareThis publisher identifier	None
Display ShareThis icon prominently	Encourage sharing by displaying the ShareThis icon (the default is placing the icon in a drop-down list that requires a click to view).	Disabled
Option	Description	Default
Option ShareThis buttons	Description Enable sharing site content via ShareThis Insert a ShareThis button from http://www.sharethis.com.	Default Disabled
	Enable sharing site content via ShareThis	

Option	Description	Default
ShareThis buttons	Enable sharing site content via ShareThis Insert a ShareThis button from http://www.sharethis.com.	Disabled
Your ShareThis publisher identifier (optional)	Set to define your ShareThis publisher identifier	None
Display ShareThis icon prominently	Encourage sharing by displaying the ShareThis icon (the default is placing the icon in a drop-down list that requires a click to view).	Disabled
Option	Description	Default
ShareThis buttons	Enable sharing site content via ShareThis Insert a ShareThis button from http://www.sharethis.com.	Disabled
Your ShareThis publisher identifier (optional)	Set to define your ShareThis publisher identifier	None
Display ShareThis icon prominently	Encourage sharing by displaying the ShareThis icon (the default is placing the icon in a drop-down list that requires a click to view).	Disabled
Option	Description	Default
ShareThis buttons	Enable sharing site content via ShareThis Insert a ShareThis button from http://www.sharethis.com.	Disabled
Your ShareThis publisher identifier (optional)	Set to define your ShareThis publisher identifier	None
Display ShareThis icon prominently	Encourage sharing by displaying the ShareThis icon (the default is placing the icon in a drop-down list that requires a click to view).	Disabled
Option	Description	Default
ShareThis buttons	Enable sharing site content via ShareThis Insert a ShareThis button from http://www.sharethis.com.	Disabled
Your ShareThis publisher identifier (optional)	Set to define your ShareThis publisher identifier	None
Display ShareThis icon prominently	Encourage sharing by displaying the ShareThis icon (the default is placing the icon in a drop-down list that requires a click to view).	Disable

Social networks - Twitter

Option	Description	Default
Twitter site name	The default website name that will be used by Twitter (twitter:site) for every web page. This parameter will be used instead of the browser title.	None
Twitter site image	The default image (logo, picture, etc) that will be used by Twitter (twitter:image) for every web page. The image must be specified as a URL.	None
Consumer key	Consumer key generated by registering this Tiki site as an application at Twitter	None
Consumer secret	Consumer secret generated by registering this Tiki site as an application at Twitter.	None

Stats - Google Analytics

Option	Description	Default
Google Analytics account number	The account number for the site. The account number from Google is something like UA-XXXXXXX-YY or G-XXXXXXXXXX. Enter the account number with prefix (prefix eg: "G-" or "UA-")	None
Google Global Site Tag Mode	Use the newer Google Global Site Tag (gtag.js) as opposed to the previous ga.js.	Enabled
Google authentication credentials file	Path to the Google Service Account credentials JSON file. Must be kept private and not accessible on the internet directly	None
Google Analytics Groups Option	Define option for Google Analytics groups None Included Excluded	None
Google Analytics Available Groups	User groups for which Google Analytics will be available All Admins DocContributors DocTwoAdmins DocTwoEditors Registered Team Developers	None
Option	Description	Default
Google Analytics account number	The account number for the site. The account number from Google is something like UA-XXXXXXX-YY or G-XXXXXXXXXX. Enter the account number with prefix (prefix eg: "G-" or "UA-")	None
Google Global Site Tag Mode	Use the newer Google Global Site Tag (gtag.js) as opposed to the previous ga.js.	Enabled
Google authentication credentials file	Path to the Google Service Account credentials JSON file. Must be kept private and not accessible on the internet directly	None
Google Analytics Groups Option	Define option for Google Analytics groups None Included Excluded	None

Option	Description	Default
Google Analytics Available Groups	User groups for which Google Analytics will be available All Admins DocContributors DocTwoAdmins DocTwoEditors Registered Team Developers	None
Option	Description	Default
Google Analytics account number	The account number for the site. The account number from Google is something like UA-XXXXXXXYYY or G-XXXXXXXXXXX. Enter the account number with prefix (prefix eg: "G-" or "UA-")	None
Google Global Site Tag Mode	Use the newer Google Global Site Tag (gtag.js) as opposed to the previous ga.js.	Enabled
Google authentication credentials file	Path to the Google Service Account credentials JSON file. Must be kept private and not accessible on the internet directly	None
Google Analytics Groups Option	Define option for Google Analytics groups None Included Excluded	None
Google Analytics Available Groups	User groups for which Google Analytics will be available All Admins DocContributors DocTwoAdmins DocTwoEditors Registered Team Developers	None
Option	Description	Default
Google Analytics account number	The account number for the site. The account number from Google is something like UA-XXXXXXX-YY. Enter only XXXXXXX-YY (without the UA)	None
Google Global Site Tag Mode	Use the newer Google Global Site Tag (gtag.js) as opposed to the previous ga.js.	Enabled
Google authentication credentials file	Path to the Google Service Account credentials JSON file. Must be kept private and not accessible on the internet directly	None
Google Analytics Groups Option	Define option for Google Analytics groups None Included Excluded	None
Google Analytics Available Groups	User groups for which Google Analytics will be available All Admins DocContributors DocTwoAdmins DocTwoEditors Registered Team Developers	None
Option	Description	Default
Google Analytics account number	The account number for the site. The account number from Google is something like UA-XXXXXXX-YY. Enter only XXXXXXX-YY (without the UA)	None
Google Global Site Tag Mode	Use the newer Google Global Site Tag (gtag.js) as opposed to the previous ga.js.	Enabled
Google authentication credentials file	Path to the Google Service Account credentials JSON file. Must be kept private and not accessible on the internet directly	None

Option	Description	Default
Google Analytics Groups Option	Define option for Google Analytics groups None Included Excluded	None
Google Analytics Available Groups	User groups for which Google Analytics will be available All Admins Registered	None
Option	Description	Default
Google Analytics account number	The account number for the site. The account number from Google is something like UA-XXXXXXX-YY. Enter only XXXXXXX-YY (without the UA)	None
Google Global Site Tag Mode	Use the newer Google Global Site Tag (gtag.js) as opposed to the previous ga.js.	Enabled
Google authentication credentials file	Path to the Google Service Account credentials JSON file. Must be kept private and not accessible on the internet directly	None
Google Analytics Groups Option	Define option for Google Analytics groups None Included Excluded	None
Google Analytics Available Groups	User groups for which Google Analytics will be available All Admins Registered	None

Stats - Piwik Analytics

Option	Description	Default
Piwik server URL	The URL to the Piwik server of this site In Piwik, the selected site (Site Id) must have view permission set for anonymous, or a token authentication parameter can be inserted in the Piwik server URL. http(s)://yourpiwik.tld/index.php(?token_auth=yourtokencode)	None
Site Id	The ID of this website in Piwik	None
Piwik JavaScript tracking code	Code to be placed on every page of this website just before the	

tag

Option	Description	Default
Piwik server URL	The URL to the Piwik server of this site In Piwik, the selected site (Site Id) must have view permission set for anonymous, or a token authentication parameter can be inserted in the Piwik server URL. http(s)://yourpiwik.tld/index.php(?token_auth=yourtokencode)	None
Site Id	The ID of this website in Piwik	None

Option	Description	Default
Piwik JavaScript tracking code	Code to be placed on every page of this website just before the tag	None
Piwik Groups Option	Define option for Piwik groups None Included Excluded	None
Piwik Available Groups	User groups for which piwik will be available All Admins DocContributors DocTwoAdmins DocTwoEditors Registered Team Developers	None
Option	Description	Default
Piwik server URL	The URL to the Piwik server of this site In Piwik, the selected site (Site Id) must have view permission set for anonymous, or a token authentication parameter can be inserted in the Piwik server URL. http(s)://yourpiwik.tld/index.php(?token_auth=yourtokencode)	None
Site Id	The ID of this website in Piwik	None
Piwik JavaScript tracking code	Code to be placed on every page of this website just before the tag	None
Piwik Groups Option	Define option for Piwik groups None Included Excluded	None
Piwik Available Groups	User groups for which piwik will be available All Admins DocContributors DocTwoAdmins DocTwoEditors Registered Team Developers	None
Option	Description	Default
Piwik server URL	The URL to the Piwik server of this site In Piwik, the selected site (Site Id) must have view permission set for anonymous, or a token authentication parameter can be inserted in the Piwik server URL. http(s)://yourpiwik.tld/index.php(?token_auth=yourtokencode)	None
Site Id	The ID of this website in Piwik	None
Piwik JavaScript tracking code	Code to be placed on every page of this website just before the tag	None
Piwik Groups Option	Define option for Piwik groups None Included Excluded	None
Piwik Available Groups	User groups for which piwik will be available All Admins DocContributors DocTwoAdmins DocTwoEditors Registered Team Developers	None
Option	Description	Default
Piwik server URL	The URL to the Piwik server of this site In Piwik, the selected site (Site Id) must have view permission set for anonymous, or a token authentication parameter can be inserted in the Piwik server URL. http(s)://yourpiwik.tld/index.php(?token_auth=yourtokencode)	None

Option	Description	Default
Site Id	The ID of this website in Piwik	None
Piwik JavaScript tracking code	Code to be placed on every page of this website just before the tag	None
Piwik Groups Option	Define option for Piwik groups None Included Excluded	None
Piwik Available Groups	User groups for which piwik will be available All Admins Registered	None
Option	Description	Default
Piwik server URL	The URL to the Piwik server of this site In Piwik, the selected site (Site Id) must have view permission set for anonymous, or a token authentication parameter can be inserted in the Piwik server URL. http(s)://yourpiwik.tld/index.php(?token_auth=yourtokencode)	None
Site Id	The ID of this website in Piwik	None
Piwik JavaScript tracking code	Code to be placed on every page of this website just before the tag	None
Piwik Groups Option	Define option for Piwik groups None Included Excluded	None
Piwik Available Groups	User groups for which piwik will be available All Admins Registered	None

Stats - Tiki statistics

Option	Description	Default
Stats	Record basic statistics about major Tiki features (number of wiki pages, size of file galleries, etc.)	Disabled
Referrer stats	Record domain name of sites that send visitors to this Tiki.	Disabled
Count admin pageviews	Include pageviews by Admin when reporting stats.	Disabled
Option	Description	Default
Option Stats	Description Record basic statistics about major Tiki features (number of wiki pages, size of file galleries, etc.)	Default Disabled
-	Record basic statistics about major Tiki features (number of wiki pages, size of	

Option	Description	Default
Stats	Record basic statistics about major Tiki features (number of wiki pages, size of file galleries, etc.)	Disabled
Referrer stats	Record domain name of sites that send visitors to this Tiki.	Disabled
Count admin pageviews	Include pageviews by Admin when reporting stats.	Disabled
Option	Description	Default
Stats	Record basic statistics about major Tiki features (number of wiki pages, size of file galleries, etc.)	Disabled
Referrer stats	Record domain name of sites that send visitors to this Tiki.	Disabled
Count admin pageviews	Include pageviews by Admin when reporting stats.	Disabled
Option	Description	Default
Stats	Record basic statistics about major Tiki features (number of wiki pages, size of file galleries, etc.)	Disabled
Referrer stats	Record domain name of sites that send visitors to this Tiki.	Disabled
Count admin pageviews	Include pageviews by Admin when reporting stats.	Disabled
Option	Description	Default
Option Stats	Description Record basic statistics about major Tiki features (number of wiki pages, size of file galleries, etc.)	Default Disabled
<u> </u>	Record basic statistics about major Tiki features (number of wiki pages, size of	

Define option for Piwik groups Piwik Groups Option

None | Included | Excluded

User groups for which piwik will be available Piwik Available Groups All | Admins | DocContributors | DocTwoAdmins | DocTwoEditors | Registered | Team

None

None

Developers