

Stub

This page is a stub of information related to the not-very-well-documented simple wiki ratings feature.

Enabling and Configuration

Set "Simple wiki ratings" under Admin Home, Wiki, Features (tiki-admin.php?page=wiki&cookietab=2)

FAQ

1. Where are the results displayed?
tiki-poll_results.php ? Seems to not list Simple Wiki Rating results.
tiki-old_polls.php ? Seems to not list Simple Wiki Rating results.
The results are tabulated in the database table **tiki_user_votings**. The site pages for which the votes are applied are in field "**id**" with **values** like "wiki2". "Wiki2" in this example, is the Rating Type, "wiki" (as opposed to "article"), and the "2" indicates the "**page_id**" from database table **tiki_pages**.
Don't know yet if there is a page to display the results.
2. Why doesn't the rating bar show up on pages for users with lower permissions?
Because templates/tiki-show_page.tpl requires \$tiki_p_assign_perm_wiki_page eq 'y' . This appears to be a bug.
Consider changing that to " \$tiki_p_wiki_vote_ratings eq 'y' ".
3. Can the collected votes be deleted somehow to reset the tally?

From lib/prefs/wiki.php:

```
'wiki_simple_ratings' => array( 'name' => tra('Simple wiki ratings'), 'description' => tra('Enable users to rate articles based on a simple numeric scale.'), 'type' => 'flag', 'default' => 'n', ), 'wiki_simple_ratings_options' => array( 'name' => tra('Wiki rating options'), 'description' => tra('List of options available for the rating of wiki pages.'), 'type' => 'text', 'separator' => ',', 'filter' => 'int', 'default' => range(1, 5), ),
```

From tiki-admin.php:

```
"rating" => array( 'position' => '-300px -215px;', 'icon' => 'img/icons/large/rating.png', 'title' => tr('Rating'), 'help' => 'Advanced+Rating', 'disabled' => $prefs['wiki_simple_ratings'] !== 'y' && $prefs['rating_advanced'] !== 'y' && $prefs['article_user_rating'] !== 'y', ),
```

From lib/rating/ratinglib.php

References database table "tiki_user_votings".

```
function get_options( $type ) { $pref = 'rating_default_options'; switch( $type ) { case 'wiki page': $pref = 'wiki_simple_ratings_options'; break; case 'article': $pref = 'article_user_rating_options'; break; } global $tikilib; return $tikilib->get_preference($pref, range(1, 5), true); }
```

From lib/test/rating/RegisterVoteTest.php

```
function testGetWikiPageRange() { global $prefs; $prefs['wiki_simple_ratings_options'] = range(2, 8); $lib = new RatingLib; $this->assertEquals(range(2, 8), $lib->get_options('wiki page')); }
```

From templates/tiki-show_page.tpl

\$tiki_p_assign_perm_wiki_page appears to be a bug. Too strong. Should perhaps be \$tiki_p_wiki_vote_ratings .

```
{if $prefs.feature_wiki_ratings eq 'y'} {include file='poll.tpl'} {/if} {if $prefs.wiki_simple_ratings eq 'y' && $tiki_p_assign_perm_wiki_page eq 'y'}  
{rating type="wiki page" id=$page_id}  
{/if}
```

From lib/core/Tracker/Field/Rating.php:

```
$votings = TikiDb::get()->table('tiki_user_votings');
```

From lib/polls/polllib_shared.php:

```
$query = "select user from `tiki_user_votings` where `optionId`=?";  
' left join `tiki_user_votings` tuv on (tpo.`optionId` = tuv.`optionId`)'.  
$query = 'delete from `tiki_user_votings` where `id`=?';  
$query = 'delete from `tiki_user_votings` where `id`=? and `optionId`=? and ';
```

From lib/rating/ratinglib.php:

```
$joins = array( `tiki_user_votings` `uv` );  
INNER JOIN ( SELECT ' . $connect . '(`time`) `t`, `user` `u` FROM `tiki_user_votings` WHERE ' . implode(' AND ', $where) . '  
GROUP BY `user` ' . $extra . ' ) `j`  
'INSERT INTO `tiki_user_votings` ( `user`, `ip`, `id`, `optionId`, `time` ) VALUES( ?, ?, ?, ?, ? )',  
'SELECT `optionId` FROM `tiki_user_votings` WHERE `user` = ? AND `id` = ? ORDER BY `time` DESC',
```

From lib/surveys/surveylib.php:

```
$query = 'delete from `tiki_user_votings` where `id`=?';
```

lib/test/rating/AggregationTest.php:

```
TikiDb::get()->query('DELETE FROM `tiki_user_votings` WHERE `id` LIKE ?', array('test.%'));
```

Fromlib/test/rating/RegisterVoteTest.php:

```
return TikiDb::get()->fetchAll('SELECT `user`, `id`, `optionId` FROM `tiki_user_votings` WHERE `id` LIKE ? ORDER BY `user`, `id`, `optionId`', array('test.%'));
```

lib/tikilib.php:

```
$query = "select count(*) from `tiki_user_votings` where `user`=? and `id`=?";  
$userVotings = $this->table('tiki_user_votings');  
$vote = $this->getOne("select `optionId` from `tiki_user_votings` where `user` = ? and `id` = ? order by `time` desc", array($user, $id));
```

lib/trackers/trackerlib.php:

```
$userVotings = $this->table('tiki_user_votings');  
...
```

lib/userslib.php:

```
$this->query('update `tiki_user_votings` set `user`=? where `user`=?', array($to, $from));
```

lib/wiki-plugins/wikiplugin_votings.php:

```
$votings = TikiDb::get()->table('tiki_user_votings');
```

From other pages

{CODE(wrap="0")}\$ grep -C5 -iR "wiki_simple_ratings" * | grep -v -e templates_c -e temp/cache #redacted out the above
templates/admin/include_rating.tpl-

templates/admin/include_rating.tpl-

templates/admin/include_rating.tpl-

templates/admin/include_rating.tpl-

Wiki{/tr}
templates/admin/include_rating.tpl-
templates/admin/include_rating.tpl:

templates/admin/include_rating.tpl:

templates/admin/include_rating.tpl:

templates/admin/include_rating.tpl-

templates/admin/include_rating.tpl-

templates/admin/include_rating.tpl-

templates/admin/include_rating.tpl-

Articles{/tr}
templates/admin/include_rating.tpl-
--

templates/admin/include_wiki.tpl-
templates/admin/include_wiki.tpl-

templates/admin/include_wiki.tpl-

templates/admin/include_wiki.tpl-🔑

templates/admin/include_wiki.tpl-

templates/admin/include_wiki.tpl:

templates/admin/include_wiki.tpl:

templates/admin/include_wiki.tpl:

templates/admin/include_wiki.tpl-

templates/admin/include_wiki.tpl-
templates/admin/include_wiki.tpl-

templates/admin/include_wiki.tpl-

templates/admin/include_wiki.tpl-