

Dynamic items list

Basic documentation

Function: Dynamically updates a selection list based on linked data from another tracker.

Usage: trackerId,filterFieldIdThere,filterFieldIdHere,listFieldIdThere,statusThere

Description:

trackerId	is the ID of the tracker to link with;
filterFieldIdThere	is the field you want to link with in that tracker;
filterFieldIdHere	is the field you want to link with in the current tracker;
listFieldIdThere	is the field ID you wish to pull the selection list from, based on the value selected in filterFieldIdHere matching field(s) in filterFieldIdThere;
statusThere	restricts values appearing in the list to those coming from records in the other tracker that meet specified statuses of [o p c] or in combination (op, opc);

multiple options must appear in the order specified, separated by commas.

to be tested filterFieldHere can be an item link, a user selector, a group selector, a country selector, a dynamic list

Tutorial

With Tiki's trackers, you can create dynamic forms, in which field options change automatically, depending on other selections.

In this tutorial, you will create a dynamic tracker that users will complete to enter their operating system and version number. Depending on the operating system that they choose (Windows or Solaris), different version options will appear.

You will actually need to build two trackers: an "internal" tracker to hold the dynamic options, and an "external" tracker from which the user will make their selections.


Step 1: Build the "internal" tracker for the selectable options

1. Create a new tracker.

In this example, since the selectable options are for an "operating system", we will name the tracker **Operating System**.

Record the ID number for this tracker. We'll refer to this tracker as the **Option Tracker ID**.

In this example, the ID is **17**.



The screenshot shows the Tiki Wiki CMS Groupware interface. On the left is a 'System Menu' sidebar with options like Home, Search, Categories, Tags, Calendar, Tiki Calendar, Payments, and My Account. The main content area is titled 'Trackers' and includes a search bar and a table of trackers. The table has columns for Id, Name, Created, Last modified, and Items. The row for 'Operating System' (Id: 17) is highlighted.

Id	Name	Created	Last modified	Items
18	User Profile	2024-12-09	17:09	0
17	Operating System	2024-12-09	17:03	5


Click to expand

2. Create a field with the name **OS**, of type **drop down**, with the options **Windows, Solaris**.

Record the ID number for this field. We'll refer to this field as the **Option Tracker Choices ID**. In this example, the ID is **17**.

3. Create a field with the name **Version** of type **text** for this tracker.

Record the ID number for this field. We'll refer to this field as the **Option Tracker Versions ID**. In this example, the ID is **18**.



Click to expand


Step 2: Populate the "internal" tracker.

Now that you've built the tracker to hold the options, you need to populate the tracker with the valid choices.

1. From the Trackers listing page, click the **Option Tracker** tracker that you just created.
2. Click **Insert new Item**.
3. Populate the valid OS versions.


In the OS field, select **Windows**.

In the Version field, type **Vista**.



Click to expand

- Repeat these steps to enter all of the valid combinations that to allow (for example: Windows XP, Solaris 2.9, and so on).



Click to expand

Step 3: Create the "external" user tracker

Now you need to create the actual tracker the will contain the selectable options that you defined.

- Create a new tracker.

In this example, we will name the tracker **User Profile**.

- Create a field with the name **Operating System**, of type **item link** with the options:
Option Tracker ID, Option Tracker Choices ID

You created these IDs in Step 1. In this example, the options are: 17 , 17.

This is the selector from which the users will select their operating system (Windows or Solaris).


Record the ID number for this field. We'll refer to this field as the **User OS Choices ID**.

In this example, the ID is **19**.

3. Create a field with the name **Version**, of type **dynamic items list**, with the options: **Option Tracker ID, Option Tracker Choices ID, User OS Choices ID, Option Tracker Versions ID**

In this example, the options are: **17** , **17** , **19** , **18** .

4. Create a field with the name **Your name**, of type **text**.
This will simply be a field for users to enter their names.



Click to expand

Test the tracker

Now you can test the "user" tracker (named **User Profile** in this example).

1. From the Trackers listing page, click the **User Profile** tracker that you just created.
2. Click **Insert new Item**.
Notice that the **Version** field is empty.

3. In the **Operating System** field, select **Windows**.

Notice that the **Version** field is now populated with the Windows options (Vista, XP, and 95).

4. Change the **Operating System** field to **Solaris**.

Notice that the **Version** field is now populated with the Solaris options (2.9 and 2.10).

Refer from:

Final notes

- Chained use of the dynamic list item type in trackers does not work at the moment (Tiki5.0Beta1). Vote for the issue if you feel it is important.
- Categories might be an alternative for you.

See also

Plugin JQuery

Backlinks:

2 pages link to Dynamic items list

- Items List and Item Link Tracker Fields
- Transfer Field Type

Alias names for this page:

Dynamic items lists | Dynamic item lists | Dynamic item list | Dynamic_items_list